



1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Code(s)

376TTB

Product name

APPLE TYPE, NATURAL & ARTIFICIAL (CONTAINS < 0.10% ARTIFICIAL TOP NOTE)

UN/ID No

1993

Recommended use of the chemical and restrictions on use

Recommended Use

No information available.

Uses advised against

No information available

Manufacturer

Apex Flavors, Inc.
1371 Brass Mill Rd.
Suite A
Belcamp, MD 21017
(410) 565-6600

Emergency telephone

Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 2A
Skin Sensitization	Category 1
Carcinogenicity	Category 2
Flammable liquids	Category 2

GHS Label elements, including precautionary statements

Emergency Overview

<p>Warning</p> <p>Hazard Statements Causes serious eye irritation May cause an allergic skin reaction Suspected of causing cancer Highly flammable liquid and vapor</p>



Appearance clear

Physical state liquid

Odor fresh red apple

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Specific treatment (see .? on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other information

- Toxic to aquatic life with long lasting effects
- Toxic to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
ETHYL ALCOHOL	64-17-5	30-50%	*
GLYCERINE	56-81-5	20-30%	*
ACETIC ACID	64-19-7	1-5%	*
ACETALDEHYDE	75-07-0	<1	*
TRANS-2-HEXENAL	6728-26-3	<1	*

4. FIRST AID MEASURES

First aid measures for different exposure routes

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin contact Wash skin with soap and water.

Inhalation Move to fresh air.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms/effects, acute and delayed

Main Symptoms Hives.

Indication of immediate medical attention and special treatment needed, if necessary

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Decomposition by contact with water may generate vapors which can be ignited by heat or open flame.

Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact none.

Sensitivity to Static Discharge Yes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Environmental precautions

Environmental precautions Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Methods and materials for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible products None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
---------------	-----------	----------	------------

ETHYL ALCOHOL 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³
GLYCERINE 56-81-5	-	TWA: 15 mg/m ³ mist, total particulate TWA: 5 mg/m ³ mist, respirable fraction (vacated) TWA: 10 mg/m ³ mist, total particulate (vacated) TWA: 5 mg/m ³ mist, respirable fraction	
ACETIC ACID 64-19-7	STEL: 15 ppm TWA: 10 ppm	TWA: 10 ppm TWA: 25 mg/m ³ (vacated) TWA: 10 ppm (vacated) TWA: 25 mg/m ³	IDLH: 50 ppm TWA: 10 ppm TWA: 25 mg/m ³ STEL: 15 ppm STEL: 37 mg/m ³
PROPIONIC ACID 79-09-4	TWA: 10 ppm	(vacated) TWA: 10 ppm (vacated) TWA: 30 mg/m ³	TWA: 10 ppm TWA: 30 mg/m ³ STEL: 15 ppm STEL: 45 mg/m ³
ACETALDEHYDE 75-07-0	Ceiling: 25 ppm	TWA: 200 ppm TWA: 360 mg/m ³ (vacated) TWA: 100 ppm (vacated) TWA: 180 mg/m ³ (vacated) STEL: 150 ppm (vacated) STEL: 270 mg/m ³	IDLH: 2000 ppm
ETHYL ACETATE 141-78-6	TWA: 400 ppm	TWA: 400 ppm TWA: 1400 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 1400 mg/m ³	IDLH: 2000 ppm TWA: 400 ppm TWA: 1400 mg/m ³
ISOAMYL ACETATE 123-92-2	STEL: 100 ppm TWA: 50 ppm	TWA: 100 ppm TWA: 525 mg/m ³ (vacated) TWA: 100 ppm (vacated) TWA: 525 mg/m ³	IDLH: 1000 ppm TWA: 100 ppm TWA: 525 mg/m ³
ISOAMYL ALCOHOL 123-51-3	STEL: 125 ppm TWA: 100 ppm	TWA: 100 ppm TWA: 360 mg/m ³ (vacated) TWA: 100 ppm (vacated) TWA: 360 mg/m ³ (vacated) STEL: 125 ppm (vacated) STEL: 450 mg/m ³	IDLH: 500 ppm TWA: 100 ppm TWA: 360 mg/m ³ STEL: 125 ppm STEL: 450 mg/m ³
ISOBUTYL ACETATE 110-19-0	TWA: 150 ppm	TWA: 150 ppm TWA: 700 mg/m ³ (vacated) TWA: 150 ppm (vacated) TWA: 700 mg/m ³	IDLH: 1300 ppm TWA: 150 ppm TWA: 700 mg/m ³
FURFURAL 98-01-1	TWA: 2 ppm S*	TWA: 5 ppm TWA: 20 mg/m ³ (vacated) TWA: 2 ppm (vacated) TWA: 8 mg/m ³ (vacated) S* S*	IDLH: 100 ppm
CITRAL 5392-40-5	TWA: 5 ppm inhalable fraction and vapor S*	-	
PINENES 80-56-8	TWA: 20 ppm	-	

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Exposure controls

Engineering Controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	If splashes are likely to occur, wear:.
Skin and body protection	Chemical resistant apron.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state	liquid
Appearance	clear
Odor	fresh red apple
Color	Colorless to pale yellow.

<u>Property</u>	<u>Values</u>	<u>Method</u>
pH		No information available
Melting/freezing point		FCC Method
Boiling point/boiling range		FCC Method
Flash Point	22 °C / 72 °F	Closed cup
Evaporation rate	No information available	No information available
Flammability (solid, gas)	No information available	No information available
Flammability Limits in Air		No information available
Upper flammability limit	No information available	
lower flammability limit	No information available	
Vapor pressure mm Hg 20°C		No information available
Vapor density		No information available
Specific Gravity @ 25C	0.9825 - 1.0125	FCC Method
Specific Gravity @ 20C	0.9855 - 1.0155	FCC Method
Refractive Index	1.3888 - 1.4530	FCC Method
Water solubility	Practically insoluble	
Solubility in other solvents		No information available
Partition coefficient: n-octanol/water		No information available
Autoignition temperature	No information available	No information available
Decomposition temperature		No information available
Viscosity, kinematic	No information available	No information available
Viscosity, dynamic	No information available	No information available
Explosive properties	No information available	
Oxidizing Properties	No information available	

Other information

Softening point	No information available
Molecular Weight	No information available
VOC Content(%)	No information available
Density VALUE	No information available
Bulk Density VALUE	No information available

10. STABILITY AND REACTIVITY

Reactivity
No data available

Chemical stability
Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Extremes of temperature and direct sunlight.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known information

Inhalation There is no data available for this product.

Eye contact There is no data available for this product.

Skin contact There is no data available for this product.

Ingestion There is no data available for this product.

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
ETHYL ALCOHOL 64-17-5	-	-	124.7 mg/L (Rat) 4 h
GLYCERINE 56-81-5	-	10 g/kg (Rabbit)	570 mg/m ³ (Rat) 1 h
ACETIC ACID 64-19-7	3310 mg/kg (Rat)	1060 mg/kg (Rabbit)	11.4 mg/L (Rat) 4 h
ACETALDEHYDE 75-07-0	1930 mg/kg (Rat)	-	-
FURFURAL 98-01-1	125 mg/kg (Rat)	500 - 1000 mg/kg (Rabbit)	175 ppm (Rat) 6 h

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Germ Cell Mutagenicity No information available.

Carcinogenicity This product contains one or more substances which are classified by IARC as carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B).

Chemical Name	ACGIH	IARC	NTP	OSHA
ETHYL ALCOHOL 64-17-5	A3	Group 1	Known	X
ACETALDEHYDE 75-07-0	A3	Group 1 Group 2B	Reasonably Anticipated	X

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity	No information available.
Specific target organ systemic toxicity (single exposure)	No information available.
Specific target organ systemic toxicity (repeated exposure)	No information available.
Chronic toxicity	May cause adverse liver effects. Contains a known or suspected reproductive toxin.
Target Organ Effects	Blood, Central nervous system, Eyes, Kidney, Liver, Reproductive system, Respiratory system, Skin, Teeth.
Aspiration hazard	No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

. mg/kg mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

0.12599% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
ETHYL ALCOHOL 64-17-5		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through		9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static
GLYCERINE 56-81-5		51 - 57: 96 h Oncorhynchus mykiss mL/L LC50 static		500: 24 h Daphnia magna mg/L EC50
ACETIC ACID 64-19-7		79: 96 h Pimephales promelas mg/L LC50 static 75: 96 h Lepomis macrochirus mg/L LC50 static		65: 48 h Daphnia magna mg/L EC50 Static
ACETALDEHYDE 75-07-0	237 - 249: 120 h Nitzschia linearis mg/L EC50	28.0 - 34.0: 96 h Pimephales promelas mg/L LC50 flow-through 53: 96 h Lepomis macrochirus mg/L LC50 static 1.8 - 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static 39.8 - 46.8: 96 h Pimephales promelas mg/L LC50 static		3.64 - 6.15: 48 h Daphnia magna mg/L EC50 Static 48.3: 48 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	log Pow
ETHYL ALCOHOL 64-17-5	-0.32
GLYCERINE 56-81-5	-1.76

ACETIC ACID 64-19-7	-0.31
ACETALDEHYDE 75-07-0	0.5

Other adverse effects
No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number D001 U112 U001 U125

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
ACETALDEHYDE 75-07-0				U001

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
ETHYL ALCOHOL 64-17-5	Toxic Ignitable
ACETIC ACID 64-19-7	Toxic Corrosive Ignitable
ACETALDEHYDE 75-07-0	Toxic Ignitable

14. TRANSPORT INFORMATION

DOT

UN/ID No 1993
Proper shipping name FLAMMABLE LIQUID, N.O.S. (ETHYL ALCOHOL, ACETALDEHYDE)
Hazard class 3
Packing Group II
ERG Code 128

ICAO/IATA

UN/ID No 1993
Proper shipping name FLAMMABLE LIQUID, N.O.S. (ETHYL ALCOHOL, ACETALDEHYDE)
Hazard class 3
Packing Group II
ERG Code 128

IMDG / IMO

UN/ID No 1993
Proper shipping name FLAMMABLE LIQUID, N.O.S. (ETHYL ALCOHOL, ACETALDEHYDE)
Hazard class 3
Packing Group II

15. REGULATORY INFORMATION

International Inventories

TSCA	-
DSL/NDSL	-
EINECS/ELINCS	-
ENCS	-
IECSC	-
KECL	-
PICCS	-
AICS	-

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
 ENCS - Japan Existing and New Chemical Substances
 IECSC - China Inventory of Existing Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances
 PICCS - Philippines Inventory of Chemicals and Chemical Substances
 AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
ACETALDEHYDE - 75-07-0	75-07-0	0.6	0.1

SARA 311/312 Hazard Categories

Acute Health Hazard	no
Chronic Health Hazard	no
Fire Hazard	Yes
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
ACETIC ACID 64-19-7	5000 lb			X
ACETALDEHYDE 75-07-0	1000 lb			X

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
ACETIC ACID 64-19-7	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
ACETALDEHYDE 75-07-0	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
ETHYL ALCOHOL - 64-17-5	Carcinogen Developmental
ACETALDEHYDE - 75-07-0	Carcinogen
METHYL EUGENOL - 93-15-2	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ETHYL ALCOHOL 64-17-5	X	X	X
GLYCERINE 56-81-5	X	X	X
ACETIC ACID 64-19-7	X	X	X
PROPIONIC ACID 79-09-4	X	X	X
ACETALDEHYDE 75-07-0	X	X	X
ETHYL BUTYRATE 105-54-4	X	X	X
ETHYL ACETATE 141-78-6	X	X	X
ISOAMYL ACETATE 123-92-2	X	X	X
PINENES 80-56-8	X	X	X
METHYL EUGENOL 93-15-2	X		

U.S. EPA Label information

16. OTHER INFORMATION

NFPA	Health Hazard 2	Flammability 4	Instability 0	Physical and chemical hazards *
HMIS	Health Hazard 2	Flammability 4	Physical Hazard 0	Personal protection b

Revision Date 06-Jul-2015
 Revision Note No information available
 Revision# 1

WARNING/DISCLAIMER:

Apex Flavors, Inc.'s products are sold exclusively for use in food and drink for human consumption. These products have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, and electronic cigarettes or similar devices (collectively "E-Cigarettes"). In supplying this product(s), Apex Flavors, Inc. instructs, and purchasing recipient confirms, that this product(s) will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof. Recipients of our products that use them outside of their intended use of food or drink do so at their own risk and without warranty, either expressed or implied, from Apex Flavors, Inc. or its suppliers. The user assumes all liability for loss, injury, damage, or expense resulting from such uses.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

end