# SAFETY DATA SHEET.



# Version 1

# 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

# 1.1. Product identifier

Number	083PGFT		
Manufacturer	Apex Flavors, Inc. 1371 Brass Mill Rd. Suite A Belcamp, MD 21017 (410) 565-6600		
Product name Pure substance/mixture	PURE BASIL EXTRACT, NATURAL Mixture		
1.2. Relevant identified uses of the substance or mixture and uses advised against			
Recommended Use	No information available		
1.3. Details of the supplier of the sa	ifety data sheet		
For further information, please contac	For further information, please contact:		
E-mail Address	cpisano@apexflavors.com		
1.4. Emergency telephone number			
Emergency telephone	Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US		
2. HAZARDS IDENTIFICATION			

# 2.1. Classification of the substance or mixture

Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Germ Cell Mutagenicity	Category 2
Carcinogenicity	Category 1A
Acute aquatic toxicity	Category 2
Flammable liquids	Category 3

Classification according to EU Directives 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16

# 2.2. Label elements



Signal Word Danger

# **Hazard Statements**

- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- H341 Suspected of causing genetic defects
- H350 May cause cancer
- H401 Toxic to aquatic life

H226 - Flammable liquid and vapor

# **Precautionary Statements**

P280 - Wear eye protection/ face protection

P321 - Specific treatment (see .? on this label)

P201 - Obtain special instructions before use

P281 - Use personal protective equipment as required

P308 + P313 - IF exposed or concerned: Get medical advice/ attention

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

# 2.3. Other information

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

# 3.1 Substances

Chemical Name	EC-No	CAS-No	Alternate CAS #	Weight %	Classificatio n according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
ETHYL ALCOHOL	200-578-6	64-17-5		50-90%	F; R11	Flam. Liq. 2 (H225) Flam. Liq. 2 (H225)	No data available
ESTRAGOLE	205-427-8	140-67-0		1-5%	XN; R22, CARC.CAT.3; R40, XI; R43, MUTA.CAT.3; R68;	Muta. 2 (H341)	No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

# 4. FIRST AID MEASURES

# 4.1. Description of first aid measures

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Inhalation	Move to fresh air.

# 4.2. Most important symptoms and effects, both acute and delayed

## 4.3. Indication of any immediate medical attention and special treatment needed

# Note to physicians Treat symptomatically

# 5. FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing media

## Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

#### Extinguishing media which shall not be used for safety reasons No information available

#### 5.2. Special hazards arising from the substance or mixture

Special Hazard None

## 5.3. Advice for firefighters

#### Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear

# 6. ACCIDENTAL RELEASE MEASURES

# 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

See Section 12 for additional Ecological Information

## 6.2. Environmental precautions

Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

## 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)

# 7. HANDLING AND STORAGE

# 7.1. Precautions for safe handling

Ensure adequate ventilation.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

N/A

# 7.3 Specific end use(s)

Exposure scenario N/A

Other Guidelines

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

#### **Exposure limits**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical Name	European Union	The United Kingdom	France	Spain	Germany
ETHYL ALCOHOL		STEL: 3000 ppm	VME: 1000 ppm VME:	VLA-ED: 1000 ppm	MAK: 500 ppm MAK:
64-17-5		STEL: 5760 mg/m <sup>3</sup>	1900 mg/m <sup>3</sup>	VLA-ED: 1910 mg/m <sup>3</sup>	960 mg/m <sup>3</sup>
		TWA: 1000 ppm TWA:	VLCT: 5000 ppm	-	Ceiling / Peak: 1000
		1920 mg/m <sup>3</sup>	VLCT: 9500 mg/m <sup>3</sup>		ppm Ceiling / Peak:
					1920 mg/m <sup>3</sup>
					Skin
					TWA: 500 ppm TWA:
					960 mg/m <sup>3</sup>

Chemical Name	Italy	Portugal	The Netherlands	Finland	Denmark
ETHYL ALCOHOL		TWA: 1000 ppm	Skin	TWA: 1000 ppm TWA:	TWA: 1000 ppm TWA:
64-17-5			STEL: 1900 mg/m <sup>3</sup>	1900 mg/m <sup>3</sup>	1900 mg/m <sup>3</sup>
			TWA: 260 mg/m <sup>3</sup>	STEL: 1300 ppm	_
			_	STEL: 2500 mg/m <sup>3</sup>	

Chemical Name	Austria	Sweden - Occupational Exposure Limits - TLVs (LLVs)	Switzerland	Poland	Norway
ETHYL ALCOHOL 64-17-5	STEL 2000 ppm STEL 3800 mg/m <sup>3</sup> MAK: 1000 ppm MAK: 1900 mg/m <sup>3</sup>	mg/m <sup>3</sup> NGV	STEL: 1000 ppm STEL: 1920 mg/m <sup>3</sup> MAK: 500 ppm MAK: 960 mg/m <sup>3</sup>	NDS: 1900 mg/m <sup>3</sup>	TWA: 500 ppm TWA: 950 mg/m <sup>3</sup> STEL: 625 ppm STEL: 1187.5 mg/m <sup>3</sup>

Component	Ireland
ETHYL ALCOHOL	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>
64-17-5 ( 50-90% )	

#### Derived No Effect Level (DNEL)

No information available

Predicted No Effect Concentration	No information available
(PNEC)	

8.2. Exposure controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas

# Personal protective equipment

Eye Protection	Tightly fitting safety goggles
Hand Protection	Protective gloves
Skin and body protection	Long sleeved clothing
Respiratory protection	When workers are facing concentrations above the exposure limit they must use
	appropriate certified respirators

# **083PGFT PURE BASIL EXTRACT, NATURAL**

## **General Hygiene Considerations**

Handle in accordance with good industrial hygiene and safety practice.

Environmental Exposure Controls No information available

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Physical state Odor	liquid typical of basil (Comoros typo)	Appearance Color	clear Colorloss to palo vollow
Odor	typical of basil (Comoros type)	Color	Colorless to pale yellow.
Property	Values	Method	
pH		No information available	9
Melting/freezing poi	nt	No information available	9
Boiling point/boiling		FCC Method	
Flash Point	23 °C / 74 °F	Closed cup	
Evaporation rate		FCC Method	
Flammability (solid,	gas)	No information available	<u>;</u>
Flammability Limits	in Air	No information available	<u>;</u>
Upper flammabilit	y limit		
lower flammabilit	/ limit		
Vapor pressure mm		No information available	<u>;</u>
Vapor density		No information available	)
Relative density		No information available	)
Specific Gravity @ 2	<b>25C</b> 0.827 - 0.847	FCC Method	
Specific Gravity @ 2	20C 0.83 - 0.85	FCC Method	
<b>Refractive Index</b>	1.358 - 1.378	FCC Method	
Water solubility		No information available	)
Partition coefficient	: n-octanol/water	No information available	)
Autoignition temper	ature	No information available	)
Decomposition tem	perature	No information available	9
Viscosity, dynamic		No information available	)
Explosive propertie	s No information available		
<b>Oxidizing Properties</b>			
9.2. Other information	<u>on</u>		
	00.04000000550		

VOC Content(%) Molecular Weight 88.01999999553 No information available

# **10. STABILITY AND REACTIVITY**

10.1. Reactivity

## 10.2. Chemical stability

Stable under normal conditions

# 10.3. Possibility of hazardous reactions

## 10.4. Conditions to avoid

Heat, flames and sparks

#### 10.5. Incompatible materials

No materials to be especially mentioned

# 10.6. Hazardous decomposition products

## None under normal use conditions

# **11. TOXICOLOGICAL INFORMATION**

# 11.1. Information on toxicological effects

Acute toxicity	
Inhalation	There is no data available for this product
Eye contact	There is no data available for this product
Skin contact	There is no data available for this product
Ingestion	There is no data available for this product
Acute toxicity	10.16000001% of the mixture consists of ingredient(s) of unknown toxicity
The following values are calculated	I based on chapter 3.1 of the GHS document (Rev. 1, 2005):
Oral	6,488.00 mg/kg
Inhalation	

Mist

67,578.49 mg/l

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
ETHYL ALCOHOL	7060 mg/kg (Rat)		124.7 mg/L (Rat)4 h
ESTRAGOLE	1230 mg/kg (Rat)	5 g/kg (Rabbit)	
Skin corrosion/irritation Eye damage/irritation Sensitization Germ Cell Mutagenicity Carcinogenicity	No information available No information available No information available No information available No information available		
Specific target organ systemic toxicity (single exposure)	No information available		
Specific target organ systemic toxicity (repeated exposure)	No information available		
Target Organ Effects	Blood Central nervous system	n Eyes Liver Reproductive sy	stem Respiratory system Skin
Aspiration hazard	No information available		

# **12. ECOLOGICAL INFORMATION**

# 12.1. Toxicity

Ecotoxicity effects

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
---------------	-------------------	------------------	--

ETHYL ALCOHOL	mykiss mL/L LC50 static 100: 96 h	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia
	static 13400 - 15100: 96 h	magna mg/L EC50 2. 48 m Daprinia magna mg/L EC50 Static
	Pimephales promelas mg/L LC50 flow-through	

## 12.2. Persistence and degradability

No information available

#### 12.3. Bioaccumulative potential

No information available

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32

12.4. Mobility in soil

No information available

# 12.5. Results of PBT and vPvB assessment

# 12.6. Other adverse effects

# 13. DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Waste from residues / unused products	Dispose of in accordance with local regulations
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal

# **14. TRANSPORT INFORMATION**

# DOT

IMDG / IMO	
Proper shipping name	EXTRACTS, FLAVOURING, LIQUID
Hazard class	3
UN/ID No	1197
Packing Group	III
ICAO/IATA	
UN/ID No	1197
Proper shipping name	EXTRACTS, FLAVOURING, LIQUID
Hazard class	3
Packing Group	III
ERG Code	127

# 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### WGK Classification

Chemical Name	Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes
ETHYL ALCOHOL 64-17-5	Hazard Class 1

#### International Inventories

All of the components in the product are on the following Inventory lists: United States of America (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (ECL), China (IECSC), Japan (ENCS), Philippines (PICCS).

TSCA EINECS/ELINCS	Complies Complies
DSL/NDSL	Complies
PICCS	Complies
ENCS	Complies
IECSC	Complies
AICS	Complies
KECL	Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
PICCS - Philippines Inventory of Chemicals and Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
ALCS - Australian Inventory of Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances

#### 15.2. Chemical safety assessment

# **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H317 - May cause an allergic skin reaction H351 - Suspected of causing cancer if inhaled H341 - Suspected of causing genetic defects if inhaled H316 - Causes mild skin irritation H302 - Harmful if swallowed H227 - Combustible liquid H225 - Highly flammable liquid and vapor

Revision Date	16-May-2016
Revision Note	Not applicable.
Revision#	1

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### WARNING/DISCLAIMER:

Apex Flavors, Inc.'s products are sold exclusively for use in food and drink for human consumption. These products have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, and electronic cigarettes or similar devices (collectively "E-Cigarettes"). In supplying this product(s), Apex Flavors, Inc. instructs, and purchasing recipient confirms, that this product(s) will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof. Recipients of our products that use them outside of their intended use of food or drink do so at their own risk and without warranty, either expressed or implied, from Apex Flavors, Inc. or its suppliers. The user assumes all liability for loss, injury, damage, or expense resulting from such uses.

#### Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.