





This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 24-Sep-2018

Version 1

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## 1.1. Product identifier

Product Code(s)	323, 323BEV, 323TTB, 323PGF, 323PGFT
Product name	PURE CORIANDER EXTRACT, NATURAL

Pure substance/mixture Contains ETHYL ALCOHOL

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture

- Recommended Use Ingredient for further processing
- Uses advised against No information available

## 1.3. Details of the supplier of the safety data sheet

Manufacturer	Apex Flavors, Inc.
	1361 Brass Mill Rd.
	Suite E
	Belcamp, MD 21017
	(410) 565-6600
Ear further information alo	nan antanti

#### For further information, please contact:

E-mail Address			
1.4. Emergency	y tele	phone	number

cpisano@apexflavors.com

Emergency telephone

Chemtrec: 1-800-424-9300 for US/ Outside US Chemtel 813-248-0585

# Section 2: HAZARDS IDENTIFICATION

# 2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008	
Acute toxicity - Inhalation (Vapors)	Category 3 - (H331)
Serious eye damage/eye irritation	Category 2 - (H319)
Carcinogenicity	Category 1A - (H350)
Flammable liquids	Category 3 - (H226)



# Signal Word

Danger

## **Hazard Statements**

H319 - Causes serious eye irritation H331 - Toxic if inhaled H350 - May cause cancer H226 - Flammable liquid and vapor

#### Precautionary Statements - EU (§28, 1272/2008)

P321 - Specific treatment (see .? on this label)
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed
P201 - Obtain special instructions before use
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P308 + P313 - IF exposed or concerned: Get medical advice/attention
P370 + P378 - In case of fire: Use .? to extinguish
P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

## 2.3. Other information

No information available

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

# 3.1 Substances

Chemical Name	EC-No	CAS-No	Weight %	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
ETHYL ALCOHOL	200-578-6	64-17-5	50-90%	Flam. Liq. 2 (H225) Eye Irrit. 1 (H319)	No data available
LINALOOL	201-134-4	78-70-6	1-5%	Aquatic Acute 3 (H402) Skin Irrit. 2 (H315) Acute Tox. 5 (H303) Flam. Liq. 4 (H227)	No data available
PINENES	201-291-9	80-56-8	<1%	Aquatic Acute 1 (H400) Skin Sens. 1 (H317) Skin Irrit. 1 (H315) Asp. Tox. 1 (H304) Aquatic Chronic 1 (H410) Acute Tox. 5 (H303) Flam. Liq. 3 (H226)	No data available
LIMONENE	227-813-5	5989-27-5	<1%	Aquatic Acute 1 (H400) Skin Sens. 1 (H317) Skin Irrit. 1 (H315) Asp. Tox. 1 (H304) Aquatic Chronic 1 (H410) Flam. Liq. 3 (H226)	No data available
P-CYMENE	202-796-7	99-87-6	<1%	Aquatic Acute 2 (H401) Skin Irrit. 3 (H316) Aquatic Chronic 2 (H411) Asp. Tox. 1 (H304) Acute Tox. 5 (H303) Flam. Liq. 3 (H226)	No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

Full text of H- and EUH-phrases: see section 16

# Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation	Move to fresh air.	
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.	
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Ingestion	Clean mouth with water and drink afterwards plenty of water.	
4.2. Most important symptoms and effects, both acute and delayed		
Main Symptoms	No information available.	
4.3. Indication of any immediate me	edical attention and special treatment needed	

Note to physicians Treat symptomatically.

# Section 5: FIRE FIGHTING MEASURES

## 5.1. Extinguishing media

## Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## Unsuitable extinguishing media

No information available

## 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors

## 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment.

# Section 6: ACCIDENTAL RELEASE MEASURES

## 6.1. Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Ensure adequate ventilation.

#### For emergency responders

Use personal protection recommended in Section 8.

## 6.2. Environmental precautions

Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

## 6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

#### 6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

# Section 7: HANDLING AND STORAGE

## 7.1. Precautions for safe handling

## Advice on safe handling

Ensure adequate ventilation.

### General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

# 7.2. Conditions for safe storage, including any incompatibilities

## **Storage Conditions**

Keep container tightly closed in a dry and well-ventilated place.

### Incompatible products

None known based on information supplied.

## 7.3 Specific end use(s)

#### Risk Management Methods (RMM)

The information required is contained in this Material Safety Data Sheet.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

Chemical Name	European Union	The United Kingdom	France	Spain	Germany
ETHYL ALCOHOL	-	STEL: 3000 ppm	VME: 1000 ppm VME:	VLA-ED: 1000 ppm	-
64-17-5		STEL: 5760 mg/m <sup>3</sup>	1900 mg/m <sup>3</sup>	VLA-ED: 1910 mg/m <sup>3</sup>	
		TWA: 1000 ppm TWA:			
		1920 mg/m <sup>3</sup>	VLCT: 9500 mg/m <sup>3</sup>		
PINENES	-	-	-	VLA-ED: 20 ppm	-
80-56-8				VLA-ED: 113 mg/m <sup>3</sup>	
Chemical Name	Italy	Portugal	The Netherlands	Finland	Denmark
ETHYL ALCOHOL	-	TWA: 1000 ppm	Skin	TWA: 1000 ppm TWA:	TWA: 1000 ppm TWA:
64-17-5			STEL: 1900 mg/m <sup>3</sup>	1900 mg/m <sup>3</sup>	1900 mg/m³
			TWA: 260 mg/m <sup>3</sup>	STEL: 1300 ppm	
				STEL: 2500 mg/m <sup>3</sup>	
PINENES	-	TWA: 20 ppm	-	-	-
80-56-8					
LIMONENE	-	-	-	TWA: 25 ppm TWA:	-
5989-27-5				140 mg/m <sup>3</sup>	
				STEL: 50 ppm STEL:	
				280 mg/m <sup>3</sup>	
P-CYMENE	-	-	-	-	TWA: 25 ppm TWA:
99-87-6					135 mg/m <sup>3</sup>
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
ETHYL ALCOHOL	STEL 2000 ppm STEL	STEL: 1000 ppm	NDS: 1900 mg/m <sup>3</sup>	TWA: 500 ppm TWA:	TWA: 1000 ppm TWA:
64-17-5	3800 mg/m <sup>3</sup>	STEL: 1920 mg/m <sup>3</sup>		950 mg/m <sup>3</sup>	1900 mg/m <sup>3</sup>
	MAK: 1000 ppm MAK:	MAK: 500 ppm MAK:		STEL: 625 ppm STEL:	
	1900 mg/m <sup>3</sup>	960 mg/m <sup>3</sup>		1187.5 mg/m <sup>3</sup>	
PINENES	-	-	-	TWA: 25 ppm TWA:	-
80-56-8				140 mg/m <sup>3</sup>	
				Skin	
				STEL: 37.5 ppm	
				STEL: 175 mg/m <sup>3</sup>	
LIMONENE	-	STEL: 40 ppm STEL:	-	TWA: 25 ppm TWA:	-
5989-27-5		220 mg/m <sup>3</sup>		140 mg/m <sup>3</sup>	
		MAK: 20 ppm MAK:		STEL: 37.5 ppm	
		110 mg/m <sup>3</sup>		STEL: 175 mg/m <sup>3</sup>	

**Derived No Effect Level (DNEL)** No information available.

**Predicted No Effect Concentration** No information available. **(PNEC)** 

8.2. Exposure controls

Engineering Controls

Ensure adequate ventilation, especially in confined areas.

Personal protective equipment Eye/face protection Skin and body protection

Tightly fitting safety goggles. Long sleeved clothing.

Environmental Exposure Controls No information available.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1. Information on basic physical and chemical properties

Physical state Appearance Odor Color	liquid clear coriander colorless	
<u>Property</u> pH Melting/freezing point Boiling point/boiling range Flash Point Evaporation rate Flammability (solid, gas) Flammability Limits in Air	<u>Values</u> 23 °C / 74 °F	• Method No information available No information available FCC Method Closed cup FCC Method No information available
Upper flammability limit lower flammability limit Vapor pressure mm Hg 20°C Vapor density Relative density Specific Gravity @ 25C Specific Gravity @ 20C Refractive Index Water solubility Solubility in other solvents Partition coefficient: n-octanol/wate Autoignition temperature Decomposition temperature Viscosity, kinematic Viscosity, dynamic Explosive properties Oxidizing Properties	0.897 - 0.917 0.9 - 0.92 1.356 - 1.376 er No information available No information available	No information available No information available No information available No information available No information available FCC Method FCC Method FCC Method No information available No information available No information available No information available No information available No information available
9.2. Other information Softening point Molecular Weight VOC Content(%) Density VALUE Bulk Density VALUE	No information available No information available No information available No information available No information available	

# Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

### 10.2. Chemical stability

Stable under normal conditions.

Explosion data Sensitivity to Mechanical Impact none. Sensitivity to Static Discharge Yes.

## 10.3. Possibility of hazardous reactions

Hazardous Reactions None under normal processing.

#### 10.4. Conditions to avoid

None known.

#### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

None under normal use conditions.

# Section 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

#### Acute toxicity

#### Product Information

Product does not present an acute toxicity hazard based on known or supplied information.

Inhalation	There is no data available for this product.
Eye contact	There is no data available for this product.
Skin contact	There is no data available for this product.
Ingestion	There is no data available for this product.

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	6,883.00 mg/kg
ATEmix (dermal)	7,555.00 mg/kg
ATEmix (inhalation-dust/mist)	66,707.72 mg/l
ATEmix (inhalation-vapor)	2.17 mg/l
Unknown Acute Toxicity	-

99.55799999% of the mixture consists of ingredient(s) of unknown toxicity.

41.28299999 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

98.28299999 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

99.55799999 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

99.55799999 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

42.55799999 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
ETHYL ALCOHOL	7060 mg/kg (Rat)		124.7 mg/L (Rat)4 h
PINENES	2100 mg/kg (Rat)	5000 mg/kg (Rat)	

Skin corrosion/irritation

No information available.

Eye damage/irritation	No information available.
Sensitization	No information available.
Germ Cell Mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
Specific target organ systemic toxicity (single exposure)	No information available.
Specific target organ systemic toxicity (repeated exposure)	No information available.
Target Organ Effects	Blood, Central nervous system, Eyes, Liver, Reproductive system, Respiratory system, Skin.
Aspiration hazard	No information available.

# Section 12: ECOLOGICAL INFORMATION

# 12.1. Toxicity

## Ecotoxicity

Toxic to aquatic life

41.283% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
ETHYL ALCOHOL	-	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static
LINALOOL	88.3: 96 h Desmodesmus subspicatus mg/L EC50	22-46: 96 h Leuciscus idus mg/L LC50 static	20: 48 h Daphnia magna mg/L EC50
PINENES	-	0.28: 96 h Pimephales promelas mg/L LC50 static	41: 48 h Daphnia magna mg/L LC50
LIMONENE	-	0.619-0.796: 96 h Pimephales promelas mg/L LC50 flow-through 35: 96 h Oncorhynchus mykiss mg/L LC50	-

# 12.2. Persistence and degradability

No information available.

# 12.3. Bioaccumulative potential

No information available.

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
LINALOOL	3.1
PINENES	4.1
P-CYMENE	4.1

## 12.4. Mobility in soil

Mobility in soil

No information available.

# 12.5. Results of PBT and vPvB assessment

No information available.

## 12.6. Other adverse effects

No information available

# Section 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Waste from residues / unused	Dispose of in accordance with local regulations.
products	

Contaminated packaging

Empty remaining contents.

# Section 14: TRANSPORT INFORMATION

IMDG / IMO 14.1 UN/ID No 14.2 Proper shipping name 14.3 Hazard class 14.4 Packing Group	1197 EXTRACTS, FLAVOURING, LIQUID 3 III
DOT/ADR/RID 14.1 UN/ID No 14.2 Proper shipping name 14.3 Hazard class 14.4 Packing Group	1197 EXTRACTS, FLAVOURING, LIQUID 3 III
ICAO/IATA 14.1 UN/ID No 14.2 Proper shipping name 14.3 Hazard class 14.4 Packing Group 14.5 Environmental hazard 14.6 Special Provisions	1197 EXTRACTS, FLAVOURING, LIQUID 3 III Not applicable None

# Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

#### Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

#### Persistent Organic Pollutants

Not applicable

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	-
PICCS	Complies
AICS	Complies

#### Legend:

 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

 ENCS - Japan Existing and New Chemical Substances

 IECSC - China Inventory of Existing Chemical Substances

 KECL - Korean Existing and Evaluated Chemical Substances

 PICCS - Philippines Inventory of Chemicals and Chemical Substances

 AICS - Australian Inventory of Chemical Substances

# 15.2. Chemical safety assessment

No information available

# **Section 16: OTHER INFORMATION**

## Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of R-phrases referred to under sections 2 and 3

R38 - Irritating to skin

R20 - Harmful by inhalation

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment R68/22 - Harmful: possible risk of irreversible effects if swallowed

#### Full text of H-Statements referred to under section 3

H400 - Very toxic to aquatic life

H317 - May cause an allergic skin reaction

H315 - Causes skin irritation

H304 - May be fatal if swallowed and enters airways

H410 - Very toxic to aquatic life with long lasting effects

H226 - Flammable liquid and vapor

H225 - Highly flammable liquid and vapor

H319 - Causes serious eye irritation

H402 - Harmful to aquatic life

H303 - May be harmful if swallowed

H227 - Combustible liquid

H401 - Toxic to aquatic life

H316 - Causes mild skin irritation

H411 - Toxic to aquatic life with long lasting effects

### Legend

SVHC: Substances of Very High Concern for Authorization:

### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA: Ceiling:	Time weighted average Maximum limit value:	STEL: *	Short term exposure limit Skin designation
<b>Revision Date</b>	24-Sep	2018	
Reason for revis	ion: Not app	licable.	

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### WARNING/DISCLAIMER:

Our ingredients have not been tested, nor have they been determined safe, for inhalation or use in any electronic smoking devices, electronic nicotine delivery systems, electronic cigarettes, or other similar devices (collectively "E-Cigarettes") or in any E-Liquids used with E-Cigarettes. By receiving Apex Flavors, Inc ingredients, the recipient confirms that they will not use these ingredients in connection with the manufacture and distribution of E-Cigarettes, E-Liquids or any component thereof. WE DISCLAIM, TO THE FULLEST EXTENT PERMITTED BY LAW, ALL WARRANTIES, EXPRESS OR IMPLIED, and disclaim all liability in connection with the use of our ingredients in connection with E-Cigarettes and E-Liquids. All such risks are assumed by you and the user.

#### Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.