



1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Number 439BEV

Manufacturer Apex Flavors, Inc.
1371 Brass Mill Rd.
Suite A
Belcamp, MD 21017
(410) 565-6600

Product name RUM TYPE, NATURAL FLAVOR BLEND #163
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use No information available

1.3. Details of the supplier of the safety data sheet

For further information, please contact:

E-mail Address cpisano@apexflavors.com

1.4. Emergency telephone number

Emergency telephone Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Acute inhalation toxicity - dust/mist	Category 3
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Acute aquatic toxicity	Category 3
Chronic aquatic toxicity	Category 3
Flammable liquids	Category 3

Classification according to EU Directives 67/548/EEC or 1999/45/EC
For the full text of the R-phrases mentioned in this Section, see Section 16

2.2. Label elements

**Signal Word**

Danger

Hazard Statements

H318 - Causes serious eye damage

H331 - Toxic if inhaled

H351 - Suspected of causing cancer

H412 - Harmful to aquatic life with long lasting effects

May cause respiratory irritation. May cause drowsiness or dizziness

H226 - Flammable liquid and vapor

Precautionary Statements

P321 - Specific treatment (see .? on this label)

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P280 - Wear eye protection/ face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/ physician

P281 - Use personal protective equipment as required

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

2.3. Other information**3. COMPOSITION/INFORMATION ON INGREDIENTS****3.1 Substances**

Chemical Name	EC-No	CAS-No	Alternate CAS #	Weight %	Classification according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
PROPYLENE GLYCOL	200-338-0	57-55-6		30-50%	-	No data available	No data available
RUM ETHER	232-449-5	8030-89-5		15-20%	-	Carc. 2 (H351) Skin Corr. 1A (H314) Eye Dam. 1 (H318) Flam. Liq. 2 (H225)	No data available
ETHYL ALCOHOL	Present	64-17-5		10-15%	F; R11	Eye Irrit. 1 (H319) (EFFA) Flam. Liq. 2 (H225) (EFFA) Flam. Liq. 2 (H225)	No data available

ETHYL ACETATE	Present	141-78-6		5-10%	F; R11 Xi; R36 R66 R67	Eye Irrit. 1 (H319) (EFLA) Flam. Liq. 2 (H225) (EFLA) Eye Irrit. 1 (H319) (EUH066) Flam. Liq. 2 (H225) STOT SE 3 (H336) Eye Irrit. 2 (H319)	No data available
ISOAMYL ALCOHOL		204-633-5	123-51-3	1-5%	-	Flam. Liq. 3 (H226)(EFLA) Acute Tox. 4 (H332)(EFLA)	No data available
ACETIC ACID	Present	64-19-7		1-5%	R10 C; R35	Skin Corr. 1A (314) (EFLA) Eye Dam. 1 (H318) (EFLA) Flam. Liq. 3 (H226)(EFLA) Skin Corr. 1A (H314) Eye Dam. 1 (H318) Skin Corr. 1A (H314) Flam. Liq. 3 (H226)	No data available
FURFURAL	Present	98-01-1		<1	Xn; R21 T; R23/25 Xi; R36/37/38 Carc.Cat.3; R40	Acute Tox. 3 (H301) Carc. 2 (H351) (EFLA) Eye Irrit. 1 (H319) (EFLA) Skin Irrit. 2 (315) (EFLA) Acute Tox. 3 (H301) (EFLA) Acute Tox. 4 (H312)(EFLA) Flam. Liq. 4 (H227)(EFLA) Acute Tox. 3 (H331)(EFLA) Carc. 2 (H351) Eye Irrit. 1 (H319) Skin Irrit. 2 (H315) Acute Tox. 3 (H301) Acute Tox. 4 (H312) Acute Tox. 3 (H331) Acute Tox. 4 (H312) Skin Irrit. 2 (H315) STOT SE 3 (H335) Carc. 2 (H351) Acute Tox. 3 (H331) Eye Irrit. 2 (H319)	No data available
ACETALDEHYDE		200-836-8	75-07-0	<1	F+; R12 Xi; R36/37 Carc.Cat.3; R40	Carc. 2 (H351) (EFLA) Eye Irrit. 1 (H319) (EFLA) Flam. Liq. 1 (H224) (EFLA) Flam. Liq. 1 (H224) STOT SE 3 (H335) Carc. 2 (H351) Eye Irrit. 2 (H319)	No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

4.1. Description of first aid measures

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Inhalation	Move to fresh air.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Extinguishing media which shall not be used for safety reasons

No information available

5.2. Special hazards arising from the substance or mixture**Special Hazard**

None

5.3. Advice for firefighters**Special protective equipment for fire-fighters**

As in any fire, wear self-contained breathing apparatus and full protective gear

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

See Section 12 for additional Ecological Information

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Ensure adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

Exposure scenario N/A

Other Guidelines N/A

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical Name	European Union	The United Kingdom	France	Spain	Germany
---------------	----------------	--------------------	--------	-------	---------

PROPYLENE GLYCOL 57-55-6		STEL: 450 ppm STEL: 1422 mg/m ³ STEL: 30 mg/m ³ TWA: 150 ppm TWA: 474 mg/m ³ TWA: 10 mg/m ³			
ETHYL ALCOHOL 64-17-5		STEL: 3000 ppm STEL: 5760 mg/m ³ TWA: 1000 ppm TWA: 1920 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³ STEL: 5000 ppm STEL: 9500 mg/m ³	STEL: 1000 ppm STEL: 1910 mg/m ³	TWA: 500 ppm TWA: 960 mg/m ³ Ceiling / Peak: 1000 ppm Ceiling / Peak: 1920 mg/m ³ Skin
ETHYL ACETATE 141-78-6		STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 1400 mg/m ³	TWA: 400 ppm TWA: 1460 mg/m ³	TWA: 400 ppm TWA: 1500 mg/m ³ Ceiling / Peak: 800 ppm Ceiling / Peak: 3000 mg/m ³
ISOAMYL ALCOHOL 123-51-3		STEL: 125 ppm STEL: 458 mg/m ³ TWA: 100 ppm TWA: 366 mg/m ³	TWA: 100 ppm TWA: 360 mg/m ³	STEL: 125 ppm STEL: 458 mg/m ³ TWA: 100 ppm TWA: 366 mg/m ³	TWA: 20 ppm TWA: 73 mg/m ³ Ceiling / Peak: 80 ppm Ceiling / Peak: 292 mg/m ³
ACETIC ACID 64-19-7	TWA 10 ppm TWA 25 mg/m ³		STEL: 10 ppm STEL: 25 mg/m ³	STEL: 15 ppm STEL: 37 mg/m ³ TWA: 10 ppm TWA: 25 mg/m ³	TWA: 10 ppm TWA: 25 mg/m ³ Ceiling / Peak: 20 ppm Ceiling / Peak: 50 mg/m ³
FURFURAL 98-01-1		STEL: 5 ppm STEL: 20 mg/m ³ TWA: 2 ppm TWA: 8 mg/m ³ Skin	STEL: 2 ppm STEL: 8 mg/m ³	S* TWA: 2 ppm TWA: 8 mg/m ³	Skin
ACETALDEHYDE 75-07-0		STEL: 50 ppm STEL: 92 mg/m ³ TWA: 20 ppm TWA: 37 mg/m ³	TWA: 100 ppm TWA: 180 mg/m ³	STEL: 25 ppm STEL: 46 mg/m ³	TWA: 50 ppm TWA: 91 mg/m ³ Ceiling / Peak: 50 ppm Ceiling / Peak: 91 mg/m ³ Skin

Chemical Name	Italy	Portugal	The Netherlands	Finland	Denmark
ETHYL ALCOHOL 64-17-5		TWA: 1000 ppm	Skin STEL: 1900 mg/m ³ TWA: 260 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³ STEL: 1300 ppm STEL: 2500 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³
ETHYL ACETATE 141-78-6		TWA: 400 ppm		TWA: 300 ppm TWA: 1100 mg/m ³ STEL: 500 ppm STEL: 1800 mg/m ³	TWA: 150 ppm TWA: 540 mg/m ³
ISOAMYL ALCOHOL 123-51-3		STEL: 125 ppm TWA: 100 ppm		TWA: 100 ppm TWA: 370 mg/m ³ STEL: 150 ppm STEL: 550 mg/m ³	TWA: 100 ppm TWA: 360 mg/m ³
ACETIC ACID 64-19-7		STEL: 15 ppm TWA: 10 ppm TWA: 25 mg/m ³	TWA: 25 mg/m ³	TWA: 5 ppm TWA: 13 mg/m ³ STEL: 10 ppm STEL: 25 mg/m ³	TWA: 10 ppm TWA: 25 mg/m ³
FURFURAL 98-01-1		TWA: 2 ppm		TWA: 2 ppm TWA: 8 mg/m ³ STEL: 5 ppm STEL: 20 mg/m ³ Skin	TWA: 2 ppm TWA: 7.9 mg/m ³ Skin
ACETALDEHYDE 75-07-0		Ceiling: 25 ppm	STEL: 92 mg/m ³ TWA: 37 mg/m ³	STEL: 25 ppm STEL: 46 mg/m ³	Ceiling: 25 ppm Ceiling: 45 mg/m ³

Chemical Name	Austria	Sweden - Occupational Exposure Limits - TLVs (LLVs)	Switzerland	Poland	Norway
PROPYLENE GLYCOL 57-55-6					TWA: 25 ppm TWA: 79 mg/m ³ STEL: 37.5 ppm STEL: 118.5 mg/m ³
ETHYL ALCOHOL 64-17-5	STEL 2000 ppm STEL 3800 mg/m ³ TWA: 1000 ppm TWA: 1900 mg/m ³	500 ppm NGV 1000 mg/m ³ NGV	STEL: 1000 ppm STEL: 1920 mg/m ³ TWA: 500 ppm TWA: 960 mg/m ³	TWA: 1900 mg/m ³	TWA: 500 ppm TWA: 950 mg/m ³ STEL: 625 ppm STEL: 1187.5 mg/m ³
ETHYL ACETATE 141-78-6	STEL 600 ppm STEL 2100 mg/m ³ TWA: 300 ppm TWA: 1050 mg/m ³	150 ppm NGV 500 mg/m ³ NGV	STEL: 800 ppm STEL: 2800 mg/m ³ TWA: 400 ppm TWA: 1400 mg/m ³	STEL: 600 mg/m ³ TWA: 200 mg/m ³	TWA: 150 ppm TWA: 550 mg/m ³ STEL: 187.5 ppm STEL: 687.5 mg/m ³
ISOAMYL ALCOHOL 123-51-3	STEL 200 ppm STEL 720 mg/m ³ TWA: 100 ppm TWA: 360 mg/m ³		STEL: 80 ppm STEL: 292 mg/m ³ TWA: 20 ppm TWA: 73 mg/m ³	STEL: 400 mg/m ³ TWA: 200 mg/m ³	TWA: 50 ppm TWA: 180 mg/m ³ STEL: 75 ppm STEL: 225 mg/m ³
ACETIC ACID 64-19-7	STEL 20 ppm STEL 50 mg/m ³ TWA: 10 ppm TWA: 25 mg/m ³	5 ppm NGV 13 mg/m ³ NGV	STEL: 20 ppm STEL: 50 mg/m ³ TWA: 10 ppm TWA: 25 mg/m ³	STEL: 30 mg/m ³ TWA: 15 mg/m ³	TWA: 10 ppm TWA: 25 mg/m ³ STEL: 20 ppm STEL: 37.5 mg/m ³
FURFURAL 98-01-1	Skin TWA: 5 ppm TWA: 20 mg/m ³	2 ppm NGV 8 mg/m ³ NGV	Skin TWA: 2 ppm TWA: 8 mg/m ³	STEL: 25 mg/m ³ TWA: 10 mg/m ³	TWA: 2 ppm TWA: 8 mg/m ³ Skin STEL: 4 ppm STEL: 16 mg/m ³
ACETALDEHYDE 75-07-0	STEL 50 ppm STEL 90 mg/m ³ TWA: 50 ppm TWA: 90 mg/m ³ Ceiling 50 ppm Ceiling 90 mg/m ³	25 ppm NGV 45 mg/m ³ NGV	STEL: 50 ppm STEL: 90 mg/m ³ TWA: 90 mg/m ³ TWA: 50 ppm	: 45 mg/m ³ TWA: 5 mg/m ³	TWA: 25 ppm TWA: 45 mg/m ³ STEL: 37.5 ppm STEL: 67.5 mg/m ³

Component	Ireland
PROPYLENE GLYCOL 57-55-6 (30-50%)	TWA: 150 ppm TWA: 470 mg/m ³ TWA: 10 mg/m ³
ETHYL ALCOHOL 64-17-5 (10-15%)	STEL: 1000 ppm
ETHYL ACETATE 141-78-6 (5-10%)	TWA: 200 ppm STEL: 400 ppm
ISOAMYL ALCOHOL 123-51-3 (1-5%)	TWA: 100 ppm TWA: 360 mg/m ³ STEL: 125 ppm STEL: 450 mg/m ³
ACETIC ACID 64-19-7 (1-5%)	TWA: 10 ppm TWA: 25 mg/m ³ STEL: 15 ppm STEL: 37 mg/m ³
FURFURAL 98-01-1 (<1)	TWA: 2 ppm TWA: 8 mg/m ³ STEL: 5 ppm STEL: 20 mg/m ³ Skin
ACETALDEHYDE 75-07-0 (<1)	TWA: 25 ppm TWA: 45 mg/m ³ STEL: 25 ppm STEL: 45 mg/m ³

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available

8.2. Exposure controls

Engineering Controls	Ensure adequate ventilation, especially in confined areas
Personal protective equipment	
Eye Protection	Tightly fitting safety goggles
Hand Protection	Protective gloves
Skin and body protection	Long sleeved clothing
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.
Environmental Exposure Controls	No information available

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	liquid	Appearance	clear
Odor	fruity rum	Color	colorless
Property	Values	Method	
pH		No information available	
Melting/freezing point		No information available	
Boiling point/boiling range		FCC Method	
Flash Point	24 °C / 76 °F	Closed cup	
Evaporation rate		FCC Method	
Flammability (solid, gas)		No information available	
Flammability Limits in Air		No information available	
Upper flammability limit			
lower flammability limit			
Vapor pressure mm Hg 20°C		No information available	
Vapor density		No information available	
Relative density		No information available	
Specific Gravity @ 25C	0.932 - 0.952	FCC Method	
Specific Gravity @ 20C	0.935 - 0.955	FCC Method	
Refractive Index	1.3935 - 1.4135	FCC Method	
Water solubility		No information available	
Partition coefficient: n-octanol/water		No information available	
Autoignition temperature		No information available	
Decomposition temperature		No information available	
Viscosity, dynamic		No information available	
Explosive properties	No information available		
Oxidizing Properties	No information available		

9.2. Other information

VOC Content(%)	76.2115863403305
Molecular Weight	No information available

10. STABILITY AND REACTIVITY

10.1. Reactivity

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Heat, flames and sparks

10.5. Incompatible materials

No materials to be especially mentioned

10.6. Hazardous decomposition products

None under normal use conditions

11. TOXICOLOGICAL INFORMATION**11.1. Information on toxicological effects****Acute toxicity****Inhalation** There is no data available for this product**Eye contact** There is no data available for this product**Skin contact** There is no data available for this product**Ingestion** There is no data available for this product**Acute toxicity** 0.112292% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document (Rev. 1, 2005):

Oral 8,336.00 mg/kg
Dermal 20,684.00 mg/kg

Inhalation
Mist 1.00 mg/l
Vapor 330.00 mg/l

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
PROPYLENE GLYCOL	20000 mg/kg (Rat)	20800 mg/kg (Rabbit)	
RUM ETHER	= 14700 mg/kg (Rat)		
ETHYL ALCOHOL			124.7 mg/L (Rat) 4 h
ETHYL ACETATE	5620 mg/kg (Rat)	20 mL/kg (Rabbit)	
ISOAMYL ALCOHOL	1300 mg/kg (Rat)	3970 µL/kg (Rabbit)	
ACETIC ACID	3310 mg/kg (Rat)	1060 mg/kg (Rabbit)	11.4 mg/L (Rat) 4 h
FURFURAL	125 mg/kg (Rat)	500 - 1000 mg/kg (Rabbit)	175 ppm (Rat) 6 h
ACETALDEHYDE	1930 mg/kg (Rat)		

Skin corrosion/irritation No information available
Eye damage/irritation No information available
Sensitization No information available
Germ Cell Mutagenicity No information available
Carcinogenicity No information available

Specific target organ systemic toxicity (single exposure) No information available

Specific target organ systemic toxicity (repeated exposure) No information available

Target Organ Effects Blood Central nervous system Eyes Liver Reproductive system Respiratory system Skin Teeth

Aspiration hazard No information available

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
PROPYLENE GLYCOL	19000: 96 h Pseudokirchneriella subcapitata mg/L EC50	51600: 96 h Oncorhynchus mykiss mg/L LC50 static 41 - 47: 96 h Oncorhynchus mykiss mL/L LC50 static 51400: 96 h Pimephales promelas mg/L LC50 static 710: 96 h Pimephales promelas mg/L LC50	10000: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50 Static
ETHYL ALCOHOL		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static
ETHYL ACETATE	3300: 48 h Desmodesmus subspicatus mg/L EC50	220 - 250: 96 h Pimephales promelas mg/L LC50 flow-through 484: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 352 - 500: 96 h Oncorhynchus mykiss mg/L LC50 semi-static	560: 48 h Daphnia magna mg/L EC50 Static
ISOAMYL ALCOHOL	493: 72 h Desmodesmus subspicatus mg/L EC50 181: 96 h Desmodesmus subspicatus mg/L EC50	700: 96 h Salmo gairdneri mg/L LC50 static	260: 48 h Daphnia magna mg/L EC50
ACETIC ACID		79: 96 h Pimephales promelas mg/L LC50 static 75: 96 h Lepomis macrochirus mg/L LC50 static	65: 48 h Daphnia magna mg/L EC50 Static
FURFURAL		13.4 - 19.3: 96 h Pimephales promelas mg/L LC50 static 16.79 - 26.35: 96 h Pimephales promelas mg/L LC50 flow-through	29: 24 h Daphnia magna mg/L EC50
ACETALDEHYDE	237 - 249: 120 h Nitzschia linearis mg/L EC50	28.0 - 34.0: 96 h Pimephales promelas mg/L LC50 flow-through 53: 96 h Lepomis macrochirus mg/L LC50 static 1.8 - 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static 39.8 - 46.8: 96 h Pimephales promelas mg/L LC50 static	3.64 - 6.15: 48 h Daphnia magna mg/L EC50 Static 48.3: 48 h Daphnia magna mg/L EC50

12.2. Persistence and degradability

No information available

12.3. Bioaccumulative potential

No information available

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
ETHYL ACETATE	0.6
ISOAMYL ALCOHOL	1.28
ACETIC ACID	-0.31

FURFURAL	0.67
ACETALDEHYDE	0.5

12.4. Mobility in soil

No information available

12.5. Results of PBT and vPvB assessment**12.6. Other adverse effects**

Chemical Name	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Japan - Endocrine Disruptor Information
FURFURAL	Group III Chemical		

13. DISPOSAL CONSIDERATIONS**13.1. Waste treatment methods**

Waste from residues / unused products Dispose of in accordance with local regulations

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal

14. TRANSPORT INFORMATION**DOT****IMDG / IMO**

Proper shipping name	FLAMMABLE LIQUID, N.O.S (RUM ETHER, ETHYL ALCOHOL)
Hazard class	3
UN/ID No	1993
Packing Group	III

ICAO/IATA

UN/ID No	1993
Proper shipping name	FLAMMABLE LIQUID, N.O.S (RUM ETHER, ETHYL ALCOHOL)
Hazard class	3
Packing Group	III
ERG Code	128

15. REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****WGK Classification**

Chemical Name	Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes
PROPYLENE GLYCOL 57-55-6	Hazard Class 1
ETHYL ALCOHOL 64-17-5	Hazard Class 1
ETHYL ACETATE 141-78-6	Hazard Class 1
ISOAMYL ALCOHOL 123-51-3	Hazard Class 1

ACETIC ACID 64-19-7	Hazard Class 1
FURFURAL 98-01-1	Hazard Class 2
ACETALDEHYDE 75-07-0	Hazard Class 1

International Inventories

All of the components in the product are on the following Inventory lists: United States of America (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), China (IECSC), Philippines (PICCS).

TSCA	Complies
EINECS/ELINCS	Complies
DSL/NDSL	Complies
PICCS	Complies
ENCS	-
IECSC	Complies
AICS	Complies
KECL	-

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical safety assessment**16. OTHER INFORMATION****Full text of H-Statements referred to under sections 2 and 3**

H226 - Flammable liquid and vapor H332 - Harmful if inhaled H319 - Causes serious eye irritation H225 - Highly flammable liquid and vapor H336 - May cause drowsiness or dizziness H318 - Causes serious eye damage H314 - Causes severe skin burns and eye damage H351 - Suspected of causing cancer if inhaled H224 - Extremely flammable liquid and vapor H335 - May cause respiratory irritation H301 - Toxic if swallowed H312 - Harmful in contact with skin H227 - Combustible liquid H331 - Toxic if inhaled H315 - Causes skin irritation EUH066 - Repeated exposure may cause skin dryness or cracking

Revision Date	31-Aug-2015
Revision Note	Not applicable.
Revision#	1

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Apex Flavors, Inc.'s products are sold exclusively for use in food and drink for human consumption. These products have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, and electronic cigarettes or similar devices (collectively "E-Cigarettes"). In supplying this product(s), Apex Flavors, Inc. instructs, and purchasing recipient confirms, that this product(s) will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof. Recipients of our products that use them outside of their intended use of food or drink do so at their own risk and without warranty, either expressed or implied, from Apex Flavors, Inc. or its suppliers. The user assumes all liability for loss, injury, damage, or expense resulting from such uses.

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.