



## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

**Number** 162BEV

**Manufacturer** Apex Flavors, Inc.  
1371 Brass Mill Rd.  
Suite A  
Belcamp, MD 21017  
(410) 565-6600

**Product name** CAMEL TYPE, NATURAL FLAVOR BLEND (CLEAR & COLORLESS)  
**Pure substance/mixture** Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** No information available

### 1.3. Details of the supplier of the safety data sheet

For further information, please contact:

**E-mail Address** cpisano@apexflavors.com

### 1.4. Emergency telephone number

**Emergency telephone** Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US

## 2. HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

Acute inhalation toxicity - dust/mist	Category 3
Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 1A
Acute aquatic toxicity	Category 2

**Classification according to EU Directives 67/548/EEC or 1999/45/EC**  
For the full text of the R-phrases mentioned in this Section, see Section 16

### 2.2. Label elements



**Signal Word**  
Danger

**Hazard Statements**

H319 - Causes serious eye irritation  
 H331 - Toxic if inhaled  
 H350 - May cause cancer  
 H401 - Toxic to aquatic life

**Precautionary Statements**

P321 - Specific treatment (see .? on this label)  
 P403 + P233 - Store in a well-ventilated place. Keep container tightly closed  
 P201 - Obtain special instructions before use  
 P281 - Use personal protective equipment as required  
 P308 + P313 - IF exposed or concerned: Get medical advice/ attention

**2.3. Other information**

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

**3.1 Substances**

Chemical Name	EC-No	CAS-No	Alternate CAS #	Weight %	Classification according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
ETHYL ALCOHOL	200-578-6	64-17-5		50-90%	F; R11	Flam. Liq. 2 (H225) Flam. Liq. 2 (H225)	No data available
PROPYLENE GLYCOL	200-338-0	57-55-6		10-15%	-	No data available	No data available
BENZYL ALCOHOL	202-859-9	100-51-6		1-5%	Xn; R20/22	Acute Tox. 5 (H333) Acute Tox. 4 (H302)	No data available
MYRISTIC ACID (TETRADECANOIC)	208-875-2	544-63-8		<1	Xi; R38-41 R43 N; R51-53	Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Chronic 2 (H411)	No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

**4. FIRST AID MEASURES**

**4.1. Description of first aid measures**

**Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**Skin contact** Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

**Inhalation** Move to fresh air.

**4.2. Most important symptoms and effects, both acute and delayed**

**4.3. Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Treat symptomatically

**5. FIRE-FIGHTING MEASURES**

**5.1. Extinguishing media**

**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

**Extinguishing media which shall not be used for safety reasons**

No information available

**5.2. Special hazards arising from the substance or mixture**

**Special Hazard**

None

**5.3. Advice for firefighters**

**Special protective equipment for fire-fighters**

As in any fire, wear self-contained breathing apparatus and full protective gear

**6. ACCIDENTAL RELEASE MEASURES**

**6.1. Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation.

See Section 12 for additional Ecological Information

**6.2. Environmental precautions**

Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

**6.3. Methods and material for containment and cleaning up**

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)

**7. HANDLING AND STORAGE**

**7.1. Precautions for safe handling**

Ensure adequate ventilation.

**7.2. Conditions for safe storage, including any incompatibilities**

Keep container tightly closed in a dry and well-ventilated place.

**7.3 Specific end use(s)**

**Exposure scenario** N/A

**Other Guidelines** N/A

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1. Control parameters**

**Exposure limits** This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical Name	European Union	The United Kingdom	France	Spain	Germany
---------------	----------------	--------------------	--------	-------	---------

**162BEV CARAMEL TYPE, NATURAL FLAVOR BLEND  
(CLEAR AND COLORLESS)**

Revision Date 21-Mar-2016

ETHYL ALCOHOL 64-17-5		STEL: 3000 ppm STEL: 5760 mg/m <sup>3</sup> TWA: 1000 ppm TWA: 1920 mg/m <sup>3</sup>	VME: 1000 ppm VME: 1900 mg/m <sup>3</sup> VLCT: 5000 ppm VLCT: 9500 mg/m <sup>3</sup>	VLA-ED: 1000 ppm VLA-ED: 1910 mg/m <sup>3</sup>	MAK: 500 ppm MAK: 960 mg/m <sup>3</sup> Ceiling / Peak: 1000 ppm Ceiling / Peak: 1920 mg/m <sup>3</sup> Skin TWA: 500 ppm TWA: 960 mg/m <sup>3</sup>
PROPYLENE GLYCOL 57-55-6		STEL: 450 ppm STEL: 1422 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> TWA: 150 ppm TWA: 474 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>			

Chemical Name	Italy	Portugal	The Netherlands	Finland	Denmark
ETHYL ALCOHOL 64-17-5		TWA: 1000 ppm	Skin STEL: 1900 mg/m <sup>3</sup> TWA: 260 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> STEL: 1300 ppm STEL: 2500 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>
BENZYL ALCOHOL 100-51-6				TWA: 10 ppm TWA: 45 mg/m <sup>3</sup>	

Chemical Name	Austria	Sweden - Occupational Exposure Limits - TLVs (LLVs)	Switzerland	Poland	Norway
ETHYL ALCOHOL 64-17-5	STEL 2000 ppm STEL 3800 mg/m <sup>3</sup> MAK: 1000 ppm MAK: 1900 mg/m <sup>3</sup>	500 ppm NGV 1000 mg/m <sup>3</sup> NGV	STEL: 1000 ppm STEL: 1920 mg/m <sup>3</sup> MAK: 500 ppm MAK: 960 mg/m <sup>3</sup>	NDS: 1900 mg/m <sup>3</sup>	TWA: 500 ppm TWA: 950 mg/m <sup>3</sup> STEL: 625 ppm STEL: 1187.5 mg/m <sup>3</sup>
PROPYLENE GLYCOL 57-55-6					TWA: 25 ppm TWA: 79 mg/m <sup>3</sup> STEL: 37.5 ppm STEL: 118.5 mg/m <sup>3</sup>
BENZYL ALCOHOL 100-51-6				NDS: 240 mg/m <sup>3</sup>	

Component	Ireland
ETHYL ALCOHOL 64-17-5 ( 50-90% )	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>
PROPYLENE GLYCOL 57-55-6 ( 10-15% )	TWA: 150 ppm TWA: 470 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>

**Derived No Effect Level (DNEL)** No information available

**Predicted No Effect Concentration (PNEC)** No information available

**8.2. Exposure controls**

**Engineering Controls** Ensure adequate ventilation, especially in confined areas

**Personal protective equipment**

- Eye Protection** Tightly fitting safety goggles
- Hand Protection** Protective gloves
- Skin and body protection** Long sleeved clothing
- Respiratory protection** When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

Environmental Exposure Controls No information available

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

<b>Physical state</b> <b>Odor</b>	liquid typical of creamy caramel	<b>Appearance</b> <b>Color</b>	clear light amber																																																																							
<table border="0" style="width: 100%;"> <thead> <tr> <th style="text-align: left;"><u>Property</u></th> <th style="text-align: left;"><u>Values</u></th> <th style="text-align: left;"><u>Method</u></th> </tr> </thead> <tbody> <tr> <td>pH</td> <td></td> <td>No information available</td> </tr> <tr> <td>Melting/freezing point</td> <td></td> <td>No information available</td> </tr> <tr> <td>Boiling point/boiling range</td> <td></td> <td>FCC Method</td> </tr> <tr> <td>Flash Point</td> <td>22 °C / 71 °F</td> <td>Closed cup</td> </tr> <tr> <td>Evaporation rate</td> <td></td> <td>FCC Method</td> </tr> <tr> <td>Flammability (solid, gas)</td> <td></td> <td>No information available</td> </tr> <tr> <td>Flammability Limits in Air</td> <td></td> <td>No information available</td> </tr> <tr> <td>    Upper flammability limit</td> <td></td> <td></td> </tr> <tr> <td>    lower flammability limit</td> <td></td> <td></td> </tr> <tr> <td>Vapor pressure mm Hg 20°C</td> <td></td> <td>No information available</td> </tr> <tr> <td>Vapor density</td> <td></td> <td>No information available</td> </tr> <tr> <td>Relative density</td> <td></td> <td>No information available</td> </tr> <tr> <td>Specific Gravity @ 25C</td> <td>0.8473 - 0.8773</td> <td>FCC Method</td> </tr> <tr> <td>Specific Gravity @ 20C</td> <td>0.8503 - 0.8803</td> <td>FCC Method</td> </tr> <tr> <td>Refractive Index</td> <td>1.3724 - 1.4024</td> <td>FCC Method</td> </tr> <tr> <td>Water solubility</td> <td></td> <td>No information available</td> </tr> <tr> <td>Partition coefficient: n-octanol/water</td> <td></td> <td>No information available</td> </tr> <tr> <td>Autoignition temperature</td> <td></td> <td>No information available</td> </tr> <tr> <td>Decomposition temperature</td> <td></td> <td>No information available</td> </tr> <tr> <td>Viscosity, dynamic</td> <td></td> <td>No information available</td> </tr> <tr> <td> </td> <td></td> <td></td> </tr> <tr> <td>Explosive properties</td> <td>No information available</td> <td></td> </tr> <tr> <td>Oxidizing Properties</td> <td>No information available</td> <td></td> </tr> </tbody> </table>		<u>Property</u>	<u>Values</u>	<u>Method</u>	pH		No information available	Melting/freezing point		No information available	Boiling point/boiling range		FCC Method	Flash Point	22 °C / 71 °F	Closed cup	Evaporation rate		FCC Method	Flammability (solid, gas)		No information available	Flammability Limits in Air		No information available	Upper flammability limit			lower flammability limit			Vapor pressure mm Hg 20°C		No information available	Vapor density		No information available	Relative density		No information available	Specific Gravity @ 25C	0.8473 - 0.8773	FCC Method	Specific Gravity @ 20C	0.8503 - 0.8803	FCC Method	Refractive Index	1.3724 - 1.4024	FCC Method	Water solubility		No information available	Partition coefficient: n-octanol/water		No information available	Autoignition temperature		No information available	Decomposition temperature		No information available	Viscosity, dynamic		No information available	 			Explosive properties	No information available		Oxidizing Properties	No information available		
<u>Property</u>	<u>Values</u>	<u>Method</u>																																																																								
pH		No information available																																																																								
Melting/freezing point		No information available																																																																								
Boiling point/boiling range		FCC Method																																																																								
Flash Point	22 °C / 71 °F	Closed cup																																																																								
Evaporation rate		FCC Method																																																																								
Flammability (solid, gas)		No information available																																																																								
Flammability Limits in Air		No information available																																																																								
Upper flammability limit																																																																										
lower flammability limit																																																																										
Vapor pressure mm Hg 20°C		No information available																																																																								
Vapor density		No information available																																																																								
Relative density		No information available																																																																								
Specific Gravity @ 25C	0.8473 - 0.8773	FCC Method																																																																								
Specific Gravity @ 20C	0.8503 - 0.8803	FCC Method																																																																								
Refractive Index	1.3724 - 1.4024	FCC Method																																																																								
Water solubility		No information available																																																																								
Partition coefficient: n-octanol/water		No information available																																																																								
Autoignition temperature		No information available																																																																								
Decomposition temperature		No information available																																																																								
Viscosity, dynamic		No information available																																																																								
Explosive properties	No information available																																																																									
Oxidizing Properties	No information available																																																																									

### 9.2. Other information

VOC Content(%)	92.222000311288
Molecular Weight	No information available

## 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

#### 10.2. Chemical stability

Stable under normal conditions

#### 10.3. Possibility of hazardous reactions

#### 10.4. Conditions to avoid

Heat, flames and sparks

#### 10.5. Incompatible materials

No materials to be especially mentioned

#### 10.6. Hazardous decomposition products

None under normal use conditions



ETHYL ALCOHOL		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static
PROPYLENE GLYCOL	19000: 96 h Pseudokirchneriella subcapitata mg/L EC50	51600: 96 h Oncorhynchus mykiss mg/L LC50 static 41 - 47: 96 h Oncorhynchus mykiss mL/L LC50 static 51400: 96 h Pimephales promelas mg/L LC50 static 710: 96 h Pimephales promelas mg/L LC50	10000: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50 Static
BENZYL ALCOHOL	35: 3 h Anabaena variabilis mg/L EC50	10: 96 h Lepomis macrochirus mg/L LC50 static 460: 96 h Pimephales promelas mg/L LC50 static	23: 48 h water flea mg/L EC50
MYRISTIC ACID (TETRADECANOIC)		118: 96 h Oryzias latipes mg/L LC50 static	27: 16 h Artemia salina mg/L EC50

**12.2. Persistence and degradability**

No information available

**12.3. Bioaccumulative potential**

No information available

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
BENZYL ALCOHOL	1.1
MYRISTIC ACID (TETRADECANOIC)	5.9

**12.4. Mobility in soil**

No information available

**12.5. Results of PBT and vPvB assessment**

**12.6. Other adverse effects**

**13. DISPOSAL CONSIDERATIONS**

**13.1. Waste treatment methods**

**Waste from residues / unused products** Dispose of in accordance with local regulations

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal

**14. TRANSPORT INFORMATION**

**DOT**

**IMDG / IMO**

**Proper shipping name** EXTRACTS, FLAVOURING, LIQUID  
**Hazard class** 3  
**UN/ID No** 1197  
**Packing Group** II

**ICAO/IATA**

**UN/ID No** 1197  
**Proper shipping name** EXTRACTS, FLAVOURING, LIQUID

Hazard class	3
Packing Group	II
ERG Code	127

## 15. REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### WGK Classification

Chemical Name	Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes
ETHYL ALCOHOL 64-17-5	Hazard Class 1
PROPYLENE GLYCOL 57-55-6	Hazard Class 1
BENZYL ALCOHOL 100-51-6	Hazard Class 1

#### International Inventories

All of the components in the product are on the following Inventory lists: No information available.

TSCA	-
EINECS/ELINCS	-
DSL/NDSL	-
PICCS	-
ENCS	-
IECSC	-
AICS	-
KECL	-

#### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory  
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List  
 PICCS - Philippines Inventory of Chemicals and Chemical Substances  
 ENCS - Japan Existing and New Chemical Substances  
 IECSC - China Inventory of Existing Chemical Substances  
 AICS - Australian Inventory of Chemical Substances  
 KECL - Korean Existing and Evaluated Chemical Substances

### 15.2. Chemical safety assessment

## 16. OTHER INFORMATION

#### Full text of H-Statements referred to under sections 2 and 3

H333 - May be harmful if inhaled H302 - Harmful if swallowed H315 - Causes skin irritation H318 - Causes serious eye damage H317 - May cause an allergic skin reaction H411 - Toxic to aquatic life with long lasting effects H225 - Highly flammable liquid and vapor

Revision Date	21-Mar-2016
Revision Note	Not applicable.
Revision#	1

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.



**WARNING/DISCLAIMER:**

Apex Flavors, Inc.'s products are sold exclusively for use in food and drink for human consumption. These products have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, and electronic cigarettes or similar devices (collectively "E-Cigarettes"). In supplying this product(s), Apex Flavors, Inc. instructs, and purchasing recipient confirms, that this product(s) will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof. Recipients of our products that use them outside of their intended use of food or drink do so at their own risk and without warranty, either expressed or implied, from Apex Flavors, Inc. or its suppliers. The user assumes all liability for loss, injury, damage, or expense resulting from such uses.

**Disclaimer**

**The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.**