



## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

**Number** 027

**Manufacturer** Apex Flavors, Inc.  
1371 Brass Mill Rd.  
Suite A  
Belcamp, MD 21017  
(410) 565-6600

**Product name** BUTTER PECAN TYPE EXTRACT, NATURAL & ARTIFICIAL - NUT FREE  
**Pure substance/mixture** Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** No information available

### 1.3. Details of the supplier of the safety data sheet

For further information, please contact:

**E-mail Address** cpisano@apexflavors.com

### 1.4. Emergency telephone number

**Emergency telephone** Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US

## 2. HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 1A
Acute aquatic toxicity	Category 2
Flammable liquids	Category 3

**Classification according to EU Directives 67/548/EEC or 1999/45/EC**

*For the full text of the R-phrases mentioned in this Section, see Section 16*

### **Symbol(s)**

Not dangerous

### 2.2. Label elements

**Signal Word**

Danger

**Hazard Statements**

H319 - Causes serious eye irritation

H350 - May cause cancer

H401 - Toxic to aquatic life

H226 - Flammable liquid and vapor

**Precautionary Statements**

P201 - Obtain special instructions before use

P281 - Use personal protective equipment as required

P308 + P313 - IF exposed or concerned: Get medical advice/ attention

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

**2.3. Other information****3. COMPOSITION/INFORMATION ON INGREDIENTS****3.1 Substances**

Chemical Name	EC-No	CAS-No	Alternate CAS #	Weight %	Classification according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
PROPYLENE GLYCOL	200-338-0	57-55-6		30-50%	-	No data available	No data available
ETHYL ALCOHOL	200-578-6	64-17-5		15-20%	F; R11	Flam. Liq. 2 (H225) Flam. Liq. 2 (H225)	No data available
ACETYL PROPIONYL FCC (2,3 PENTANEDIONE)	209-984-8	600-14-6		<1	-	STOT RE 2 (H373) (EFLA) Skin Sens. 1 (H317) (EFLA) Eye Dam. 1 (H318) (EFLA) Skin Irrit. 3 (316) (EFLA) Flam. Liq. 2 (H225) (EFLA) Acute Tox. 5 (H303)(EFLA) Acute Tox. 5 (H313)(EFLA)	No data available
BENZALDEHYDE	Present	100-52-7		<1	Xn; R22	Acute Tox. 4 (H302) Aquatic Acute 2 (H401) (EFLA) Eye Irrit. 1 (H319) (EFLA) Skin Irrit. 3 (316) (EFLA) Acute Tox. 4 (H302) (EFLA) Flam. Liq. 4 (H227)(EFLA) Acute Tox. 4	No data available

						(H332)(EFLA) Aquatic Acute 2 (H401) Eye Irrit. 1 (H319) Skin Irrit. 3 (H316) Acute Tox. 4 (H302) Acute Tox. 4 (H332)	
METHYL N-AMYL KETONE FCC (2-Heptanone)	Present	110-43-0		<1	R10 Xn; R20/22	Acute Tox. 4 (H302) Acute Tox. 4 (H302) (EFLA) Flam. Liq. 3 (H226)(EFLA) Acute Tox. 4 (H332)(EFLA) Flam. Liq. 3 (H226) Acute Tox. 4 (H332)	No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

## 4. FIRST AID MEASURES

### 4.1. Description of first aid measures

<b>General advice</b>	If symptoms persist, call a physician
<b>Eye contact</b>	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes Keep eye wide open while rinsing If symptoms persist, call a physician
<b>Skin contact</b>	Immediate medical attention is not required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician. Do NOT induce vomiting.
<b>Inhalation</b>	Immediate medical attention is not required. If symptoms persist, call a physician. Move to fresh air in case of accidental inhalation of vapors or decomposition products.
<b>Self-protection of the first aider</b>	Use personal protective equipment

### 4.2. Most important symptoms and effects, both acute and delayed

### 4.3. Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically

## 5. FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Use Dry chemical Carbon dioxide CO<sub>2</sub> Water spray Alcohol-resistant foam

#### Extinguishing media which shall not be used for safety reasons

No information available

### 5.2. Special hazards arising from the substance or mixture

#### Special Hazard

None

### 5.3. Advice for firefighters

**Special protective equipment for fire-fighters**

As in any fire, wear self-contained breathing apparatus and full protective gear

## 6. ACCIDENTAL RELEASE MEASURES

**6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Pay attention to flashback. Take precautionary measures against static discharges. Use personal protective equipment.

See Section 12 for additional Ecological Information

**6.2. Environmental precautions**

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

**6.3. Methods and material for containment and cleaning up**

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)

## 7. HANDLING AND STORAGE

**7.1. Precautions for safe handling**

Use only in area provided with appropriate exhaust ventilation. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from heat, sparks and open flame. No smoking. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

**7.2. Conditions for safe storage, including any incompatibilities**

Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Keep in properly labeled containers.

**7.3 Specific end use(s)**

**Exposure scenario** N/A

**Other Guidelines** N/A

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**8.1. Control parameters**

**Exposure limits** This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical Name	European Union	The United Kingdom	France	Spain	Germany
PROPYLENE GLYCOL 57-55-6		STEL: 450 ppm STEL: 1422 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> TWA: 150 ppm TWA: 474 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>			
ETHYL ALCOHOL 64-17-5		STEL: 3000 ppm STEL: 5760 mg/m <sup>3</sup> TWA: 1000 ppm TWA: 1920 mg/m <sup>3</sup>	VME: 1000 ppm VME: 1900 mg/m <sup>3</sup> VLCT: 5000 ppm VLCT: 9500 mg/m <sup>3</sup>	VLA-ED: 1000 ppm VLA-ED: 1910 mg/m <sup>3</sup>	MAK: 500 ppm MAK: 960 mg/m <sup>3</sup> Ceiling / Peak: 1000 ppm Ceiling / Peak: 1920 mg/m <sup>3</sup> Skin TWA: 500 ppm TWA: 960 mg/m <sup>3</sup>

METHYL N-AMYL KETONE FCC (2-Heptanone) 110-43-0	S* TWA 50 ppm TWA: 238 mg/m <sup>3</sup> STEL 100 ppm STEL: 475 mg/m <sup>3</sup>	STEL: 100 ppm STEL: 475 mg/m <sup>3</sup> TWA: 50 ppm TWA: 237 mg/m <sup>3</sup> Skin	TWA: 50 ppm TWA: 238 mg/m <sup>3</sup> STEL: 100 ppm STEL: 475 mg/m <sup>3</sup>	S* STEL: 100 ppm STEL: 474 mg/m <sup>3</sup> TWA: 50 ppm TWA: 237 mg/m <sup>3</sup>	TWA: 238 mg/m <sup>3</sup>
---	---	---	---	---	----------------------------

Chemical Name	Italy	Portugal	The Netherlands	Finland	Denmark
ETHYL ALCOHOL 64-17-5		TWA: 1000 ppm	Skin STEL: 1900 mg/m <sup>3</sup> TWA: 260 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> STEL: 1300 ppm STEL: 2500 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>
BENZALDEHYDE 100-52-7				TWA: 1 ppm TWA: 4.4 mg/m <sup>3</sup> STEL: 4 ppm STEL: 17.4 mg/m <sup>3</sup> Ceiling: 4 ppm Ceiling: 17.4 mg/m <sup>3</sup>	
METHYL N-AMYL KETONE FCC (2-Heptanone) 110-43-0	TWA: 50 ppm TWA: 238 mg/m <sup>3</sup> STEL: 100 ppm STEL: 475 mg/m <sup>3</sup> Skin	TWA: 50 ppm	TWA: 233 mg/m <sup>3</sup>	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> STEL: 75 ppm STEL: 360 mg/m <sup>3</sup> Skin	TWA: 50 ppm TWA: 238 mg/m <sup>3</sup> Skin

Chemical Name	Austria	Sweden - Occupational Exposure Limits - TLVs (LLVs)	Switzerland	Poland	Norway
PROPYLENE GLYCOL 57-55-6					TWA: 25 ppm TWA: 79 mg/m <sup>3</sup> STEL: 37.5 ppm STEL: 118.5 mg/m <sup>3</sup>
ETHYL ALCOHOL 64-17-5	STEL 2000 ppm STEL: 3800 mg/m <sup>3</sup> MAK: 1000 ppm MAK: 1900 mg/m <sup>3</sup>	500 ppm NGV 1000 mg/m <sup>3</sup> NGV	STEL: 1000 ppm STEL: 1920 mg/m <sup>3</sup> MAK: 500 ppm MAK: 960 mg/m <sup>3</sup>	NDS: 1900 mg/m <sup>3</sup>	TWA: 500 ppm TWA: 950 mg/m <sup>3</sup> STEL: 625 ppm STEL: 1187.5 mg/m <sup>3</sup>
BENZALDEHYDE 100-52-7				STEL: 40 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>	
METHYL N-AMYL KETONE FCC (2-Heptanone) 110-43-0	Skin STEL 100 ppm STEL: 473 mg/m <sup>3</sup> TWA: 50 ppm TWA: 237 mg/m <sup>3</sup>	25 ppm NGV 120 mg/m <sup>3</sup> NGV	TWA: 50 ppm TWA: 235 mg/m <sup>3</sup>	STEL: 475 mg/m <sup>3</sup> TWA: 238 mg/m <sup>3</sup>	TWA: 25 ppm TWA: 115 mg/m <sup>3</sup> Skin STEL: 37.5 ppm STEL: 143.75 mg/m <sup>3</sup>

Component	Ireland
PROPYLENE GLYCOL 57-55-6 ( 30-50% )	TWA: 150 ppm TWA: 470 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>
ETHYL ALCOHOL 64-17-5 ( 15-20% )	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>
METHYL N-AMYL KETONE FCC (2-Heptanone) 110-43-0 ( <1 )	TWA: 50 ppm TWA: 238 mg/m <sup>3</sup> STEL: 100 ppm STEL: 475 mg/m <sup>3</sup> Skin

**Derived No Effect Level (DNEL)** No information available

**Predicted No Effect Concentration (PNEC)** No information available

## 8.2. Exposure controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas

**Personal protective equipment**  
**Eye Protection** Tightly fitting safety goggles

<b>Hand Protection</b>	Protective gloves
<b>Skin and body protection</b>	Long sleeved clothing Chemical resistant apron Antistatic boots Impervious gloves
<b>Respiratory protection</b>	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators
<b>General Hygiene Considerations</b>	When using, do not eat, drink or smoke Provide regular cleaning of equipment, work area and clothing
<b>Environmental Exposure Controls</b>	No information available

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

<b>Physical state</b>	liquid	<b>Appearance</b>	slightly opaque
<b>Odor</b>	upfront of butter pecan	<b>Color</b>	brown
<b>Property</b>	<b>Values</b>	<b>Method</b>	
<b>pH</b>		No information available	
<b>Melting/freezing point</b>		No information available	
<b>Boiling point/boiling range</b>		FCC Method	
<b>Flash Point</b>	41 °C / 105 °F	Closed cup	
<b>Evaporation rate</b>		FCC Method	
<b>Flammability (solid, gas)</b>		No information available	
<b>Flammability Limits in Air</b>		No information available	
<b>Upper flammability limit</b>			
<b>lower flammability limit</b>			
<b>Vapor pressure mm Hg 20°C</b>		No information available	
<b>Vapor density</b>		No information available	
<b>Relative density</b>		No information available	
<b>Specific Gravity @ 25C</b>	1.0036 - 1.0336	FCC Method	
<b>Specific Gravity @ 20C</b>	1.0066 - 1.0366	FCC Method	
<b>Refractive Index</b>	1.3798 - 1.4098	FCC Method	
<b>Water solubility</b>		No information available	
<b>Partition coefficient: n-octanol/water</b>		No information available	
<b>Autoignition temperature</b>		No information available	
<b>Decomposition temperature</b>		No information available	
<b>Viscosity, dynamic</b>		No information available	
<b>Explosive properties</b>	No information available		
<b>Oxidizing Properties</b>	No information available		

### 9.2. Other information

<b>VOC Content(%)</b>	57.378
<b>Molecular Weight</b>	No information available

## 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

### 10.2. Chemical stability

Stable under normal conditions

### 10.3. Possibility of hazardous reactions

### 10.4. Conditions to avoid

Heat, flames and sparks

#### 10.5. Incompatible materials

No materials to be especially mentioned

#### 10.6. Hazardous decomposition products

None under normal use conditions

## 11. TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### Acute toxicity

**Inhalation** There is no data available for this product

**Eye contact** There is no data available for this product

**Skin contact** There is no data available for this product

**Ingestion** There is no data available for this product

**Acute toxicity** 41.38584% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document (Rev. 1, 2005):

**Oral** 13,230.00 mg/kg  
**Dermal** 30,647.00 mg/kg

**Skin corrosion/irritation** No information available  
**Eye damage/irritation** No information available  
**Sensitization** No information available  
**Germ Cell Mutagenicity** No information available  
**Carcinogenicity** No information available

**Specific target organ systemic toxicity (single exposure)** No information available

**Specific target organ systemic toxicity (repeated exposure)** No information available

**Target Organ Effects** Blood Central nervous system Eyes Liver Reproductive system Respiratory system Skin

**Aspiration hazard** No information available

## 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Ecotoxicity effects** Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates

PROPYLENE GLYCOL	19000: 96 h Pseudokirchneriella subcapitata mg/L EC50	51600: 96 h Oncorhynchus mykiss mg/L LC50 static 41 - 47: 96 h Oncorhynchus mykiss mL/L LC50 static 51400: 96 h Pimephales promelas mg/L LC50 static 710: 96 h Pimephales promelas mg/L LC50	10000: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50 Static
ETHYL ALCOHOL		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static
BENZALDEHYDE		10.6 - 11.8: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 12.69: 96 h Oncorhynchus mykiss mg/L LC50 static 0.8 - 1.44: 96 h Lepomis macrochirus mg/L LC50 flow-through 6.8 - 8.53: 96 h Pimephales promelas mg/L LC50 flow-through 7.5: 96 h Lepomis macrochirus mg/L LC50 static	50: 24 h Daphnia magna mg/L EC50
METHYL N-AMYL KETONE FCC (2-Heptanone)		126 - 137: 96 h Pimephales promelas mg/L LC50 flow-through	

**12.2. Persistence and degradability**

No information available

**12.3. Bioaccumulative potential**

No information available

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
BENZALDEHYDE	1.48
METHYL N-AMYL KETONE FCC (2-Heptanone)	1.98

**12.4. Mobility in soil**

No information available

**12.5. Results of PBT and vPvB assessment****12.6. Other adverse effects**

## 13. DISPOSAL CONSIDERATIONS

**13.1. Waste treatment methods**

**Waste from residues / unused products**      Dispose of in accordance with local regulations

**Contaminated packaging**      Empty containers should be taken to an approved waste handling site for recycling or disposal

## 14. TRANSPORT INFORMATION

**DOT/ADR**

<b>UN/ID No</b>	1197
<b>Proper shipping name</b>	EXTRACTS, FLAVOURING, LIQUID
<b>Hazard class</b>	3
<b>Packing Group</b>	III



<b>ERG Code</b>	127
-----------------	-----

**IMDG / IMO**

<b>Proper shipping name</b>	EXTRACTS, FLAVOURING, LIQUID
<b>Hazard class</b>	3
<b>UN/ID No</b>	1197
<b>Packing Group</b>	III

**ICAO/IATA**

<b>UN/ID No</b>	1197
<b>Proper shipping name</b>	EXTRACTS, FLAVOURING, LIQUID
<b>Hazard class</b>	3
<b>Packing Group</b>	III
<b>ERG Code</b>	127

## 15. REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**WGK Classification**

Chemical Name	Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes
PROPYLENE GLYCOL 57-55-6	Hazard Class 1
ETHYL ALCOHOL 64-17-5	Hazard Class 1
ACETYL PROPIONYL FCC (2,3 PENTANEDIONE) 600-14-6	Hazard Class 1
BENZALDEHYDE 100-52-7	Hazard Class 2

**International Inventories**

**All of the components in the product are on the following Inventory lists:** Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), China (IECSC), Philippines (PICCS).

<b>TSCA</b>	-
<b>EINECS/ELINCS</b>	Complies
<b>DSL/NDSL</b>	Complies
<b>PICCS</b>	Complies
<b>ENCS</b>	-
<b>IECSC</b>	Complies
<b>AICS</b>	Complies
<b>KECL</b>	-

**Legend**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances

### 15.2. Chemical safety assessment

## 16. OTHER INFORMATION

**Full text of H-Statements referred to under sections 2 and 3**

---

H302 - Harmful if swallowed H401 - Toxic to aquatic life H319 - Causes serious eye irritation H227 - Combustible liquid H332 - Harmful if inhaled  
H316 - Causes mild skin irritation H226 - Flammable liquid and vapor H373 - May cause damage to organs (a,b,c) through prolonged or repeated exposure if inhaled H317 - May cause an allergic skin reaction H318 - Causes serious eye damage H225 - Highly flammable liquid and vapor H303 - May be harmful if swallowed H313 - May be harmful in contact with skin

**Revision Date** 27-Oct-2016

**Revision Note** Not applicable.

**Revision#** 1

**This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.**

**WARNING/DISCLAIMER:**

Apex Flavors, Inc.'s products are sold exclusively for use in food and drink for human consumption. These products have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, and electronic cigarettes or similar devices (collectively "E-Cigarettes"). In supplying this product(s), Apex Flavors, Inc. instructs, and purchasing recipient confirms, that this product(s) will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof. Recipients of our products that use them outside of their intended use of food or drink do so at their own risk and without warranty, either expressed or implied, from Apex Flavors, Inc. or its suppliers. The user assumes all liability for loss, injury, damage, or expense resulting from such uses.

**Disclaimer**

**The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.**