



1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Number 1043PGF(T)

Manufacturer Apex Flavors, Inc
1371 Brass Mill Rd Suite A
Belcamp, MD 21017
410-565-6600

Product name STRAWBERRY TYPE, NATURAL FLAVOR BLEND (Propylene Glycol Free) Mixture

Pure substance/mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Not for direct consumption

1.3. Details of the supplier of the safety data sheet

For further information, please contact:

E-mail Address cpisano@apexflavors.com

1.4. Emergency telephone number

Emergency telephone Chemtrec: 1-800-424-9300 for US/ Outside US Chemtel 813-248-0585.

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Serious eye damage/eye irritation	Category 2
Carcinogenicity	Category 1A
Flammable liquids	Category 2

Classification according to EU Directives 67/548/EEC or 1999/45/EC
For the full text of the R-phrases mentioned in this Section, see Section 16

R-code(s)
R10

2.2. Label elements

**Signal Word**

Danger

H225 - Highly flammable liquid and vapor

Precautionary Statements

P201 - Obtain special instructions before use

P281 - Use personal protective equipment as required

P308 + P313 - IF exposed or concerned: Get medical advice/ attention

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

2.3. Other information**3. COMPOSITION/INFORMATION ON INGREDIENTS****3.1 Substances**

Chemical Name	EC-No	CAS-No	Alternate CAS #	Weight %	Classification according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
ETHYL ALCOHOL	200-578-6	64-17-5		50-90%	F; R11	Flam. Liq. 2 (H225) Eye Irrit. 1 (H319)	No data available
ACETIC ACID	200-580-7	64-19-7		<1	R10 C; R35	Skin Corr. 1A (314) Eye Dam. 1 (H318) Flam. Liq. 3 (H226)	No data available
ETHYL ACETATE	Present	141-78-6		<1	F; R11 Xi; R36 R66 R67	Eye Irrit. 1 (H319) (EFFA) Flam. Liq. 2 (H225) (EFFA) Eye Irrit. 1 (H319) (EUH066) Flam. Liq. 2 (H225) STOT SE 3 (H336) Eye Irrit. 2 (H319)	No data available
ISOAMYL ACETATE	Present	123-92-2		<1	R10 R66	Aquatic Acute 3 (H402) (EFFA) (EUH066) Flam. Liq. 3 (H226)	No data available
BENZALDEHYDE	Present	100-52-7		<1	Xn; R22	Acute Tox. 4 (H302) Aquatic Acute 2 (H401) (EFFA) Eye Irrit. 1 (H319) (EFFA) Skin Irrit. 3 (316) (EFFA) Acute Tox. 4 (H302) (EFFA) Flam. Liq. 4 (H227) (EFFA) Acute Tox. 4	No data available

						(H332)(EFFA) Aquatic Acute 2 (H401) Eye Irrit. 1 (H319) Skin Irrit. 3 (H316) Acute Tox. 4 (H302) Acute Tox. 4 (H332)	
FURFURAL	Present	98-01-1		<1	Xn; R21 T; R23/25 Xi; R36/37/38 Carc.Cat.3; R40	Acute Tox. 3 (H301) Carc. 2 (H351) (EFFA) Eye Irrit. 1 (H319) (EFFA) Skin Irrit. 2 (315) (EFFA) Acute Tox. 3 (H301) (EFFA) Acute Tox. 4 (H312)(EFFA) Flam. Liq. 4 (H227)(EFFA) Acute Tox. 3 (H331)(EFFA) Carc. 2 (H351) Eye Irrit. 1 (H319) Skin Irrit. 2 (H315) Acute Tox. 3 (H301) Acute Tox. 4 (H312) Acute Tox. 3 (H331) Acute Tox. 4 (H312) Skin Irrit. 2 (H315) STOT SE 3 (H335) Carc. 2 (H351) Acute Tox. 3 (H331) Eye Irrit. 2 (H319)	No data available
BENZYL ACETATE	Present	140-11-4		<1	-	Aquatic Acute 2 (H401) (EFFA) Skin Irrit. 3 (316) (EFFA) Acute Tox. 5 (H303)(EFFA) Flam. Liq. 4 (H227)(EFFA) Aquatic Acute 2 (H401) Skin Irrit. 3 (H316) Acute Tox. 5 (H303)	No data available
DIMETHYL SULFIDE	200-846-2	75-18-3		<1	-	Skin Irrit. 3 (316) (EFFA) Acute Tox. 3 (H301) (EFFA) Flam. Liq. 2 (H225) (EFFA)	No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

4.1. Description of first aid measures

General advice	Immediate medical attention is required Show this material safety data sheet to the doctor in attendance.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin contact	Wash off immediately with plenty of water.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Inhalation	Move to fresh air.
Self-protection of the first aider	Remove all sources of ignition

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Extinguishing media which shall not be used for safety reasons

No information available

5.2. Special hazards arising from the substance or mixture

Special Hazard

None

5.3. Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation.

See Section 12 for additional Ecological Information

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Use only in an area containing flame proof equipment. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

7.2. Conditions for safe storage, including any incompatibilities

Keep tightly closed in a dry and cool place. Keep in properly labeled containers.

7.3 Specific end use(s)

Exposure scenario N/A

Other Guidelines N/A

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical Name	European Union	The United Kingdom	France	Spain	Germany
ETHYL ALCOHOL 64-17-5		STEL: 3000 ppm STEL: 5760 mg/m ³ TWA: 1000 ppm TWA: 1920 mg/m ³	VME: 1000 ppm VME: 1900 mg/m ³ VLCT: 5000 ppm VLCT: 9500 mg/m ³	VLA-ED: 1000 ppm VLA-ED: 1910 mg/m ³	MAK: 500 ppm MAK: 960 mg/m ³ Ceiling / Peak: 1000 ppm Ceiling / Peak: 1920 mg/m ³ Skin TWA: 500 ppm TWA: 960 mg/m ³
ACETIC ACID 64-19-7	TWA 10 ppm TWA 25 mg/m ³		VLCT: 10 ppm VLCT: 25 mg/m ³	VLA-EC: 15 ppm VLA-EC: 37 mg/m ³ VLA-ED: 10 ppm VLA-ED: 25 mg/m ³	MAK: 10 ppm MAK: 25 mg/m ³ Ceiling / Peak: 20 ppm Ceiling / Peak: 50 mg/m ³ TWA: 10 ppm TWA: 25 mg/m ³
ETHYL ACETATE 141-78-6		STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 1400 mg/m ³	TWA: 400 ppm TWA: 1460 mg/m ³	TWA: 400 ppm TWA: 1500 mg/m ³ Ceiling / Peak: 800 ppm Ceiling / Peak: 3000 mg/m ³
ISOAMYL ACETATE 123-92-2	TWA 50 ppm TWA 270 mg/m ³ STEL 100 ppm STEL 540 mg/m ³	TWA: 50 ppm TWA: 270 mg/m ³	TWA: 50 ppm TWA: 270 mg/m ³ STEL: 100 ppm STEL: 540 mg/m ³	STEL: 100 ppm STEL: 540 mg/m ³ TWA: 50 ppm TWA: 270 mg/m ³	TWA: 50 ppm TWA: 270 mg/m ³ Ceiling / Peak: 50 ppm Ceiling / Peak: 270 mg/m ³
FURFURAL 98-01-1		STEL: 5 ppm STEL: 20 mg/m ³ TWA: 2 ppm TWA: 8 mg/m ³ Skin	STEL: 2 ppm STEL: 8 mg/m ³	S* TWA: 2 ppm TWA: 8 mg/m ³	Skin
BENZYL ACETATE 140-11-4				TWA: 10 ppm TWA: 62 mg/m ³	
DIMETHYL SULFIDE 75-18-3				VLA-ED: 10 ppm	

Chemical Name	Italy	Portugal	The Netherlands	Finland	Denmark
ETHYL ALCOHOL 64-17-5		TWA: 1000 ppm	Skin STEL: 1900 mg/m ³ TWA: 260 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³ STEL: 1300 ppm STEL: 2500 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³
ACETIC ACID 64-19-7		STEL: 15 ppm TWA: 10 ppm		TWA: 5 ppm TWA: 13 mg/m ³ STEL: 10 ppm STEL: 25 mg/m ³	TWA: 10 ppm TWA: 25 mg/m ³
ETHYL ACETATE 141-78-6		TWA: 400 ppm		TWA: 300 ppm TWA: 1100 mg/m ³ STEL: 500 ppm STEL: 1800 mg/m ³	TWA: 150 ppm TWA: 540 mg/m ³
ISOAMYL ACETATE 123-92-2	TWA: 50 ppm TWA: 270 mg/m ³ STEL: 100 ppm STEL: 540 mg/m ³	STEL: 100 ppm STEL: 540 mg/m ³ TWA: 50 ppm	STEL: 530 mg/m ³	TWA: 50 ppm TWA: 270 mg/m ³ STEL: 100 ppm STEL: 540 mg/m ³	TWA: 50 ppm TWA: 271 mg/m ³
BENZALDEHYDE 100-52-7				TWA: 1 ppm TWA: 4.4 mg/m ³ STEL: 4 ppm STEL: 17.4 mg/m ³ Ceiling: 4 ppm Ceiling: 17.4 mg/m ³	
FURFURAL 98-01-1		TWA: 2 ppm		TWA: 2 ppm TWA: 8 mg/m ³	TWA: 2 ppm TWA: 7.9 mg/m ³

				STEL: 5 ppm STEL: 20 mg/m ³ Skin	Skin
BENZYL ACETATE 140-11-4		TWA: 10 ppm			TWA: 10 ppm TWA: 61 mg/m ³
DIMETHYL SULFIDE 75-18-3		TWA: 10 ppm			

Chemical Name	Austria	Sweden - Occupational Exposure Limits - TLVs (LLVs)	Switzerland	Poland	Norway
ETHYL ALCOHOL 64-17-5	STEL 2000 ppm STEL 3800 mg/m ³ MAK: 1000 ppm MAK: 1900 mg/m ³	500 ppm NGV 1000 mg/m ³ NGV	STEL: 1000 ppm STEL: 1920 mg/m ³ MAK: 500 ppm MAK: 960 mg/m ³	NDS: 1900 mg/m ³	TWA: 500 ppm TWA: 950 mg/m ³ STEL: 625 ppm STEL: 1187.5 mg/m ³
ACETIC ACID 64-19-7	STEL 20 ppm STEL 50 mg/m ³ MAK: 10 ppm MAK: 25 mg/m ³	5 ppm NGV 13 mg/m ³ NGV	STEL: 20 ppm STEL: 50 mg/m ³ MAK: 10 ppm MAK: 25 mg/m ³	NDSch: 30 mg/m ³ NDS: 15 mg/m ³	TWA: 10 ppm TWA: 25 mg/m ³ STEL: 20 ppm STEL: 37.5 mg/m ³
ETHYL ACETATE 141-78-6	STEL 600 ppm STEL 2100 mg/m ³ TWA: 300 ppm TWA: 1050 mg/m ³	150 ppm NGV 500 mg/m ³ NGV	STEL: 800 ppm STEL: 2800 mg/m ³ TWA: 400 ppm TWA: 1400 mg/m ³	STEL: 600 mg/m ³ TWA: 200 mg/m ³	TWA: 150 ppm TWA: 550 mg/m ³ STEL: 187.5 ppm STEL: 687.5 mg/m ³
ISOAMYL ACETATE 123-92-2	STEL 100 ppm STEL 540 mg/m ³ TWA: 50 ppm TWA: 270 mg/m ³	50 ppm NGV 270 mg/m ³ NGV	TWA: 50 ppm TWA: 260 mg/m ³	STEL: 500 mg/m ³ TWA: 250 mg/m ³	TWA: 50 ppm TWA: 260 mg/m ³ STEL: 75 ppm STEL: 325 mg/m ³
BENZALDEHYDE 100-52-7				STEL: 40 mg/m ³ TWA: 10 mg/m ³	
FURFURAL 98-01-1	Skin TWA: 5 ppm TWA: 20 mg/m ³	2 ppm NGV 8 mg/m ³ NGV	Skin TWA: 2 ppm TWA: 8 mg/m ³	STEL: 25 mg/m ³ TWA: 10 mg/m ³	TWA: 2 ppm TWA: 8 mg/m ³ Skin STEL: 4 ppm STEL: 16 mg/m ³
DIMETHYL SULFIDE 75-18-3		1 ppm NGV			

Component	Ireland
ETHYL ALCOHOL 64-17-5 (50-90%)	TWA: 1000 ppm TWA: 1900 mg/m ³
ACETIC ACID 64-19-7 (<1)	TWA: 10 ppm TWA: 25 mg/m ³ STEL: 15 ppm STEL: 37 mg/m ³
ETHYL ACETATE 141-78-6 (<1)	TWA: 200 ppm STEL: 400 ppm
ISOAMYL ACETATE 123-92-2 (<1)	TWA: 50 ppm TWA: 260 mg/m ³ STEL: 100 ppm STEL: 520 mg/m ³
FURFURAL 98-01-1 (<1)	TWA: 2 ppm TWA: 8 mg/m ³ STEL: 5 ppm STEL: 20 mg/m ³ Skin
DIMETHYL SULFIDE 75-18-3 (<1)	TWA: 20 ppm

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available

8.2. Exposure controls

Engineering Controls	Ensure adequate ventilation, especially in confined areas
Personal protective equipment	
Eye Protection	Tightly fitting safety goggles
Hand Protection	Protective gloves
Skin and body protection	Antistatic boots Wear fire/ flame resistant/ retardant clothing Impervious gloves
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators
General Hygiene Considerations	When using, do not eat, drink or smoke Provide regular cleaning of equipment, work area and clothing
Environmental Exposure Controls	No information available

9. PHYSICAL AND CHEMICAL PROPERTIES**9.1. Information on basic physical and chemical properties**

Physical state	liquid	Appearance	clear
Odor	characteristic of strawberry	Color	Colorless to pale yellow.
Property	Values	Method	
pH		No information available	
Melting/freezing point		No information available	
Boiling point/boiling range		FCC Method	
Flash Point	22 °C / 72 °F	Closed cup	
Evaporation rate		FCC Method	
Flammability (solid, gas)		No information available	
Flammability Limits in Air		No information available	
Upper flammability limit			
lower flammability limit			
Vapor pressure mm Hg 20°C		No information available	
Vapor density		No information available	
Relative density		No information available	
Specific Gravity @ 25C	0.8856 - 0.9156	FCC Method	
Specific Gravity @ 20C	0.8886 - 0.9186	FCC Method	
Refractive Index	1.3527 - 1.3827	FCC Method	
Water solubility		No information available	
Partition coefficient: n-octanol/water		No information available	
Autoignition temperature		No information available	
Decomposition temperature		No information available	
Viscosity, dynamic		No information available	
Explosive properties	No information available		
Oxidizing Properties	No information available		

9.2. Other information

VOC Content(%)	61.76227
Molecular Weight	No information available

10. STABILITY AND REACTIVITY**10.1. Reactivity****10.2. Chemical stability**

—
Stable under normal conditions

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Heat, flames and sparks

10.5. Incompatible materials

No materials to be especially mentioned

10.6. Hazardous decomposition products

None under normal use conditions

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Inhalation	There is no data available for this product
Eye contact	There is no data available for this product
Skin contact	There is no data available for this product
Ingestion	There is no data available for this product
Acute toxicity	35.328% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document (Rev. 1, 2005):

Oral 7,275.00 mg/kg

Inhalation
Mist 70,736.57 mg/l

Skin corrosion/irritation	No information available
Eye damage/irritation	No information available
Sensitization	No information available
Germ Cell Mutagenicity	No information available
Carcinogenicity	No information available

Specific target organ systemic toxicity (single exposure) No information available

Specific target organ systemic toxicity (repeated exposure) No information available

Target Organ Effects Blood Central nervous system Eyes Liver Reproductive system Respiratory system Skin

Aspiration hazard No information available

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
ETHYL ALCOHOL		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static
ACETIC ACID		75: 96 h Lepomis macrochirus mg/L LC50 static 79: 96 h Pimephales promelas mg/L LC50 static	47: 24 h Daphnia magna mg/L EC50 65: 48 h Daphnia magna mg/L EC50 Static
ETHYL ACETATE	3300: 48 h Desmodosmus subspicatus mg/L EC50	220 - 250: 96 h Pimephales promelas mg/L LC50 flow-through 484: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 352 - 500: 96 h Oncorhynchus mykiss mg/L LC50 semi-static	560: 48 h Daphnia magna mg/L EC50 Static
BENZALDEHYDE		10.6 - 11.8: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 12.69: 96 h Oncorhynchus mykiss mg/L LC50 static 0.8 - 1.44: 96 h Lepomis macrochirus mg/L LC50 flow-through 6.8 - 8.53: 96 h Pimephales promelas mg/L LC50 flow-through 7.5: 96 h Lepomis macrochirus mg/L LC50 static	50: 24 h Daphnia magna mg/L EC50
FURFURAL		13.4 - 19.3: 96 h Pimephales promelas mg/L LC50 static 16.79 - 26.35: 96 h Pimephales promelas mg/L LC50 flow-through	29: 24 h Daphnia magna mg/L EC50
DIMETHYL SULFIDE			23: 48 h Daphnia pulex mg/L EC50

12.2. Persistence and degradability

No information available

12.3. Bioaccumulative potential

No information available

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
ACETIC ACID	-0.31
ETHYL ACETATE	0.6
BENZALDEHYDE	1.48
FURFURAL	0.67
BENZYL ACETATE	1.96

12.4. Mobility in soil

No information available

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

Endocrine Disruptor Information .? is a suspected endocrine disruptor

Chemical Name	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Japan - Endocrine Disruptor Information
FURFURAL	Group III Chemical		

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused products	Dispose of in accordance with local regulations
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal

14. TRANSPORT INFORMATION

DOT/ADR

UN/ID No	1197
Proper shipping name	EXTRACTS, FLAVOURING, LIQUID
Hazard class	3
Packing Group	II
ERG Code	127

IMDG / IMO

Proper shipping name	EXTRACTS, FLAVOURING, LIQUID
Hazard class	3
UN/ID No	1197
Packing Group	II

ICAO/IATA

UN/ID No	1197
Proper shipping name	EXTRACTS, FLAVOURING, LIQUID
Hazard class	3
Packing Group	II

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

WGK Classification

Chemical Name	Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes
ETHYL ALCOHOL 64-17-5	Hazard Class 1
ACETIC ACID 64-19-7	Hazard Class 1
ETHYL ACETATE 141-78-6	Hazard Class 1
ISOAMYL ACETATE 123-92-2	Hazard Class 1
BENZALDEHYDE 100-52-7	Hazard Class 2
FURFURAL 98-01-1	Hazard Class 2

International Inventories

All of the components in the product are on the following Inventory lists: No information available.

TSCA	-
EINECS/ELINCS	-
DSL/NDSL	-
PICCS	-
ENCS	-
IECSC	-
AICS	-
KECL	-

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
 PICCS - Philippines Inventory of Chemicals and Chemical Substances
 ENCS - Japan Existing and New Chemical Substances
 IECSC - China Inventory of Existing Chemical Substances
 AICS - Australian Inventory of Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical safety assessment**16. OTHER INFORMATION****Full text of H-Statements referred to under sections 2 and 3**

H302 - Harmful if swallowed H401 - Toxic to aquatic life H319 - Causes serious eye irritation H227 - Combustible liquid H332 - Harmful if inhaled
 H316 - Causes mild skin irritation H402 - Harmful to aquatic life H226 - Flammable liquid and vapor H303 - May be harmful if swallowed H225 -
 Highly flammable liquid and vapor H336 - May cause drowsiness or dizziness H318 - Causes serious eye damage H301 - Toxic if swallowed H351 -
 Suspected of causing cancer if inhaled H312 - Harmful in contact with skin H331 - Toxic if inhaled H315 - Causes skin irritation H335 - May cause
 respiratory irritation EUH066 - Repeated exposure may cause skin dryness or cracking

Revision Date 29-Jan-2018

Revision Note Not applicable.

Revision# 1

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

WARNING/DISCLAIMER:

The ingredients/flavors provided by Apex have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, electronic cigarettes or other similar devices (collectively "E-Cigarettes"). In supplying ingredients/flavors, Apex instructs, and by receiving such ingredients/flavors recipient confirms, that the ingredients/flavors will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof.

Disclaimer

Food ingredients that are safe to be consumed in food products may pose hazards if not handled properly. This product is intended to be used in food products and, not intended to be consumed in its present form. The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.