# APEX FLAVORS, INC.

# SAFETY DATA SHEET.



## Version 1

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

<u>Product identifier</u> Product Code(s) Product name	377BEV JALAPENO FLAVOR, NATURAL & ARTIFICIAL
UN/ID No	1197
Recommended use of the chemical	and restrictions on use
Recommended Use	No information available.
Uses advised against	No information available
Manufacturer	Apex Flavors, Inc. 1371 Brass Mill Rd. Suite A Belcamp, MD 21017 (410) 565-6600
Emergency telephone	

Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US

# 2. HAZARDS IDENTIFICATION

## **Classification**

Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 1A
Flammable liquids	Category 2

# GHS Label elements, including precautionary statements

	Emergency Overview	
Danger		
Hazard Statements Causes serious eye irritation		
May cause cancer Highly flammable liquid and vapor		
Appearance clear	Physical state liquid	<b>Odor</b> characteristic of jalapeno with pungency

# Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

#### Precautionary Statements - Storage Store locked up

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

## Other information

· Toxic to aquatic life

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS-No	Weight %	Trade Secret
ETHYL ALCOHOL	64-17-5	90-100%	*

# 4. FIRST AID MEASURES

## First aid measures for different exposure routes

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin contact	It is suggested that you use the following blend to clean the affected area: 50% Polysorbate, 40% Propylene Glycol and 10% water.	
Inhalation	Move to fresh air.	
Ingestion	Clean mouth with water and drink afterwards plenty of water.	
Most important symptoms/effects, a	acute and delayed	
Main Symptoms	Hives.	
Indication of immediate medical attention and special treatment needed, if necessary		
Note to physicians	Treat symptomatically.	

# **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

Decomposition by contact with water may generate vapors which can be ignited by heat or open flame.

#### Specific hazards arising from the chemical

No information available.

Explosion data Sensitivity to Mechanical Impact none. Sensitivity to Static Discharge Yes.

# **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures			
Personal precautions	Ensure adequate ventilation.		
Environmental precautions			
Environmental precautions	Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.		
Methods and materials for contain	nment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Pick up and transfer to properly labeled containers.		
7. HANDLING AND STORAGE			
Precautions for safe handling			
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.		
Conditions for safe storage, inclu	ding any incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.		
Incompatible products	tible products None known based on information supplied.		
8. E	8. EXPOSURE CONTROLS/PERSONAL PROTECTION		

## Control parameters

# **Exposure Guidelines**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ETHYL ALCOHOL	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900	IDLH: 3300 ppm
64-17-5		mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1900
		(vacated) TWA: 1000 ppm	mg/m <sup>3</sup>
		(vacated) TWA: 1900 mg/m <sup>3</sup>	

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Exposure controls

**Engineering Controls** 

Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	If splashes are likely to occur, wear:.	
Skin and body protection	Chemical resistant apron.	
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be	

required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

#### **General Hygiene Considerations**

Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Physical and chemical properties

**Physical state** 

Appearance

Odor Color green Property Values Hα Melting/freezing point **Boiling point/boiling range** Flash Point **Evaporation rate** Flammability (solid, gas) Flammability Limits in Air Upper flammability limit lower flammability limit Vapor pressure mm Hg 20°C Vapor density Specific Gravity @ 25C 0.8057 - 0.8357 Specific Gravity @ 20C **Refractive Index** Water solubility Solubility in other solvents Partition coefficient: n-octanol/water Autoignition temperature **Decomposition temperature** Viscosity, kinematic Viscosity, dynamic **Explosive properties Oxidizing Properties** Other information

Softening point Molecular Weight VOC Content(%) Density VALUE Bulk Density VALUE liquid clear characteristic of jalapeno with pungency green

17 °C / 63 °F No information available No information available

No information available No information available

0.8087 - 0.8387 1.352 - 1.382 Practically insoluble

. No information available

No information available No information available No information available No information available

No information available No information available No information available No information available No information available Method No information available FCC Method FCC Method Closed cup No information available No information available No information available

No information available No information available FCC Method

FCC Method FCC Method

No information available No information available No information available No information available No information available

# **10. STABILITY AND REACTIVITY**

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### **Conditions to Avoid**

Extremes of temperature and direct sunlight.

#### **Incompatible Materials**

None known based on information supplied.

#### **Hazardous Decomposition Products**

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known information
Inhalation	There is no data available for this product.
Eye contact	There is no data available for this product.
Skin contact	There is no data available for this product.
Ingestion	There is no data available for this product.

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
ETHYL ALCOHOL	7060 mg/kg (Rat)	-	124.7 mg/L (Rat)4 h
64-17-5			

#### Information on toxicological effects

Symptoms

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	
Germ Cell Mutagenicity	
Carcinogenicity	

No information available. No information available.

This product contains one or more substances which are classified by IARC as carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B).

Chemical Name	ACGIH	IARC	NTP	OSHA
ETHYL ALCOHOL 64-17-5	A3	Group 1	Known	Х

ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present **Reproductive toxicity** No information available. Specific target organ systemic No information available. toxicity (single exposure) Specific target organ systemic No information available. toxicity (repeated exposure) **Chronic toxicity** May cause adverse liver effects. Contains a known or suspected reproductive toxin.

**Target Organ Effects** Blood, Central nervous system, Eyes, Liver, Reproductive system, Respiratory system, Skin. Aspiration hazard

No information available.

# Numerical measures of toxicity - Product Information

# The following values are calculated based on chapter 3.1 of the GHS document

. mg/kg mg/l

# **12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

Toxic to aquatic life

0.68176% of the mixture consists of components(s) of unknown hazards to the aquatic environment

# Persistence and degradability

No information available.

## **Bioaccumulation**

No information available.

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
64-17-5	

# Other adverse effects

No information available

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment

Waste Disposal Methods	It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	D001

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name California Hazardous Waste Statu	
ETHYL ALCOHOL	Toxic Ignitable
64-17-5	

# **14. TRANSPORT INFORMATION**

1197 EXTRACTS, FLAVOURING, LIQUID 3 II
ll 127

ICAO/IATA	
UN/ID No	1197
Proper shipping name	EXTRACTS, FLAVOURING, LIQUID
Hazard class	3

Packing Group	ll
ERG Code	127
IMDG / IMO UN/ID No Proper shipping name Hazard class Packing Group	1197 EXTRACTS, FLAVOURING, LIQUID 3 II

# **15. REGULATORY INFORMATION**

Complies
Complies
Complies
-
-
-
-
Complies

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## U.S. Federal Regulations

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations. Part 372.

## SARA 311/312 Hazard Categories

Acute Health Hazard	no
Chronic Health Hazard	no
Fire Hazard	Yes
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

## CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

# U.S. State Regulations

# **California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical Name California Prop. 65	
ETHYL ALCOHOL - 64-17-5	Carcinogen
	Developmental

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ETHYL ALCOHOL	Х	X	Х
64-17-5			
ILC EDA Label information			

<b>U.S</b> .	EPA	Label	information

16. OTHER INFORMATION				
<u>NFPA</u>	Health Hazard 2	Flammability 4	Instability 0	Physical and chemical hazards *
HMIS	Health Hazard 2	Flammability 4	Physical Hazard 0	Personal protection b

Revision Date	30-Nov-2016
Revision Note	No information available
Revision#	1

## WARNING/DISCLAIMER:

Apex Flavors, Inc.'s products are sold exclusively for use in food and drink for human consumption. These products have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, and electronic cigarettes or similar devices (collectively "E-Cigarettes"). In supplying this product(s), Apex Flavors, Inc. instructs, and purchasing recipient confirms, that this product(s) will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof. Recipients of our products that use them outside of their intended use of food or drink do so at their own risk and without warranty, either expressed or implied, from Apex Flavors, Inc. or its suppliers. The user assumes all liability for loss, injury, damage, or expense resulting from such uses.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

end