APEX FLAVORS, INC.

SAFETY DATA SHEET.



Version 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

<u>Product identifier</u> Product Code(s) Product name	480PGFT ORANGE MANGO TYPE EXTRACT WONF
UN/ID No	1197
Recommended use of the chemical Recommended Use Uses advised against Manufacturer	and restrictions on use No information available. No information available Apex Flavors, Inc. 1371 Brass Mill Rd. Suite A Belcamp, MD 21017 (410) 565-6600
	(410) 303-0000

Emergency telephone Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Serious eye damage/eye irritation	Category 2A
Skin Sensitization	Category 1
Carcinogenicity	Category 1A
Flammable liquids	Category 2

GHS Label elements, including precautionary statements

Emergency Overview

Danger		
Hazard Statements Harmful if inhaled		
Causes serious eye irritation		
May cause an allergic skin reaction		
May cause cancer Highly flammable liquid and vapor		
Appearance clear	Physical state liquid	Odor orange mango

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Specific treatment (see .? on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other information

- · Causes mild skin irritation
- Harmful to aquatic life with long lasting effects
- Toxic to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
ETHYL ALCOHOL	64-17-5	50-90%	*
GLYCERINE	56-81-5	5-10%	*
LIMONENE	5989-27-5	1-5%	*
BENZYL ALCOHOL	100-51-6	<1	*

4. FIRST AID MEASURES

First aid measures for different exposure routes

Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.	
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. Wash off immediately with soap and plenty of water.	
Inhalation	Move to fresh air. If symptoms persist, call a physician.	
Ingestion	Do NOT induce vomiting. Drink plenty of water. Immediate medical attention is not required. Rinse mouth.	
Self-protection of the first aider	Use personal protective equipment.	
Most important symptoms/effects, acute and delayed		
Main Symptoms	Hives.	
Indication of immediate medical attention and special treatment needed, if necessary		
Note to physicians	May cause sensitization in susceptible persons.	
5. FIRE-FIGHTING MEASURES		

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Decomposition by contact with water may generate vapors which can be ignited by heat or open flame.

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes. May cause sensitization in susceptible persons.

Explosion data Sensitivity to Mechanical Impact none. Sensitivity to Static Discharge Yes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions, protective equipment and emergency procedures			
Personal precautions	Use personal protective equipment. Avoid contact with eyes and skin.		
Environmental precautions			
Environmental precautions	Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.		
Methods and materials for containment and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. After cleaning, flush away traces with water. Prevent product from entering drains.		

7. HANDLING AND STORAGE

Precautions for safe handling		
Advice on safe handling	Ensure adequate ventilation. Use personal protective equipment as required.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep out of the reach of children. Keep container tightly closed. Keep containers tightly closed in a cool, well-ventilated place.	
Incompatible products	None known based on information supplied.	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies. Chemical Name ACGIH TLV **OSHA PEL** NIOSH IDLH TWA: 1000 ppm TWA: 1900 ETHYL ALCOHOL STEL: 1000 ppm IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 64-17-5 mg/m³ (vacated) TWA: 1000 ppm mg/m³ (vacated) TWA: 1900 mg/m3 GLYCERINE TWA: 15 mg/m3 mist, total -

	1		
56-81-5		particulate TWA: 5 mg/m ³ mist,	
		respirable fraction	
		(vacated) TWA: 10 mg/m ³ mist,	
		total particulate (vacated) TWA: 5	
		mg/m ³ mist, respirable fraction	
ETHYL ACETATE	TWA: 400 ppm	TWA: 400 ppm TWA: 1400	IDLH: 2000 ppm
141-78-6		mg/m ³	TWA: 400 ppm TWA: 1400
		(vacated) TWA: 400 ppm	mg/m ³
		(vacated) TWA: 1400 mg/m ³	5
ACETALDEHYDE	Ceiling: 25 ppm	TWA: 200 ppm TWA: 360 mg/m ³	IDLH: 2000 ppm
75-07-0	g p.p	(vacated) TWA: 100 ppm	
		(vacated) TWA: 180 mg/m ³	
		(vacated) STEL: 150 ppm	
		(vacated) STEL: 270 mg/m ³	
PINENES	TWA: 20 ppm	- (
80-56-8			
METHYL N-AMYL KETONE FCC	TWA: 50 ppm	TWA: 100 ppm TWA: 465 mg/m ³	IDLH: 800 ppm
(2-Heptanone)		(vacated) TWA: 100 ppm	TWA: 100 ppm TWA: 465 mg/m ³
110-43-0		(vacated) TWA: 465 mg/m ³	
BENZYL ACETATE	TWA: 10 ppm	-	
140-11-4			
CITRAL	TWA: 5 ppm inhalable fraction		
5392-40-5	and vapor	_	
5592-40-5	S*		
DIMETHYL SULFIDE	TWA: 10 ppm		
75-18-3		-	
ACETIC ACID	STEL: 15 ppm	TWA: 10 ppm TWA: 25 mg/m ³	IDLH: 50 ppm
64-19-7	TWA: 10 ppm	(vacated) TWA: 10 ppm (vacated)	TWA: 10 ppm TWA: 25 mg/m ³
		TWA: 25 mg/m ³	STEL: 15 ppm STEL: 37 mg/m ³

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Exposure controls

Engineering Controls	Showers
	Eyewash stations
	Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tightly fitting safety goggles.

Skin and body protection	Chemical resistant apron.
--------------------------	---------------------------

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations When using, do not eat, drink or smoke. Wash contaminated clothing before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state
Appearance
Odor
Color

Property pН Melting/freezing point Boiling point/boiling range Flash Point **Evaporation rate** Flammability (solid, gas) Flammability Limits in Air Upper flammability limit lower flammability limit Vapor pressure mm Hg 20°C Vapor density Specific Gravity @ 25C Specific Gravity @ 20C Refractive Index Water solubility Solubility in other solvents Partition coefficient: n-octanol/water Autoignition temperature **Decomposition temperature** Viscosity, kinematic Viscosity, dynamic **Explosive properties Oxidizing Properties**

Other information

Softening point Molecular Weight VOC Content(%) Density VALUE Bulk Density VALUE liquid clear orange mango yellow

Values

22 °C / 72 °F No information available No information available

No information available No information available

0.8782 - 0.9382 0.8812 - 0.9412 1.3436 - 1.4036 Practically insoluble

r No information available

No information available No information available No information available No information available

No information available No information available No information available No information available No information available

Method

No information available FCC Method FCC Method Closed cup No information available No information available No information available

No information available No information available FCC Method FCC Method FCC Method

No information available No information available No information available No information available No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Extremes of temperature and direct sunlight.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known information
Inhalation	There is no data available for this product.
Eye contact	There is no data available for this product.
Skin contact	There is no data available for this product.
Ingestion	There is no data available for this product.

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization
Germ Cell Mutagenicity
Carcinogenicity

No information available. No information available. This product contains one or more substances which are classified by IARC as carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B).

Blood, Central nervous system, Eyes, Kidney, Liver, Reproductive system, Respiratory

Chemical Name	ACGIH	IARC	NTP	OSHA
ETHYL ALCOHOL	A3	Group 1	Known	Х
64-17-5				
LIMONENE		Group 3		
5989-27-5				

ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 3 - Not Classifiable as to Carcinogenicity in Humans NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present **Reproductive toxicity** No information available. Specific target organ systemic No information available. toxicity (single exposure) Specific target organ systemic No information available. toxicity (repeated exposure) **Chronic toxicity** Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated exposure. May cause adverse liver effects. Contains a known or suspected reproductive

Target Organ Effects

Aspiration hazard

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

toxin.

system, Skin.

No information available.

. mg/kg mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects

29.9156% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
64-17-5	
GLYCERINE	-1.76
56-81-5	
BENZYL ALCOHOL	1.1
100-51-6	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods	It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	D001 U112 U001

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
ETHYL ALCOHOL 64-17-5	Toxic Ignitable
LIMONENE 5989-27-5	Тохіс

14. TRANSPORT INFORMATION

DOT/ADR

UN/ID No	1197
Proper shipping name	EXTRACTS, FLAVOURING, LIQUID
Hazard class	3
Packing Group	II
ERG Code	127

ICAO/IATA	
UN/ID No	1197
Proper shipping name	EXTRACTS, FLAVOURING, LIQUID
Hazard class	3
Packing Group	II

IMDG / IMOUN/ID No1197Proper shipping nameEXTRACTS, FLAVOURING, LIQUIDHazard class3Packing GroupII

15. REGULATORY INFORMATION

International Inventories	
TSCA	-
DSL/NDSL	-
EINECS/ELINCS	-
ENCS	-
IECSC	-
KECL	-
PICCS	-
AICS	-

Legend:

 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

 ENCS - Japan Existing and New Chemical Substances

 IECSC - China Inventory of Existing Chemical Substances

 KECL - Korean Existing and Evaluated Chemical Substances

 PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	no
Fire Hazard	Yes
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
ETHYL ALCOHOL - 64-17-5 Carcinogen	
	Developmental

Carcinogen

ACETALDEHYDE - 75-07-0

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ETHYL ALCOHOL 64-17-5	Х	Х	Х
GLYCERINE 56-81-5	Х	Х	Х
ETHYL BUTYRATE 105-54-4	Х	Х	Х
ETHYL BUTYRATE FCC 105-54-4	Х	Х	Х
DIMETHYL SULFIDE 75-18-3	Х	X	Х
ACETIC ACID 64-19-7	Х	Х	Х

U.S. EPA Label information

16. OTHER INFORMATION					
<u>NFPA</u>	Health Hazard 2	Flammability 4	Instability 0	Physical and chemical hazards *	
HMIS	Health Hazard 2	Flammability 4	Physical Hazard 0	Personal protection b	

Revision Date	03-May-2017
Revision Note	No information available
Revision#	1

WARNING/DISCLAIMER:

Apex Flavors, Inc.'s products are sold exclusively for use in food and drink for human consumption. These products have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, and electronic cigarettes or similar devices (collectively "E-Cigarettes"). In supplying this product(s), Apex Flavors, Inc. instructs, and purchasing recipient confirms, that this product(s) will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof. Recipients of our products that use them outside of their intended use of food or drink do so at their own risk and without warranty, either expressed or implied, from Apex Flavors, Inc. or its suppliers. The user assumes all liability for loss, injury, damage, or expense resulting from such uses.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

end