





This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 10-Apr-2019

Version 6

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

## 1.1. Product identifier

Product Code(s) Product name	081BEV PURE ORANGE BLOSSOM EXTRACT, NATURAL	
Pure substance/mixture Contains ETHYL ALCOHOL	Mixture	
1.2. Relevant identified uses of the substance or mixture and uses advised against		

- **Recommended Use** Ingredient for further processing
- No information available Uses advised against

### 1.3. Details of the supplier of the safety data sheet

Manufacturer	Apex Flavors, Inc.
	1371 Brass Mill Rd.
	Suite A
	Belcamp, MD 21017
	(410) 565-6600
For further information pleas	e contact:

#### turther information, please contact:

	ail Address	
1.4.	Emergency tel	ephone number

cpisano@apexflavors.com

Emergency telephone

Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US

# Section 2: HAZARDS IDENTIFICATION

## 2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008	
Serious eye damage/eye irritation	Category 2 - (H319)
Carcinogenicity	Category 1A - (H350)
Chronic aquatic toxicity	Category 3 - (H412)
Flammable liquids	Category 2 - (H225)



Signal Word

Danger

### **Hazard Statements**

H319 - Causes serious eye irritation
H350 - May cause cancer
H412 - Harmful to aquatic life with long lasting effects
Contains LIMONENE EUH208 - May produce an allergic reaction

### Precautionary Statements - EU (§28, 1272/2008)

P201 - Obtain special instructions before use
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P308 + P313 - IF exposed or concerned: Get medical advice/attention
P273 - Avoid release to the environment
P370 + P378 - In case of fire: Use .? to extinguish
P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

## 2.3. Other information

No information available

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Chemical Name	EC-No	CAS-No	Weight %	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
ETHYL ALCOHOL	200-578-6	64-17-5	50-90%	Flam. Liq. 2 (H225) Eye Irrit. 1 (H319)	No data available
LIMONENE	227-813-5	5989-27-5	<1%	Aquatic Acute 1 (H400) Skin Sens. 1 (H317) Skin Irrit. 1 (H315) Asp. Tox. 1 (H304) Aquatic Chronic 1 (H410) Flam. Liq. 3 (H226)	No data available
PINENES	201-291-9	80-56-8	<1%	Aquatic Acute 1 (H400) Skin Sens. 1 (H317) Skin Irrit. 1 (H315) Asp. Tox. 1 (H304) Aquatic Chronic 1 (H410) Acute Tox. 5 (H303) Flam. Liq. 3 (H226)	No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

Full text of H- and EUH-phrases: see section 16

# Section 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

General advice	Immediate medical attention is required. Show this material safety data sheet to the doctor in attendance.
Inhalation	Move to fresh air.
Skin contact	Wash off immediately with plenty of water.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Ingestion	Clean mouth with water and	drink afterwards	plenty of water.
Ingestion	olean mouth with water and	unin ano waras	picinty of water.

**Self-protection of the first aider** Remove all sources of ignition.

### 4.2. Most important symptoms and effects, both acute and delayed

Main Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

# Section 5: FIRE FIGHTING MEASURES

### 5.1. Extinguishing media

### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

No information available

### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment.

# Section 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

#### **Personal precautions**

Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation.

#### For emergency responders

Use personal protection recommended in Section 8.

## 6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

### 6.3. Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and transfer to properly labeled containers.

### 6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

# Section 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

### Advice on safe handling

Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Use only in an area containing flame proof equipment. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

#### General Hygiene Considerations

When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

### 7.2. Conditions for safe storage, including any incompatibilities

### **Storage Conditions**

Keep tightly closed in a dry and cool place. Keep in properly labeled containers.

## Incompatible products

None known based on information supplied.

7.3 Specific end use(s)

### Risk Management Methods (RMM)

The information required is contained in this Material Safety Data Sheet.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Chemical Name	European Union	The United Kingdom	France	Spain	Germany
ETHYL ALCOHOL	-	STEL: 3000 ppm	VME: 1000 ppm VME:	VLA-ED: 1000 ppm	-
64-17-5		STEL: 5760 mg/m <sup>3</sup>	1900 mg/m <sup>3</sup>	VLA-ED: 1910 mg/m <sup>3</sup>	
		TWA: 1000 ppm TWA:	VLCT: 5000 ppm	_	
		1920 mg/m <sup>3</sup>	VLCT: 9500 mg/m <sup>3</sup>		
PINENES	-	-	-	VLA-ED: 20 ppm	-
80-56-8				VLA-ED: 113 mg/m <sup>3</sup>	
Chemical Name	Italy	Portugal	The Netherlands	Finland	Denmark
ETHYL ALCOHOL	-	TWA: 1000 ppm	Skin	TWA: 1000 ppm TWA:	TWA: 1000 ppm TWA:
64-17-5			STEL: 1900 mg/m <sup>3</sup>	1900 mg/m <sup>3</sup>	1900 mg/m <sup>3</sup>
			TWA: 260 mg/m <sup>3</sup>	STEL: 1300 ppm	_
				STEL: 2500 mg/m <sup>3</sup>	
LIMONENE	-	-	-	TWA: 25 ppm TWA:	-
5989-27-5				140 mg/m <sup>3</sup>	
				STEL: 50 ppm STEL:	
				280 mg/m <sup>3</sup>	
PINENES	-	TWA: 20 ppm	-	-	-
80-56-8					
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
ETHYL ALCOHOL	STEL 2000 ppm STEL	STEL: 1000 ppm	NDS: 1900 mg/m <sup>3</sup>	TWA: 500 ppm TWA:	TWA: 1000 ppm TWA:
64-17-5	3800 mg/m <sup>3</sup>	STEL: 1920 mg/m <sup>3</sup>	_	950 mg/m <sup>3</sup>	1900 mg/m <sup>3</sup>
	MAK: 1000 ppm MAK:	MAK: 500 ppm MAK:		STEL: 625 ppm STEL:	
	1900 mg/m <sup>3</sup>	960 mg/m <sup>3</sup>		1187.5 mg/m <sup>3</sup>	
LIMONENE	-	STEL: 40 ppm STEL:	-	TWA: 25 ppm TWA:	-
5989-27-5		220 mg/m <sup>3</sup>		140 mg/m <sup>3</sup>	
		MAK: 20 ppm MAK:		STEL: 37.5 ppm	
		110 mg/m <sup>3</sup>		STEL: 175 mg/m <sup>3</sup>	
PINENES	-	-	-	TWA: 25 ppm TWA:	-
80-56-8				140 mg/m <sup>3</sup>	
				Skin	
				STEL: 37.5 ppm	
				STEL: 175 mg/m <sup>3</sup>	

Derived No Effect Level (DNEL)

No information available.

**Predicted No Effect Concentration** No information available. **(PNEC)** 

8.2. Exposure controls	
Engineering Controls	Ensure adequate ventilation, especially in confined areas.
Personal protective equipment Eye/face protection Skin and body protection Respiratory protection	Tightly fitting safety goggles. Antistatic boots. Wear fire/ flame resistant/ retardant clothing. Impervious gloves. NIOSH/MSHA approved respiratory protection is required to be worn.

Environmental Exposure Controls No information available.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1. Information on basic physical and chemical properties

Physical state Appearance Odor Color	liquid clear Floral fresh orange blossoms colorless	
Property pH Melting/freezing point Boiling point/boiling range Flash Point Evaporation rate Flammability (solid, gas) Flammability Limits in Air	<u>Values</u> 21 °C / 70 °F	• <u>Method</u> No information available No information available FCC Method Closed cup FCC Method No information available
Upper flammability limit lower flammability limit Vapor pressure mm Hg 20°C Vapor density Relative density Specific Gravity @ 25C Specific Gravity @ 20C Refractive Index Water solubility Solubility in other solvents Partition coefficient: n-octanol/wate Autoignition temperature Decomposition temperature Viscosity, kinematic Viscosity, dynamic Explosive properties Oxidizing Properties	0.9010 - 0.9210 Not Tested 1.3501 - 1.3801 <b>Pr</b> No information available No information available	No information available No information available No information available No information available No information available FCC Method FCC Method FCC Method No information available No information available No information available No information available No information available No information available No information available
9.2. Other information		
Softening point Molecular Weight VOC Content(%) Density VALUE Bulk Density VALUE	No information available No information available No information available No information available No information available	

# Section 10: STABILITY AND REACTIVITY

# 10.1. Reactivity

No data available.

### 10.2. Chemical stability

Stable under normal conditions.

Explosion data Sensitivity to Mechanical Impact none. Sensitivity to Static Discharge Yes.

### 10.3. Possibility of hazardous reactions

# Hazardous Reactions

None under normal processing.

### 10.4. Conditions to avoid

Heat, flames and sparks.

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

None under normal use conditions.

# Section 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### Acute toxicity

### Product Information

Product does not present an acute toxicity hazard based on known or supplied information.

Inhalation	There is no data available for this product.
Eye contact	There is no data available for this product.
Skin contact	There is no data available for this product.
Ingestion	There is no data available for this product.

### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)7,159.00 mg/kgATEmix (inhalation-dust/mist)67,118.80 mg/l

Unknown Acute Toxicity

98.8537781% of the mixture consists of ingredient(s) of unknown toxicity.

16.7737881 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

98.8537781 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

98.8537781 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

98.8537781 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

16.7737881 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

## Oral LD50

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
ETHYL ALCOHOL	7060 mg/kg (Rat)		124.7 mg/L (Rat)4 h
PINENES	2100 mg/kg (Rat)	5000 mg/kg (Rat)	
Skin corrosion/irritation	No information available.		
Eye damage/irritation	No information available.		
Sensitization	No information available.		

Germ Cell Mutagenicity Carcinogenicity	No information available. No information available.
Reproductive toxicity	No information available.
Specific target organ systemic toxicity (single exposure)	No information available.
Specific target organ systemic toxicity (repeated exposure)	No information available.
Target Organ Effects	Blood, Central nervous system, Eyes, Liver, Reproductive system, Respiratory system, Skin.
Aspiration hazard	No information available.

# Section 12: ECOLOGICAL INFORMATION

## 12.1. Toxicity

### Ecotoxicity

Toxic to aquatic life Harmful to aquatic life with long lasting effects

16.77379% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
ETHYL ALCOHOL	-	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static
LIMONENE	-	0.619-0.796: 96 h Pimephales promelas mg/L LC50 flow-through 35: 96 h Oncorhynchus mykiss mg/L LC50	-
PINENES	-	0.28: 96 h Pimephales promelas mg/L LC50 static	41: 48 h Daphnia magna mg/L LC50

## 12.2. Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

No information available.

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
PINENES	4.1

# 12.4. Mobility in soil

## Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

No information available.

## 12.6. Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS		
13.1. Waste treatment methods		
Waste from residues / unused products	Dispose of in accordance with local regulations.	
Contaminated packaging	Empty remaining contents.	
	Section 14: TRANSPORT INFORMATION	
IMDG / IMO 14.1 UN/ID No 14.2 Proper shipping name 14.3 Hazard class 14.4 Packing Group	1197 EXTRACTS, FLAVOURING, LIQUID 3 II	
DOT/ADR/RID 14.1 UN/ID No 14.2 Proper shipping name 14.3 Hazard class 14.4 Packing Group	1197 EXTRACTS, FLAVOURING, LIQUID 3 II	
ICAO/IATA 14.1 UN/ID No 14.2 Proper shipping name 14.3 Hazard class 14.4 Packing Group 14.5 Environmental hazard 14.6 Special Provisions	1197 EXTRACTS, FLAVOURING, LIQUID 3 II Not applicable None	

# Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

## Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

### Persistent Organic Pollutants

Not applicable

### Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

### 15.2. Chemical safety assessment

No information available

# Section 16: OTHER INFORMATION

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of R-phrases referred to under sections 2 and 3

R10 - Flammable

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

### Full text of H-Statements referred to under section 3

H400 - Very toxic to aquatic life

- H317 May cause an allergic skin reaction
- H315 Causes skin irritation
- H304 May be fatal if swallowed and enters airways
- H410 Very toxic to aquatic life with long lasting effects
- H226 Flammable liquid and vapor

H225 - Highly flammable liquid and vapor

- H319 Causes serious eye irritation
- H303 May be harmful if swallowed

#### Leaend

SVHC: Substances of Very High Concern for Authorization:

Legend	Section 8: EXPOSURE CONTROLS/PERSON	IAL PROTECTION
T\A7A.		OTEL.

TWA:	Time weighted average	STEL:	Short term exposure limit
Ceiling:	Maximum limit value:	*	Skin designation

**Revision Date** 10-Apr-2019

Reason for revision: Not applicable.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

WARNING/DISCLAIMER:	Apex Flavors, Inc.'s products are sold exclusively for use in food and drink for human consumption. These products have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, and electronic cigarettes or similar devices (collectively "E-Cigarettes"). In supplying this product(s), Apex Flavors, Inc. instructs, and purchasing recipient confirms, that this product(s) will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof. Recipients of our products that use them outside of their intended use of food or drink do so at their own risk and without warranty, either expressed or implied, from Apex Flavors, Inc. or its suppliers. The user assumes all liability for loss, injury, damage, or expense resulting from such uses.
	injury, damage, or expense resulting norm such uses.