SAFETY DATA SHEET.



Version 1.01

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Number 731CBD

Manufacturer Apex Flavors, Inc.

1371 Brass Mill Rd.

Suite A

Belcamp, MD 21017 (410) 565-6600

Product name CHOCOLATE TYPE, NATURAL FLAVOR BLEND (OIL SOLUBLE)

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Not for direct consumption

1.3. Details of the supplier of the safety data sheet

For further information, please contact:

E-mail Address cpisano@apexflavors.com

1.4. Emergency telephone number

Emergency telephone Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

| 2.1. Classification of the substance of mixture | |
|---|-------------|
| Serious eye damage/eye irritation | Category 2A |
| Carcinogenicity | Category 1A |
| Flammable liquids | Category 3 |

Classification according to EU Directives 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16

R-code(s)

R10

2.2. Label elements



Signal Word

Danger

Hazard Statements

H319 - Causes serious eye irritation

H350 - May cause cancer

H226 - Flammable liquid and vapor

Precautionary Statements

P201 - Obtain special instructions before use

P281 - Use personal protective equipment as required

P308 + P313 - IF exposed or concerned: Get medical advice/ attention

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

2.3. Other information

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

| Chemical Name | EC-No | CAS-No | Alternate CAS # | Weight % | Classificatio n according to Directive 67/548/EEC or 1999/45/EC | Classification according to Regulation (EC) No. 1272/2008 [CLP] | REACH Registration Number |
|--|-----------|----------|--------------------|----------|--|---|---------------------------------|
| ETHYL ALCOHOL | 200-578-6 | 64-17-5 | | 15-20% | F; R11 | Flam. Liq. 2 (H225) Eye Irrit. 1 (H319) | No data available |
| ISOVALERALDEHYD E | Present | 590-86-3 | | <1 | - | Aquatic Acute 2 (H401) (EFFA) Skin Sens. 1 (H317) (EFFA) Eye Irrit. 1 (H319) (EFFA) Skin Irrit. 3 (316) (EFFA) Flam. Liq. 2 (H225) (EFFA) Acute Tox. 5 (H303)(EFFA) | No data available |
| METHYL N-AMYL KETONE FCC (2-Heptanone) | Present | 110-43-0 | | <1 | R10 Xn; R20/22 | Acute Tox. 4 (H302) Acute Tox. 4 (H302) (EFFA) Flam. Liq. 3 (H226)(EFFA) Acute Tox. 4 (H332)(EFFA) Flam. Liq. 3 (H226) Acute Tox. 4 (H332) | No data available |
| DIMETHYL SULFIDE | 200-846-2 | 75-18-3 | | <1 | <u>-</u> | Skin Irrit. 3 (316) (EFFA) Acute Tox. 3 (H301) (EFFA) Flam. Liq. 2 (H225) (EFFA) | No data available |

Revision Date 10-Jul-2018

For the full text of the R-phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

4.1. Description of first aid measures

General advice Immediate medical attention is required Show this material safety data sheet to the doctor

in attendance. If symptoms persist, call a physician

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes Keep eye wide open while rinsing If symptoms

persist, call a physician

Skin contact Wash off immediately with plenty of water. Immediate medical attention is not required.

Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If skin irritation persists, call a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Call a physician. Do NOT induce vomiting.

Inhalation Immediate medical attention is not required. If symptoms persist, call a physician. Move to

fresh air in case of accidental inhalation of vapors or decomposition products.

Self-protection of the first aider Remove all sources of ignition Use personal protective equipment

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use Dry chemical Carbon dioxide CO2 Water spray Alcohol-resistant foam

Extinguishing media which shall not be used for safety reasons

No information available

5.2. Special hazards arising from the substance or mixture

Special Hazard

None

5.3. Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Remove all sources of ignition. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges. Use personal protective equipment.

Revision Date 10-Jul-2018

See Section 12 for additional Ecological Information

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Use only in an area containing flame proof equipment. Use only in area provided with appropriate exhaust ventilation. Keep away from heat, sparks and open flame. No smoking. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

7.2. Conditions for safe storage, including any incompatibilities

Keep in properly labeled containers. Keep tightly closed in a dry and cool place. Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat.

7.3 Specific end use(s)

N/A **Exposure scenario**

Other Guidelines N/A

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies

| Chemical Name | European Union | The United Kingdom | France | Spain | Germany |
|----------------------|-----------------------|------------------------------|------------------------------|--------------------------------|----------------------------|
| ETHYL ALCOHOL | | STEL: 3000 ppm | VME: 1000 ppm VME: | VLA-ED: 1000 ppm | MAK: 500 ppm MAK: |
| 64-17-5 | | STEL: 5760 mg/m ³ | 1900 mg/m ³ | VLA-ED: 1910 mg/m ³ | 960 mg/m³ |
| | | TWA: 1000 ppm TWA: | VLCT: 5000 ppm | | Ceiling / Peak: 1000 |
| | | 1920 mg/m ³ | VLCT: 9500 mg/m ³ | | ppm Ceiling / Peak: |
| | | | | | 1920 mg/m ³ |
| | | | | | Skin |
| | | | | | TWA: 500 ppm TWA: |
| | | | | | 960 mg/m ³ |
| ISOVALERALDEHYDE | | | | | TWA: 10 ppm |
| 590-86-3 | | | | | TWA: 39 mg/m ³ |
| METHYL N-AMYL KETONE | S* | STEL: 100 ppm STEL: | TWA: 50 ppm TWA: | S* | TWA: 238 mg/m ³ |
| FCC (2-Heptanone) | TWA 50 ppm TWA | 475 mg/m ³ | 238 mg/m ³ | STEL: 100 ppm STEL: | |
| 110-43-0 | 238 mg/m ³ | TWA: 50 ppm TWA: | STEL: 100 ppm STEL: | 474 mg/m ³ | |
| | STEL 100 ppm STEL | 237 mg/m ³ | 475 mg/m ³ | TWA: 50 ppm TWA: | |
| | 475 mg/m ³ | Skin | | 237 mg/m ³ | |
| DIMETHYL SULFIDE | | | | VLA-ED: 10 ppm | |
| 75-18-3 | | | | | |

| | Chemical Name | Italy | Portugal | The Netherlands | Finland | Denmark |
|---|---------------|-------|---------------|------------------------------|------------------------|------------------------|
| Γ | ETHYL ALCOHOL | | TWA: 1000 ppm | Skin | TWA: 1000 ppm TWA: | TWA: 1000 ppm TWA: |
| | 64-17-5 | | | STEL: 1900 mg/m ³ | 1900 mg/m ³ | 1900 mg/m ³ |

| | | | TWA: 260 mg/m ³ | STEL: 1300 ppm STEL: 2500 mg/m ³ | |
|---|---|-------------|----------------------------|--|---------------------------------------|
| METHYL N-AMYL KETONE FCC (2-Heptanone) 110-43-0 | TWA: 50 ppm TWA: 238 mg/m ³ STEL: 100 ppm STEL: 475 mg/m ³ Skin | TWA: 50 ppm | TWA: 233 mg/m ³ | TWA: 50 ppm TWA: 240 mg/m³ STEL: 75 ppm STEL: 360 mg/m³ Skin | TWA: 50 ppm TWA: 238 mg/m³ Skin |
| DIMETHYL SULFIDE 75-18-3 | | TWA: 10 ppm | | | |

| Chemical Name | Austria | Sweden - Occupational Exposure Limits - TLVs (LLVs) | Switzerland | Poland | Norway |
|---|--|--|--|-----------------------------------|---|
| ETHYL ALCOHOL 64-17-5 | STEL 2000 ppm STEL 3800 mg/m ³ MAK: 1000 ppm MAK: 1900 mg/m ³ | 500 ppm NGV 1000 mg/m³ NGV | STEL: 1000 ppm STEL: 1920 mg/m³ MAK: 500 ppm MAK: 960 mg/m³ | NDS: 1900 mg/m ³ | TWA: 500 ppm TWA: 950 mg/m³ STEL: 625 ppm STEL: 1187.5 mg/m³ |
| ISOVALERALDEHYDE 590-86-3 | STEL 10 ppm STEL 39 mg/m ³ TWA: 10 ppm TWA: 39 mg/m ³ Ceiling 10 ppm Ceiling 39 mg/m ³ | | | | |
| METHYL N-AMYL KETONE FCC (2-Heptanone) 110-43-0 | Skin STEL 100 ppm STEL 473 mg/m ³ TWA: 50 ppm TWA: 237 mg/m ³ | 25 ppm NGV 120 mg/m³ NGV | TWA: 50 ppm TWA: 235 mg/m ³ | STEL: 475 mg/m³ TWA: 238 mg/m³ | TWA: 25 ppm TWA: 115 mg/m³ Skin STEL: 37.5 ppm STEL: 143.75 mg/m³ |
| DIMETHYL SULFIDE 75-18-3 | | 1 ppm NGV | | | |

| Component | Ireland |
|--|---|
| ETHYL ALCOHOL | TWA: 1000 ppm TWA: 1900 mg/m ³ |
| 64-17-5 (15-20%) | |
| METHYL N-AMYL KETONE FCC (2-Heptanone) | TWA: 50 ppm TWA: 238 mg/m ³ |
| 110-43-0 (<1) | STEL: 100 ppm STEL: 475 mg/m ³ |
| | Skin |
| DIMETHYL SULFIDE | TWA: 20 ppm |
| 75-18-3 (<1) | |

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available

(PNEC)

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas

Personal protective equipment

Eye Protection Tightly fitting safety goggles

Hand Protection Protective gloves

Skin and body protection Antistatic boots Impervious gloves Wear fire/ flame resistant/ retardant clothing Long

sleeved clothing Chemical resistant apron

Respiratory protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

General Hygiene Considerations When using, do not eat, drink or smoke Provide regular cleaning of equipment, work area

and clothing

Environmental Exposure Controls No information available

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical stateliquidAppearanceclearOdormilk chocolateColorlight yellow

Property Values Method

pH No information available

Melting/freezing point

No information available

Boiling point/boiling range

FCC Method

Flash Point 52 °C / 126 °F Closed cup Evaporation rate FCC Method

Flammability (solid, gas)

Flammability Limits in Air

No information available
No information available

Upper flammability limit lower flammability limit

Vapor pressure mm Hg 20°C

Vapor density

No information available
No information available

Relative density

Specific Gravity @ 25C

0.9221 - 0.9521

FCC Method

FCC Method

 Specific Gravity @ 20C
 0.9251 - 0.9551
 FCC Method

 Refractive Index
 1.4255 - 1.4555
 FCC Method

Water solubility
Partition coefficient: n-octanol/water
Autoignition temperature
Decomposition temperature
Viscosity, dynamic
No information available
No information available
No information available
No information available

Explosive properties No information available Oxidizing Properties No information available

9.2. Other information

VOC Content(%) 17.966

Molecular Weight No information available

10. STABILITY AND REACTIVITY

10.1. Reactivity

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Heat, flames and sparks

10.5. Incompatible materials

No materials to be especially mentioned

10.6. Hazardous decomposition products

None under normal use conditions

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Inhalation There is no data available for this product

Eye contact There is no data available for this product

There is no data available for this product Skin contact

Ingestion There is no data available for this product

Acute toxicity 0.297% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document (Rev. 1, 2005):

Oral 5,132.00 mg/kg 83,500.00 mg/kg **Dermal**

Skin corrosion/irritation Eye damage/irritation

Sensitization **Germ Cell Mutagenicity** Carcinogenicity

No information available No information available No information available No information available

No information available

Specific target organ systemic

toxicity (single exposure)

No information available

Specific target organ systemic

toxicity (repeated exposure)

No information available

Target Organ Effects Blood Central nervous system Eyes Liver Reproductive system Respiratory system Skin

No information available **Aspiration hazard**

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects Contains no substances known to be hazardous to the environment or not degradable in

waste water treatment plants

| Chemical Name | Toxicity to algae | Toxicity to fish | Toxicity to daphnia and other |
|------------------|----------------------------------|-----------------------------------|----------------------------------|
| | | | aquatic invertebrates |
| ETHYL ALCOHOL | | 12.0 - 16.0: 96 h Oncorhynchus | 9268 - 14221: 48 h Daphnia magna |
| | | mykiss mL/L LC50 static 100: 96 h | mg/L LC50 10800: 24 h Daphnia |
| | | Pimephales promelas mg/L LC50 | magna mg/L EC50 2: 48 h Daphnia |
| | | static 13400 - 15100: 96 h | magna mg/L EC50 Static |
| | | Pimephales promelas mg/L LC50 | |
| | | flow-through | |
| ISOVALERALDEHYDE | 80: 72 h Desmodesmus subspicatus | 2.98 - 3.54: 96 h Pimephales | 177: 48 h Daphnia magna mg/L |
| | mg/L EC50 78: 96 h Desmodesmus | promelas mg/L LC50 flow-through | EC50 |
| | subspicatus mg/L EC50 | 53: 96 h Leuciscus idus mg/L LC50 | |
| | | static | |

| METHYL N-AMYL KETONE FCC (2-Heptanone) | 126 - 137: 96 h Pimephales promelas mg/L LC50 flow-through | |
|--|---|----------------------------------|
| DIMETHYL SULFIDE | | 23: 48 h Daphnia pulex mg/L EC50 |

12.2. Persistence and degradability

No information available

12.3. Bioaccumulative potential

No information available

| Chemical Name | log Pow |
|--|---------|
| ETHYL ALCOHOL | -0.32 |
| ISOVALERALDEHYDE | 1.31 |
| METHYL N-AMYL KETONE FCC (2-Heptanone) | 1.98 |

12.4. Mobility in soil

No information available

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

Endocrine Disruptor Information .? is a suspected endocrine disruptor

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused

products

Dispose of in accordance with local regulations

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal

14. TRANSPORT INFORMATION

DOT/ADR Not regulated (If shipped in NON BULK packaging by ground transport)

UN/ID No 1197

Proper shipping name EXTRACTS, FLAVOURING, LIQUID

Hazard class 3
Packing Group III
ERG Code 127

IMDG / IMO

Proper shipping name EXTRACTS, FLAVOURING, LIQUID

Hazard class 3 UN/ID No 1197 Packing Group III

ICAO/IATA

UN/ID No 1197

Proper shipping name EXTRACTS, FLAVOURING, LIQUID

Hazard class 3
Packing Group III

15. REGULATORY INFORMATION

Revision Date 10-Jul-2018

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

WGK Classification

| Chemical Name | Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes |
|------------------------------|--|
| ETHYL ALCOHOL 64-17-5 | Hazard Class 1 |
| ISOVALERALDEHYDE 590-86-3 | Hazard Class 1 |

International Inventories

All of the components in the product are on the following Inventory lists: United States of America (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), China (IECSC), Philippines (PICCS).

TSCA Complies
EINECS/ELINCS Complies
DSL/NDSL Complies
PICCS Complies

ENCS -

IECSC Complies AICS Complies

KECL -

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical safety assessment

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed H226 - Flammable liquid and vapor H332 - Harmful if inhaled H401 - Toxic to aquatic life H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation H225 - Highly flammable liquid and vapor H303 - May be harmful if swallowed H301 - Toxic if swallowed

Revision Date 10-Jul-2018

Revision Note Not applicable.

Revision# 1.01

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

WARNING/DISCLAIMER:

Apex Flavors, Inc.'s products are sold exclusively for use in food and drink for human consumption. These products have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, and electronic cigarettes or similar devices (collectively "E-Cigarettes"). In supplying this product(s), Apex Flavors, Inc. instructs, and purchasing recipient confirms, that this product(s) will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof. Recipients of our products that use them outside of their intended use of food or drink do so at their own risk and without warranty, either expressed or implied, from Apex Flavors, Inc. or its suppliers. The user assumes all liability for loss, injury, damage, or expense resulting from such uses.

Disclaimer

Page 9/10

731CBD CHOCOLATE TYPE, NATURAL FLAVOR BLEND (OIL SOLUBLE)

Revision Date 10-Jul-2018

Food ingredients that are safe to be consumed in food products may pose hazards if not handled properly. This product is intended to be used in food products and, not intended to be consumed in its present form. The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.