



1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Number 717CBD

Manufacturer Apex Flavors, Inc.
1371 Brass Mill Rd.
Suite A
Belcamp, MD 21017
(410) 565-6600

Product name RASPBERRY TYPE, NATURAL FLAVOR BLEND (OIL SOLUBLE)
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Not for direct consumption

1.3. Details of the supplier of the safety data sheet

For further information, please contact:

E-mail Address cpisano@apexflavors.com

1.4. Emergency telephone number

Emergency telephone Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Acute oral toxicity	Category 5
Acute inhalation toxicity - dust/mist	Category 4
Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 1A
Acute aquatic toxicity	Category 3
Flammable liquids	Category 3

Classification according to EU Directives 67/548/EEC or 1999/45/EC
For the full text of the R-phrases mentioned in this Section, see Section 16

R-code(s)
R10

2.2. Label elements



Signal Word

Danger

Hazard Statements

H303 - May be harmful if swallowed
 H332 - Harmful if inhaled
 H319 - Causes serious eye irritation
 H350 - May cause cancer
 H402 - Harmful to aquatic life

H226 - Flammable liquid and vapor

Precautionary Statements

P201 - Obtain special instructions before use
 P281 - Use personal protective equipment as required
 P308 + P313 - IF exposed or concerned: Get medical advice/ attention
 P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction
 P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

2.3. Other information

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	EC-No	CAS-No	Alternate CAS #	Weight %	Classification according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
ETHYL ALCOHOL	200-578-6	64-17-5		10-15%	F; R11	Flam. Liq. 2 (H225) Eye Irrit. 1 (H319)	No data available
2-Butanone, 4-(4-hydroxyphenyl)-	Present	5471-51-2		1-5%	-	Acute Tox. 4 (H302) (EFFA)	No data available
BENZYL ALCOHOL	202-859-9	100-51-6		1-5%	Xn; R20/22	Acute Tox. 5 (H333) Acute Tox. 4 (H302)	No data available
ETHYL ACETATE	Present	141-78-6		1-5%	F; R11 Xi; R36 R66 R67	Eye Irrit. 1 (H319) (EFFA) Flam. Liq. 2 (H225) (EFFA) Eye Irrit. 1 (H319) (EUH066) Flam. Liq. 2 (H225) STOT SE 3 (H336) Eye Irrit. 2 (H319)	No data available
PROPYLENE GLYCOL	200-338-0	57-55-6		1-5%	-	No data available	No data available
2-METHYLBUTYRIC	204-145-2	116-53-0		1-5%	-	Skin Corr. 1C (314) (EFFA)	No data available

ACID						Eye Dam. 1 (H318) (EFFA) Acute Tox. 4 (H302) (EFFA) Acute Tox. 4 (H312)(EFFA) Flam. Liq. 4 (H227)(EFFA)	
TRANS-2-HEXENAL	229-778-1	6728-26-3		<1	-	Aquatic Acute 2 (H401) (EFFA) Skin Sens. 1 (H317) (EFFA) Skin Irrit. 3 (316) (EFFA) Aquatic Chronic 2 (H411) (EFFA) Acute Tox. 4 (H302) (EFFA) Acute Tox. 3 (H311)(EFFA) Flam. Liq. 3 (H226)(EFFA)	No data available
HEXYL ALCOHOL	Present	111-27-3		<1	Xn; R22	Aquatic Acute 3 (H402) (EFFA) Eye Irrit. 1 (H319) (EFFA) Skin Irrit. 3 (316) (EFFA) Acute Tox. 4 (H302) (EFFA) Acute Tox. 4 (H312)(EFFA) Flam. Liq. 3 (H226)(EFFA) Acute Tox. 4 (H302)	No data available
ISOAMYL ALCOHOL	204-633-5	123-51-3		<1	-	Flam. Liq. 3 (H226)(EFFA) Acute Tox. 4 (H332)(EFFA)	No data available
Hexenal (Aldehyde C-6)	200-624-5	66-25-1		<1	-	Eye Irrit. 1 (H319) (EFFA) Skin Irrit. 3 (316) (EFFA) Flam. Liq. 3 (H226)(EFFA)	No data available
ISOBUTYL ACETATE	Present	110-19-0		<1	F; R11 R66	Aquatic Acute 3 (H402) (EFFA) Flam. Liq. 2 (H225) (EFFA) (EUH066) Flam. Liq. 2 (H225)	No data available
DIMETHYL SULFIDE	200-846-2	75-18-3		<1	-	Skin Irrit. 3 (316) (EFFA) Acute Tox. 3 (H301) (EFFA) Flam. Liq. 2 (H225) (EFFA)	No data available
ACETOPHENONE	202-708-7	98-86-2		<1	Xn; R22 Xi; R36	Acute Tox. 4 (H302) Eye Irrit. 1 (H319) (EFFA) Acute Tox. 4 (H302) (EFFA) Eye Irrit. 2 (H319)	No data available
PINENES	201-291-9	80-56-8		<1	R10, XI; R43, N; R50/53, XN; R65;	Aquatic Acute 1 (H400) Skin Sens. 1 (H317) Skin Irrit. 1 (H315) Asp. Tox. 1 (H304) Aquatic Chronic 1 (H410) Acute Tox. 5 (H303) Flam. Liq. 3 (H226)	No data available
LIMONENE	227-813-5	5989-27-5		<1	R10, XI; R38, XI; R43, N; R50/53;	Aquatic Acute 1 (H400) Skin Sens. 1 (H317) Skin Irrit. 1 (H315) Asp. Tox. 1 (H304) Aquatic Chronic 1 (H410) Flam. Liq. 3 (H226)	No data available
BENZONITRILE	202-855-7	100-47-0		<1	XN; R21/22;	Acute Tox. 4 (H302) Acute Tox. 4 (H312)	No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

4.1. Description of first aid measures

General advice

Immediate medical attention is required Show this material safety data sheet to the doctor in attendance.

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin contact	Wash off immediately with plenty of water.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Inhalation	Move to fresh air.
Self-protection of the first aider	Remove all sources of ignition

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Extinguishing media which shall not be used for safety reasons

No information available

5.2. Special hazards arising from the substance or mixture

Special Hazard

None

5.3. Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation.

See Section 12 for additional Ecological Information

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Use only in an area containing flame proof equipment. To avoid ignition of vapors by static electricity

discharge, all metal parts of the equipment must be grounded.

7.2. Conditions for safe storage, including any incompatibilities

Keep tightly closed in a dry and cool place. Keep in properly labeled containers.

7.3 Specific end use(s)

Exposure scenario N/A

Other Guidelines N/A

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical Name	European Union	The United Kingdom	France	Spain	Germany
ETHYL ALCOHOL 64-17-5		STEL: 3000 ppm STEL: 5760 mg/m ³ TWA: 1000 ppm TWA: 1920 mg/m ³	VME: 1000 ppm VME: 1900 mg/m ³ VLCT: 5000 ppm VLCT: 9500 mg/m ³	VLA-ED: 1000 ppm VLA-ED: 1910 mg/m ³	MAK: 500 ppm MAK: 960 mg/m ³ Ceiling / Peak: 1000 ppm Ceiling / Peak: 1920 mg/m ³ Skin TWA: 500 ppm TWA: 960 mg/m ³
ETHYL ACETATE 141-78-6		STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 1400 mg/m ³	TWA: 400 ppm TWA: 1460 mg/m ³	TWA: 400 ppm TWA: 1500 mg/m ³ Ceiling / Peak: 800 ppm Ceiling / Peak: 3000 mg/m ³
PROPYLENE GLYCOL 57-55-6		STEL: 450 ppm STEL: 1422 mg/m ³ STEL: 30 mg/m ³ TWA: 150 ppm TWA: 474 mg/m ³ TWA: 10 mg/m ³			
HEXYL ALCOHOL 111-27-3					TWA: 50 ppm TWA: 210 mg/m ³
ISOAMYL ALCOHOL 123-51-3		STEL: 125 ppm STEL: 458 mg/m ³ TWA: 100 ppm TWA: 366 mg/m ³	TWA: 100 ppm TWA: 360 mg/m ³	STEL: 125 ppm STEL: 458 mg/m ³ TWA: 100 ppm TWA: 366 mg/m ³	TWA: 20 ppm TWA: 73 mg/m ³ Ceiling / Peak: 80 ppm Ceiling / Peak: 292 mg/m ³
ISOBUTYL ACETATE 110-19-0		STEL: 187 ppm STEL: 903 mg/m ³ TWA: 150 ppm TWA: 724 mg/m ³	TWA: 150 ppm TWA: 710 mg/m ³ STEL: 200 ppm STEL: 940 mg/m ³	TWA: 150 ppm TWA: 724 mg/m ³	TWA: 100 ppm TWA: 480 mg/m ³ Ceiling / Peak: 200 ppm Ceiling / Peak: 960 mg/m ³ TWA: 62 ppm TWA: 300 mg/m ³
DIMETHYL SULFIDE 75-18-3				VLA-ED: 10 ppm	
ACETOPHENONE 98-86-2				TWA: 10 ppm TWA: 50 mg/m ³	
PINENES 80-56-8				VLA-ED: 20 ppm VLA-ED: 113 mg/m ³	
LIMONENE 5989-27-5					MAK: 20 ppm MAK: 110 mg/m ³ Ceiling / Peak: 40 ppm Ceiling / Peak: 220 mg/m ³ TWA: 20 ppm TWA:

**717CBD RASPBERRY TYPE, NATURAL FLAVOR BLEND
(OIL SOLUBLE)**

Revision Date 01-Feb-2019

					110 mg/m ³ MAK: 2 mg/m ³ Ceiling / Peak: 2 mg/m ³ Skin
BENZONITRILE 100-47-0		TWA: 5 mg/m ³ Skin	VME: 5 mg/m ³		

Chemical Name	Italy	Portugal	The Netherlands	Finland	Denmark
ETHYL ALCOHOL 64-17-5		TWA: 1000 ppm	Skin STEL: 1900 mg/m ³ TWA: 260 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³ STEL: 1300 ppm STEL: 2500 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³
BENZYL ALCOHOL 100-51-6				TWA: 10 ppm TWA: 45 mg/m ³	
ETHYL ACETATE 141-78-6		TWA: 400 ppm		TWA: 300 ppm TWA: 1100 mg/m ³ STEL: 500 ppm STEL: 1800 mg/m ³	TWA: 150 ppm TWA: 540 mg/m ³
ISOAMYL ALCOHOL 123-51-3		STEL: 125 ppm TWA: 100 ppm		TWA: 100 ppm TWA: 370 mg/m ³ STEL: 150 ppm STEL: 550 mg/m ³	TWA: 100 ppm TWA: 360 mg/m ³
Hexenal (Aldehyde C-6) 66-25-1				STEL: 10 ppm STEL: 42 mg/m ³	
ISOBUTYL ACETATE 110-19-0		TWA: 150 ppm		TWA: 150 ppm TWA: 720 mg/m ³ STEL: 200 ppm STEL: 960 mg/m ³	TWA: 150 ppm TWA: 710 mg/m ³
DIMETHYL SULFIDE 75-18-3		TWA: 10 ppm			
ACETOPHENONE 98-86-2		TWA: 10 ppm		TWA: 5 ppm TWA: 25 mg/m ³	TWA: 10 ppm TWA: 49 mg/m ³
PINENES 80-56-8		TWA: 20 ppm			
LIMONENE 5989-27-5				TWA: 25 ppm TWA: 140 mg/m ³ STEL: 50 ppm STEL: 280 mg/m ³	
BENZONITRILE 100-47-0			Skin STEL: 10 mg/m ³ TWA: 1 mg/m ³	TWA: 5 mg/m ³ STEL: 10 mg/m ³ Skin	

Chemical Name	Austria	Sweden - Occupational Exposure Limits - TLVs (LLVs)	Switzerland	Poland	Norway
ETHYL ALCOHOL 64-17-5	STEL 2000 ppm STEL 3800 mg/m ³ MAK: 1000 ppm MAK: 1900 mg/m ³	500 ppm NGV 1000 mg/m ³ NGV	STEL: 1000 ppm STEL: 1920 mg/m ³ MAK: 500 ppm MAK: 960 mg/m ³	NDS: 1900 mg/m ³	TWA: 500 ppm TWA: 950 mg/m ³ STEL: 625 ppm STEL: 1187.5 mg/m ³
BENZYL ALCOHOL 100-51-6				NDS: 240 mg/m ³	
ETHYL ACETATE 141-78-6	STEL 600 ppm STEL 2100 mg/m ³ TWA: 300 ppm TWA: 1050 mg/m ³	150 ppm NGV 500 mg/m ³ NGV	STEL: 800 ppm STEL: 2800 mg/m ³ TWA: 400 ppm TWA: 1400 mg/m ³	STEL: 600 mg/m ³ TWA: 200 mg/m ³	TWA: 150 ppm TWA: 550 mg/m ³ STEL: 187.5 ppm STEL: 687.5 mg/m ³
PROPYLENE GLYCOL 57-55-6					TWA: 25 ppm TWA: 79 mg/m ³ STEL: 37.5 ppm STEL: 118.5 mg/m ³
ISOAMYL ALCOHOL 123-51-3	STEL 200 ppm STEL 720 mg/m ³ TWA: 100 ppm TWA: 360 mg/m ³		STEL: 80 ppm STEL: 292 mg/m ³ TWA: 20 ppm TWA: 73 mg/m ³	STEL: 400 mg/m ³ TWA: 200 mg/m ³	TWA: 50 ppm TWA: 180 mg/m ³ STEL: 75 ppm STEL: 225 mg/m ³
Hexenal (Aldehyde C-6) 66-25-1				NDSch: 80 mg/m ³ NDS: 40 mg/m ³	
ISOBUTYL ACETATE 110-19-0	STEL 100 ppm STEL 480 mg/m ³	100 ppm NGV 500 mg/m ³ NGV	STEL: 200 ppm STEL: 960 mg/m ³	STEL: 400 mg/m ³ TWA: 200 mg/m ³	

	TWA: 100 ppm TWA: 480 mg/m ³ Ceiling 100 ppm Ceiling 480 mg/m ³		TWA: 100 ppm TWA: 480 mg/m ³		
DIMETHYL SULFIDE 75-18-3		1 ppm NGV			
ACETOPHENONE 98-86-2				STEL: 100 mg/m ³ TWA: 50 mg/m ³	
PINENES 80-56-8		25 ppm NGV 150 mg/m ³ NGV			TWA: 25 ppm TWA: 140 mg/m ³ Skin STEL: 37.5 ppm STEL: 175 mg/m ³
LIMONENE 5989-27-5			STEL: 40 ppm STEL: 220 mg/m ³ MAK: 20 ppm MAK: 110 mg/m ³		TWA: 25 ppm TWA: 140 mg/m ³ STEL: 37.5 ppm STEL: 175 mg/m ³
BENZONITRILE 100-47-0					TWA: 5 mg/m ³ Skin STEL: 10 mg/m ³

Component	Ireland
ETHYL ALCOHOL 64-17-5 (10-15%)	TWA: 1000 ppm TWA: 1900 mg/m ³
ETHYL ACETATE 141-78-6 (1-5%)	TWA: 200 ppm STEL: 400 ppm
PROPYLENE GLYCOL 57-55-6 (1-5%)	TWA: 150 ppm TWA: 470 mg/m ³ TWA: 10 mg/m ³
ISOAMYL ALCOHOL 123-51-3 (<1)	TWA: 100 ppm TWA: 360 mg/m ³ STEL: 125 ppm STEL: 450 mg/m ³
ISOBUTYL ACETATE 110-19-0 (<1)	TWA: 150 ppm TWA: 700 mg/m ³ STEL: 187 ppm STEL: 875 mg/m ³
DIMETHYL SULFIDE 75-18-3 (<1)	TWA: 20 ppm
ACETOPHENONE 98-86-2 (<1)	TWA: 10 ppm TWA: 49 mg/m ³
BENZONITRILE 100-47-0 (<1)	TWA: 5 mg/m ³ Skin

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas

Personal protective equipment

- Eye Protection** Tightly fitting safety goggles
- Hand Protection** Protective gloves
- Skin and body protection** Antistatic boots Wear fire/ flame resistant/ retardant clothing Impervious gloves
- Respiratory protection** When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

General Hygiene Considerations When using, do not eat, drink or smoke Provide regular cleaning of equipment, work area and clothing

Environmental Exposure Controls No information available

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	liquid	Appearance	clear
Odor	raspberry	Color	yellowish

<u>Property</u>	<u>Values</u>	<u>Method</u>
pH		No information available
Melting/freezing point		No information available
Boiling point/boiling range		FCC Method
Flash Point	33 °C / 92 °F	Closed cup
Evaporation rate		FCC Method
Flammability (solid, gas)		No information available
Flammability Limits in Air		No information available
Upper flammability limit		
lower flammability limit		
Vapor pressure mm Hg 20°C		No information available
Vapor density		No information available
Relative density		No information available
Specific Gravity @ 25C	0.922 - 0.942	FCC Method
Specific Gravity @ 20C	0.925 - 0.945	FCC Method
Refractive Index	1.428 - 1.448	FCC Method
Water solubility		No information available
Partition coefficient: n-octanol/water		No information available
Autoignition temperature		No information available
Decomposition temperature		No information available
Viscosity, dynamic		No information available
Explosive properties	No information available	
Oxidizing Properties	No information available	

9.2. Other information

VOC Content(%)	20.75562
Molecular Weight	No information available

10. STABILITY AND REACTIVITY

10.1. Reactivity

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Heat, flames and sparks

10.5. Incompatible materials

No materials to be especially mentioned

10.6. Hazardous decomposition products

None under normal use conditions

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Inhalation There is no data available for this product

Eye contact There is no data available for this product

Skin contact There is no data available for this product

Ingestion There is no data available for this product

Acute toxicity 2.519125% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document (Rev. 1, 2005):

Oral 3,546.00 mg/kg
Dermal 25,497.00 mg/kg

Inhalation
Mist 1.67 mg/l
Vapor 367.00 mg/l

Skin corrosion/irritation No information available
Eye damage/irritation No information available
Sensitization No information available
Germ Cell Mutagenicity No information available
Carcinogenicity No information available

Specific target organ systemic toxicity (single exposure) No information available

Specific target organ systemic toxicity (repeated exposure) No information available

Target Organ Effects Blood Central nervous system Eyes Liver Reproductive system Respiratory system Skin

Aspiration hazard No information available

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
ETHYL ALCOHOL		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static
BENZYL ALCOHOL	35: 3 h Anabaena variabilis mg/L	10: 96 h Lepomis macrochirus mg/L	23: 48 h water flea mg/L EC50

	EC50	LC50 static 460: 96 h Pimephales promelas mg/L LC50 static	
ETHYL ACETATE	3300: 48 h <i>Desmodesmus subspicatus</i> mg/L EC50	220 - 250: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 484: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through 352 - 500: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 semi-static	560: 48 h <i>Daphnia magna</i> mg/L EC50 Static
PROPYLENE GLYCOL	19000: 96 h <i>Pseudokirchneriella subcapitata</i> mg/L EC50	51600: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static 41 - 47: 96 h <i>Oncorhynchus mykiss</i> mL/L LC50 static 51400: 96 h <i>Pimephales promelas</i> mg/L LC50 static 710: 96 h <i>Pimephales promelas</i> mg/L LC50	10000: 24 h <i>Daphnia magna</i> mg/L EC50 1000: 48 h <i>Daphnia magna</i> mg/L EC50 Static
HEXYL ALCOHOL		89.7 - 106: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 144: 96 h <i>Brachydanio rerio</i> mg/L LC50 static	201: 24 h <i>Daphnia magna</i> mg/L EC50
ISOAMYL ALCOHOL	493: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50 181: 96 h <i>Desmodesmus subspicatus</i> mg/L EC50	700: 96 h <i>Salmo gairdneri</i> mg/L LC50 static	260: 48 h <i>Daphnia magna</i> mg/L EC50
Hexenal (Aldehyde C-6)		12-16.5: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through	
ISOBUTYL ACETATE		101: 48 h <i>Leuciscus idus melanotus</i> mg/L LC50 static 101 - 123: 48 h <i>Leuciscus idus melanotus</i> mg/L LC50 flow-through	168: 24 h <i>Daphnia magna</i> mg/L EC50
DIMETHYL SULFIDE			23: 48 h <i>Daphnia pulex</i> mg/L EC50
ACETOPHENONE		162: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 155: 96 h <i>Pimephales promelas</i> mg/L LC50 static	
PINENES		0.28: 96 h <i>Pimephales promelas</i> mg/L LC50 static	41: 48 h <i>Daphnia magna</i> mg/L LC50
LIMONENE		0.619-0.796: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 35: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50	
BENZONITRILE	231: 6 h <i>Chlorella vulgaris</i> mg/L EC50	130: 96 h <i>Brachydanio rerio</i> mg/L LC50 400: 96 h <i>Poecilia reticulata</i> mg/L LC50 static 64: 96 h <i>Pimephales promelas</i> mg/L LC50 78: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 78: 96 h <i>Pimephales promelas</i> mg/L LC50 static	122: 24 h <i>Daphnia magna</i> mg/L EC50

12.2. Persistence and degradability

No information available

12.3. Bioaccumulative potential

No information available

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
BENZYL ALCOHOL	1.1
ETHYL ACETATE	0.6
HEXYL ALCOHOL	2.03
ISOAMYL ALCOHOL	1.28
ISOBUTYL ACETATE	1.72
ACETOPHENONE	1.73
PINENES	4.1
BENZONITRILE	1.5

12.4. Mobility in soil

No information available

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

Endocrine Disruptor Information .? is a suspected endocrine disruptor

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused products Dispose of in accordance with local regulations

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal

14. TRANSPORT INFORMATION

DOT/ADR

UN/ID No 1993
Proper shipping name FLAMMABLE LIQUID, N.O.S. (ETHYL ALCOHOL, ETHYL ACETATE)
Hazard class 3
Packing Group III
ERG Code 128

IMDG / IMO

Proper shipping name FLAMMABLE LIQUID, N.O.S. (ETHYL ALCOHOL, ETHYL ACETATE)
Hazard class 3
UN/ID No 1993
Packing Group III

ICAO/IATA

UN/ID No 1993
Proper shipping name FLAMMABLE LIQUID, N.O.S. (ETHYL ALCOHOL, ETHYL ACETATE)
Hazard class 3
Packing Group III

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

WGK Classification

Chemical Name	Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes
ETHYL ALCOHOL 64-17-5	Hazard Class 1
BENZYL ALCOHOL 100-51-6	Hazard Class 1
ETHYL ACETATE 141-78-6	Hazard Class 1
PROPYLENE GLYCOL 57-55-6	Hazard Class 1
HEXYL ALCOHOL 111-27-3	Hazard Class 1
ISOAMYL ALCOHOL	Hazard Class 1

123-51-3	
Hexenal (Aldehyde C-6) 66-25-1	Hazard Class 1
ISOBUTYL ACETATE 110-19-0	Hazard Class 1
ACETOPHENONE 98-86-2	Hazard Class 1
BENZONITRILE 100-47-0	Hazard Class 2

International Inventories

All of the components in the product are on the following Inventory lists: No information available.

- TSCA -
- EINECS/ELINCS -
- DSL/NDSL -
- PICCS -
- ENCS -
- IECSC -
- AICS -
- KECL -

Legend

- TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
- EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
- PICCS - Philippines Inventory of Chemicals and Chemical Substances
- ENCS - Japan Existing and New Chemical Substances
- IECSC - China Inventory of Existing Chemical Substances
- AICS - Australian Inventory of Chemical Substances
- KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical safety assessment

16. OTHER INFORMATION

Risk Combination Phrases

R20/22 - Harmful by inhalation and if swallowed

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed H312 - Harmful in contact with skin H333 - May be harmful if inhaled H402 - Harmful to aquatic life H225 - Highly flammable liquid and vapor H319 - Causes serious eye irritation H226 - Flammable liquid and vapor H318 - Causes serious eye damage H227 - Combustible liquid H332 - Harmful if inhaled H336 - May cause drowsiness or dizziness H400 - Very toxic to aquatic life H317 - May cause an allergic skin reaction H315 - Causes skin irritation H304 - May be fatal if swallowed and enters airways H410 - Very toxic to aquatic life with long lasting effects H401 - Toxic to aquatic life H411 - Toxic to aquatic life with long lasting effects H311 - Toxic in contact with skin H301 - Toxic if swallowed H303 - May be harmful if swallowed EUH066 - Repeated exposure may cause skin dryness or cracking

- Revision Date** 01-Feb-2019
- Revision Note** Not applicable.
- Revision#** 1.01

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

WARNING/DISCLAIMER:

Apex Flavors, Inc.'s products are sold exclusively for use in food and drink for human consumption. These products have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, and electronic cigarettes or similar devices (collectively "E-Cigarettes"). In supplying this product(s), Apex Flavors, Inc. instructs, and purchasing recipient confirms, that this product(s) will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof. Recipients of

our products that use them outside of their intended use of food or drink do so at their own risk and without warranty, either expressed or implied, from Apex Flavors, Inc. or its suppliers. The user assumes all liability for loss, injury, damage, or expense resulting from such uses.

Disclaimer

Food ingredients that are safe to be consumed in food products may pose hazards if not handled properly. This product is intended to be used in food products and, not intended to be consumed in its present form. The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.