



This safety data sheet complies with the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 23-Jul-2019

Version 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Code(s) 809TTB
Product name CHIPOTLE CHOCOLATE TYPE EXTRACT, NATURAL AND ARTIFICIAL (CONTAINS <0.10% ARTIFICIAL TOP NOTE)

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Ingredient for further processing

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Manufacturer Apex Flavors, Inc.
1371 Brass Mill Rd.
Suite A
Belcamp, MD 21017
(410) 565-6600

For further information, please contact:

E-mail Address cpisano@apexflavors.com

1.4. Emergency telephone number

Emergency telephone Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Serious eye damage/eye irritation	Category 2 - (H319)
Carcinogenicity	Category 1A - (H350)
Chronic aquatic toxicity	Category 3 - (H412)
Flammable liquids	Category 3 - (H226)

2.2. Label elements

Product identifier
Contains BENZYL ALCOHOL, ETHYL ALCOHOL



Signal Word
Danger

Hazard Statements

H319 - Causes serious eye irritation
 H332 - Harmful if inhaled
 H350 - May cause cancer
 H412 - Harmful to aquatic life with long lasting effects
 H226 - Flammable liquid and vapor
 Contains ALPHA PINENE, CINNAMIC ALDEHYDE EUH208 - May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

P201 - Obtain special instructions before use
 P280 - Wear protective gloves/protective clothing/eye protection/face protection
 P308 + P313 - IF exposed or concerned: Get medical advice/attention
 P370 + P378 - In case of fire: Use .? to extinguish
 P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking
 P273 - Avoid release to the environment

2.3. Other information

No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	EC-No	CAS-No	Weight %	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
ETHYL ALCOHOL	200-578-6	64-17-5	30-50%	Flam. Liq. 2 (H225) Eye Irrit. 1 (H319)	No data available
PROPYLENE GLYCOL	200-338-0	57-55-6	30-50%	No data available	No data available
BENZYL ALCOHOL	202-859-9	100-51-6	1-5%	Acute Tox. 5 (H333) Acute Tox. 4 (H302)	No data available
ALPHA PINENE	201-291-9	80-56-8	<1%	Skin Sens. 1 (H317) (EFFA) Skin Irrit. 2 (315) (EFFA) Asp. Tox. 1 (H304) (EFFA) Acute Tox. 5 (H303)(EFFA) Flam. Liq. 3 (H226)(EFFA) Skin Sens. 1 (H317) Skin Irrit. 2 (H315) Acute Tox. 5 (H303)	No data available
CAPSAICIN	206-969-8	404-86-4	<1%	Eye Dam. 1 (H318) Skin Irrit. 2 (H316) Acute Tox. 3 (H301)	No data available
CINNAMIC ALDEHYDE	203-213-9	104-55-2	<1%	Aquatic Acute 2 (H401) (EFFA) Skin Sens. 1 (H317) (EFFA) Eye Irrit. 1 (H319) (EFFA) Skin Irrit. 2 (315) (EFFA) Acute Tox. 5 (H303)(EFFA) Acute Tox. 4 (H312)(EFFA)	No data available
ISOVALERALDEHYDE	Present	590-86-3	<1%	Aquatic Acute 2 (H401) (EFFA) Skin Sens. 1 (H317) (EFFA) Eye Irrit. 1 (H319) (EFFA) Skin Irrit. 3 (316) (EFFA) Flam. Liq. 2 (H225)	No data available

				(EFFA) Acute Tox. 5 (H303)(EFFA)	
METHYL N-AMYL KETONE FCC (2-Heptanone)	Present	110-43-0	<1%	Acute Tox. 4 (H302) Acute Tox. 4 (H302) (EFFA) Flam. Liq. 3 (H226)(EFFA) Acute Tox. 4 (H332)(EFFA) Flam. Liq. 3 (H226) Acute Tox. 4 (H332)	No data available
FURFURAL	Present	98-01-1	<1%	Acute Tox. 3 (H301) Carc. 2 (H351) (EFFA) Eye Irrit. 1 (H319) (EFFA) Skin Irrit. 2 (315) (EFFA) Acute Tox. 3 (H301) (EFFA) Acute Tox. 4 (H312)(EFFA) Flam. Liq. 4 (H227)(EFFA) Acute Tox. 3 (H331)(EFFA) Carc. 2 (H351) Eye Irrit. 1 (H319) Skin Irrit. 2 (H315) Acute Tox. 3 (H301) Acute Tox. 4 (H312) Acute Tox. 3 (H331) Acute Tox. 4 (H312) Skin Irrit. 2 (H315) STOT SE 3 (H335) Carc. 2 (H351) Acute Tox. 3 (H331) Eye Irrit. 2 (H319)	No data available
BENZALDEHYDE	202-860-4	100-52-7	<1%	Aquatic Acute 2 (H401) Skin Irrit. 3 (H316) Acute Tox. 4 (H302) Acute Tox. 5 (H313) Flam. Liq. 4 (H227)	No data available
DIMETHYL SULFIDE	200-846-2	75-18-3	<1%	Skin Irrit. 3 (316) (EFFA) Acute Tox. 3 (H301) (EFFA) Flam. Liq. 2 (H225) (EFFA)	No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation	Move to fresh air.
Skin contact	It is suggested that you use the following blend to clean the affected area: 50% Polysorbate, 40% Propylene Glycol and 10% water.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

Main Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

No information available

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Ensure adequate ventilation.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

6.3. Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place.

Incompatible products

None known based on information supplied.

7.3 Specific end use(s)

Risk Management Methods (RMM)

The information required is contained in this Material Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Chemical Name	European Union	The United Kingdom	France	Spain	Germany
ETHYL ALCOHOL 64-17-5	-	STEL: 3000 ppm STEL: 5760 mg/m ³ TWA: 1000 ppm TWA: 1920 mg/m ³	VME: 1000 ppm VME: 1900 mg/m ³ VLCT: 5000 ppm VLCT: 9500 mg/m ³	VLA-ED: 1000 ppm VLA-ED: 1910 mg/m ³	-
PROPYLENE GLYCOL 57-55-6	-	STEL: 450 ppm STEL: 1422 mg/m ³ STEL: 30 mg/m ³ TWA: 150 ppm TWA: 474 mg/m ³ TWA: 10 mg/m ³	-	-	-
ALPHA PINENE 80-56-8	-	-	TWA: 1000 mg/m ³ STEL: 1500 mg/m ³	TWA: 20 ppm TWA: 113 mg/m ³	-
METHYL N-AMYL KETONE FCC (2-Heptanone) 110-43-0	S* TWA 50 ppm TWA 238 mg/m ³ STEL 100 ppm STEL 475 mg/m ³	STEL: 100 ppm STEL: 475 mg/m ³ TWA: 50 ppm TWA: 237 mg/m ³ Skin	TWA: 50 ppm TWA: 238 mg/m ³ STEL: 100 ppm STEL: 475 mg/m ³	S* STEL: 100 ppm STEL: 474 mg/m ³ TWA: 50 ppm TWA: 237 mg/m ³	-
FURFURAL 98-01-1	-	STEL: 5 ppm STEL: 20 mg/m ³ TWA: 2 ppm TWA: 8 mg/m ³ Skin	STEL: 2 ppm STEL: 8 mg/m ³	S* TWA: 2 ppm TWA: 8 mg/m ³	-
DIMETHYL SULFIDE 75-18-3	-	-	-	VLA-ED: 10 ppm	-
Chemical Name	Italy	Portugal	The Netherlands	Finland	Denmark
ETHYL ALCOHOL 64-17-5	-	TWA: 1000 ppm	Skin STEL: 1900 mg/m ³ TWA: 260 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³ STEL: 1300 ppm STEL: 2500 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³
BENZYL ALCOHOL 100-51-6	-	-	-	TWA: 10 ppm TWA: 45 mg/m ³	-
ALPHA PINENE 80-56-8	-	TWA: 20 ppm	-	-	-
METHYL N-AMYL KETONE FCC (2-Heptanone) 110-43-0	TWA: 50 ppm TWA: 238 mg/m ³ STEL: 100 ppm STEL: 475 mg/m ³ Skin	TWA: 50 ppm	TWA: 233 mg/m ³	TWA: 50 ppm TWA: 240 mg/m ³ STEL: 75 ppm STEL: 360 mg/m ³ Skin	TWA: 50 ppm TWA: 238 mg/m ³ Skin
FURFURAL 98-01-1	-	TWA: 2 ppm	-	TWA: 2 ppm TWA: 8 mg/m ³ STEL: 5 ppm STEL: 20 mg/m ³ Skin	TWA: 2 ppm TWA: 7.9 mg/m ³ Skin
BENZALDEHYDE 100-52-7	-	-	-	TWA: 1 ppm TWA: 4.4 mg/m ³ STEL: 4 ppm STEL: 17.4 mg/m ³ Ceiling: 4 ppm Ceiling: 17.4 mg/m ³	-
DIMETHYL SULFIDE 75-18-3	-	TWA: 10 ppm	-	-	-
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
ETHYL ALCOHOL 64-17-5	STEL 2000 ppm STEL 3800 mg/m ³ MAK: 1000 ppm MAK: 1900 mg/m ³	STEL: 1000 ppm STEL: 1920 mg/m ³ MAK: 500 ppm MAK: 960 mg/m ³	NDS: 1900 mg/m ³	TWA: 500 ppm TWA: 950 mg/m ³ STEL: 625 ppm STEL: 1187.5 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³

PROPYLENE GLYCOL 57-55-6	-	-	-	TWA: 25 ppm TWA: 79 mg/m ³ STEL: 37.5 ppm STEL: 118.5 mg/m ³	TWA: 150 ppm TWA: 470 mg/m ³ TWA: 10 mg/m ³
BENZYL ALCOHOL 100-51-6	-	-	NDS: 240 mg/m ³	-	-
ALPHA PINENE 80-56-8	-	-	-	TWA: 25 ppm TWA: 140 mg/m ³ Skin STEL: 37.5 ppm STEL: 175 mg/m ³	-
ISOVALERALDEHYDE 590-86-3	STEL 10 ppm STEL 39 mg/m ³ TWA: 10 ppm TWA: 39 mg/m ³ Ceiling 10 ppm Ceiling 39 mg/m ³	-	-	-	-
METHYL N-AMYL KETONE FCC (2-Heptanone) 110-43-0	Skin STEL 100 ppm STEL 473 mg/m ³ TWA: 50 ppm TWA: 237 mg/m ³	TWA: 50 ppm TWA: 235 mg/m ³	STEL: 475 mg/m ³ TWA: 238 mg/m ³	TWA: 25 ppm TWA: 115 mg/m ³ Skin STEL: 37.5 ppm STEL: 143.75 mg/m ³	TWA: 50 ppm TWA: 238 mg/m ³ STEL: 100 ppm STEL: 475 mg/m ³ Skin
FURFURAL 98-01-1	Skin TWA: 5 ppm TWA: 20 mg/m ³	Skin TWA: 2 ppm TWA: 8 mg/m ³	STEL: 25 mg/m ³ TWA: 10 mg/m ³	TWA: 2 ppm TWA: 8 mg/m ³ Skin STEL: 4 ppm STEL: 16 mg/m ³	TWA: 2 ppm TWA: 8 mg/m ³ STEL: 5 ppm STEL: 20 mg/m ³ Skin
BENZALDEHYDE 100-52-7	-	-	NDSch: 40 mg/m ³ NDS: 10 mg/m ³	-	-
DIMETHYL SULFIDE 75-18-3	-	-	-	-	TWA: 20 ppm

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

- Eye/face protection** Tightly fitting safety goggles.
- Skin and body protection** Long sleeved clothing.
- Respiratory protection** NIOSH/MSHA approved respiratory protection is required to be worn.

Environmental Exposure Controls No information available.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state liquid
Appearance clear
Aroma Spicy Smoky Chocolate Cinnamon
Color yellow

<u>Property</u>	<u>Values</u>	<u>• Method</u>
pH		No information available
Melting/freezing point		No information available
Boiling point/boiling range		FCC Method
Flash Point	26 °C / 79 °F	Closed cup
Evaporation rate		FCC Method

Flammability (solid, gas)		No information available
Flammability Limits in Air		
Upper flammability limit		No information available
lower flammability limit		No information available
Vapor pressure mm Hg 20°C		No information available
Vapor density		No information available
Relative density		No information available
Specific Gravity @ 25C	0.9450 - 0.9650	FCC Method
Specific Gravity @ 20C	Not Tested	FCC Method
Refractive Index	1.3756 - 1.4056	FCC Method
Water solubility		No information available
Solubility in other solvents		No information available
Partition coefficient: n-octanol/water		No information available
Autoignition temperature		No information available
Decomposition temperature		No information available
Viscosity, kinematic		No information available
Viscosity, dynamic		No information available
Explosive properties	No information available	
Oxidizing Properties	No information available	

9.2. Other information

Softening point	No information available
Molecular Weight	No information available
VOC Content(%)	No information available
Density VALUE	No information available
Bulk Density VALUE	No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact	none.
Sensitivity to Static Discharge	Yes.

10.3. Possibility of hazardous reactions

Hazardous Reactions

None under normal processing.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

None under normal use conditions.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Product Information

Product does not present an acute toxicity hazard based on known or supplied information.

Inhalation	There is no data available for this product.
Eye contact	There is no data available for this product.
Skin contact	There is no data available for this product.
Ingestion	There is no data available for this product.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	6,253.00 mg/kg
ATEmix (dermal)	14,800.00 mg/kg
ATEmix (inhalation-dust/mist)	1.69 mg/l
ATEmix (inhalation-vapor)	32.00 mg/l

Unknown Acute Toxicity

- 97.26797001% of the mixture consists of ingredient(s) of unknown toxicity.
- 19.08789001 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.
- 63.94785001 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.
- 97.26797001 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).
- 95.81165001 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).
- 50.95169001 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Oral LD50

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
ETHYL ALCOHOL	7060 mg/kg (Rat)		124.7 mg/L (Rat) 4 h
PROPYLENE GLYCOL	20000 mg/kg (Rat)	20800 mg/kg (Rabbit)	
BENZYL ALCOHOL	1230 mg/kg (Rat)	2000 mg/kg (Rabbit)	8.8 mg/L (Rat) 4 h
ALPHA PINENE	= 2100 mg/kg (Rat)	> 5000 mg/kg (Rat)	
CINNAMIC ALDEHYDE	2200 mg/kg (Rat)	2000 mg/kg (Rat) 2000 mg/kg (Rabbit)	

Skin corrosion/irritation	No information available.
Eye damage/irritation	No information available.
Sensitization	No information available.
Germ Cell Mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
Specific target organ systemic toxicity (single exposure)	No information available.
Specific target organ systemic toxicity (repeated exposure)	No information available.
Target Organ Effects	Blood, Central nervous system, Eyes, Liver, Reproductive system, Respiratory system, Skin.
Aspiration hazard	No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

Toxic to aquatic life Harmful to aquatic life with long lasting effects

19.45925% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
ETHYL ALCOHOL	-	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static
PROPYLENE GLYCOL	19000: 96 h Pseudokirchneriella subcapitata mg/L EC50	51600: 96 h Oncorhynchus mykiss mg/L LC50 static 41 - 47: 96 h Oncorhynchus mykiss mL/L LC50 static 51400: 96 h Pimephales promelas mg/L LC50 static 710: 96 h Pimephales promelas mg/L LC50	10000: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50 Static
BENZYL ALCOHOL	35: 3 h Anabaena variabilis mg/L EC50	10: 96 h Lepomis macrochirus mg/L LC50 static 460: 96 h Pimephales promelas mg/L LC50 static	23: 48 h water flea mg/L EC50
ALPHA PINENE	-	0.28: 96 h Pimephales promelas mg/L LC50 static	41: 48 h Daphnia magna mg/L LC50
ISOVALERALDEHYDE	80: 72 h Desmodemus subspicatus mg/L EC50 78: 96 h Desmodemus subspicatus mg/L EC50	2.98 - 3.54: 96 h Pimephales promelas mg/L LC50 flow-through 53: 96 h Leuciscus idus mg/L LC50 static	177: 48 h Daphnia magna mg/L EC50
METHYL N-AMYL KETONE FCC (2-Heptanone)	-	126 - 137: 96 h Pimephales promelas mg/L LC50 flow-through	-
FURFURAL	-	13.4 - 19.3: 96 h Pimephales promelas mg/L LC50 static 16.79 - 26.35: 96 h Pimephales promelas mg/L LC50 flow-through	29: 24 h Daphnia magna mg/L EC50
BENZALDEHYDE	-	0.8-1.44: 96 h Lepomis macrochirus mg/L LC50 flow-through 10.6-11.8: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 12.69: 96 h Oncorhynchus mykiss mg/L LC50 static 6.8-8.53: 96 h Pimephales promelas mg/L LC50 flow-through 7.5: 96 h Lepomis macrochirus mg/L LC50 static	50: 24 h Daphnia magna mg/L EC50
DIMETHYL SULFIDE	-	-	23: 48 h Daphnia pulex mg/L EC50

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
BENZYL ALCOHOL	1.1
ALPHA PINENE	4.1
CINNAMIC ALDEHYDE	2.22
ISOVALERALDEHYDE	1.31
METHYL N-AMYL KETONE FCC (2-Heptanone)	1.98
FURFURAL	0.67

BENZALDEHYDE	1.48
--------------	------

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available

Chemical Name	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Japan - Endocrine Disruptor Information
FURFURAL	Group III Chemical	-	-

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused products Dispose of in accordance with local regulations.

Contaminated packaging Empty remaining contents.

Section 14: TRANSPORT INFORMATION

IMDG / IMO

14.1 UN/ID No 1197
 14.2 Proper shipping name EXTRACTS, FLAVOURING, LIQUID
 14.3 Hazard class 3
 14.4 Packing Group III

DOT/ADR/RID

14.1 UN/ID No 1197
 14.2 Proper shipping name EXTRACTS, FLAVOURING, LIQUID
 14.3 Hazard class 3
 14.4 Packing Group III

ICAO/IATA

14.1 UN/ID No 1197
 14.2 Proper shipping name EXTRACTS, FLAVOURING, LIQUID
 14.3 Hazard class 3
 14.4 Packing Group III
 14.5 Environmental hazard Not applicable
 14.6 Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

International Inventories

TSCA	-
DSL/NDSL	-
EINECS/ELINCS	-
ENCS	-
IECSC	-
KECL	-
PICCS	-
AICS	-

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

No information available

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of R-phrases referred to under sections 2 and 3

R25 - Toxic if swallowed
R21 - Harmful in contact with skin
R43 - May cause sensitization by skin contact
R20/22 - Harmful by inhalation and if swallowed

Full text of H-Statements referred to under section 3

H333 - May be harmful if inhaled
H302 - Harmful if swallowed
H401 - Toxic to aquatic life
H316 - Causes mild skin irritation
H313 - May be harmful in contact with skin
H227 - Combustible liquid

- H317 - May cause an allergic skin reaction
- H319 - Causes serious eye irritation
- H303 - May be harmful if swallowed
- H312 - Harmful in contact with skin
- H226 - Flammable liquid and vapor
- H332 - Harmful if inhaled
- H318 - Causes serious eye damage
- H301 - Toxic if swallowed
- H225 - Highly flammable liquid and vapor
- H304 - May be fatal if swallowed and enters airways
- H315 - Causes skin irritation
- H351 - Suspected of causing cancer if inhaled
- H331 - Toxic if inhaled
- H335 - May cause respiratory irritation

Legend

SVHC: Substances of Very High Concern for Authorization:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA:	Time weighted average	STEL:	Short term exposure limit
Ceiling:	Maximum limit value:	*	Skin designation

Revision Date 23-Jul-2019

Reason for revision: Not applicable.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

WARNING/DISCLAIMER:

Apex Flavors, Inc.'s products are sold exclusively for use in food and drink for human consumption. These products have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, and electronic cigarettes or similar devices (collectively "E-Cigarettes"). In supplying this product(s), Apex Flavors, Inc. instructs, and purchasing recipient confirms, that this product(s) will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof. Recipients of our products that use them outside of their intended use of food or drink do so at their own risk and without warranty, either expressed or implied, from Apex Flavors, Inc. or its suppliers. The user assumes all liability for loss, injury, damage, or expense resulting from such uses.