APEX FLAVORS, INC.

SAFETY DATA SHEET.



This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 14-Jun-2018 Version 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Code(s) 336TTB

Product name LEMON ITALIAN EXTRACT, NATURAL (PRIMO FIORE VARIETAL)

Pure substance/mixture

Mixture

Contains LIMONENE, ETHYL ALCOHOL

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Ingredient for further processing

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Manufacturer Apex Flavors, Inc.

1371 Brass Mill Rd.

Suite A

Belcamp, MD 21017 (410) 565-6600

For further information, please contact:

E-mail Address cpisano@apexflavors.com

1.4. Emergency telephone number

Emergency telephone Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

| 12002/11/01/ (20) 110 1272/2000 | |
|-----------------------------------|----------------------|
| Serious eye damage/eye irritation | Category 2 - (H319) |
| Skin sensitization | Category 1 - (H317) |
| Carcinogenicity | Category 1A - (H350) |
| Chronic aquatic toxicity | Category 3 - (H412) |
| Flammable liquids | Category 3 - (H226) |

2.2. Label elements

Product identifier

Contains LIMONENE, ETHYL ALCOHOL



Signal Word Danger

Hazard Statements

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H350 - May cause cancer

H412 - Harmful to aquatic life with long lasting effects

H226 - Flammable liquid and vapor

Contains CITRAL EUH208 - May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear eye protection/ face protection

P321 - Specific treatment (see .? on this label)

P201 - Obtain special instructions before use

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P370 + P378 - In case of fire: Use .? to extinguish

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P273 - Avoid release to the environment

2.3. Other information

No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

| Chemical Name | EC-No | CAS-No | Weight % | Classification according to Regulation (EC) No. 1272/2008 [CLP] | REACH Registration Number |
|---------------|-----------|-----------|----------|---|---------------------------------|
| ETHYL ALCOHOL | 200-578-6 | 64-17-5 | 50-90% | Flam. Liq. 2 (H225) Eye Irrit. 1 (H319) | No data available |
| LIMONENE | 227-813-5 | 5989-27-5 | 1-5% | Aquatic Acute 1 (H400) Skin Sens. 1 (H317) Skin Irrit. 1 (H315) Asp. Tox. 1 (H304) Aquatic Chronic 1 (H410) Flam. Liq. 3 (H226) | No data available |
| PINENES | 201-291-9 | 80-56-8 | <1% | Aquatic Acute 1 (H400) Skin Sens. 1 (H317) Skin Irrit. 1 (H315) Asp. Tox. 1 (H304) Aquatic Chronic 1 (H410) Acute Tox. 5 (H303) Flam. Liq. 3 (H226) | No data available |
| CITRAL | 226-394-6 | 5392-40-5 | <1% | Aquatic Acute 2 (H401) Sens. 1 (H317) Skin Irrit. 2 (H315) Acute Tox. 5 (H313) Flam. Liq. 4 (H227) | No data available |
| MYRCENE | 204-622-5 | 123-35-3 | <1% | Eye Irrit. 1 (H319) (EFFA) Skin Irrit. 2 (315) (EFFA) Asp. Tox. 1 (H304) (EFFA) Eye Irrit. 1 (H319) Skin Irrit. 2 | No data available |

Revision Date 14-Jun-2018

(H315)

For the full text of the R-phrases mentioned in this Section, see Section 16

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation Move to fresh air. If symptoms persist, call a physician.

Skin contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician. Wash off immediately with soap and plenty of water.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Drink plenty of water. Immediate medical attention is not required.

Rinse mouth.

Self-protection of the first aiderUse personal protective equipment.

4.2. Most important symptoms and effects, both acute and delayed

Main Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

No information available

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors In the event of fire and/or explosion do not breathe fumes May cause sensitization in susceptible persons

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Use personal protective equipment. Avoid contact with eyes and skin.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upSoak up with inert absorbent material. Pick up and transfer to properly labeled containers.

After cleaning, flush away traces with water. Prevent product from entering drains.

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation. Use personal protective equipment as required.

General Hygiene Considerations

When using, do not eat, drink or smoke. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep out of the reach of children. Keep container tightly closed. Keep containers tightly closed in a cool, well-ventilated place.

Incompatible products

None known based on information supplied.

7.3 Specific end use(s)

Risk Management Methods (RMM)

The information required is contained in this Material Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

| Chemical Name | European Union | The United Kingdom | France | Spain | Germany |
|---------------|----------------|------------------------------|------------------------------|--------------------------------|------------------------|
| ETHYL ALCOHOL | • | STEL: 3000 ppm | VME: 1000 ppm VME: | VLA-ED: 1000 ppm | - |
| 64-17-5 | | STEL: 5760 mg/m ³ | 1900 mg/m ³ | VLA-ED: 1910 mg/m ³ | |
| | | TWA: 1000 ppm TWA: | VLCT: 5000 ppm | | |
| | | 1920 mg/m ³ | VLCT: 9500 mg/m ³ | | |
| PINENES | = | - | = | VLA-ED: 20 ppm | - |
| 80-56-8 | | | | VLA-ED: 113 mg/m ³ | |
| MYRCENE | - | - | TWA: 1000 mg/m ³ | - | - |
| 123-35-3 | | | STEL: 1500 mg/m ³ | | |
| Chemical Name | Italy | Portugal | The Netherlands | Finland | Denmark |
| ETHYL ALCOHOL | = | TWA: 1000 ppm | Skin | TWA: 1000 ppm TWA: | TWA: 1000 ppm TWA: |
| 64-17-5 | | | STEL: 1900 mg/m ³ | 1900 mg/m ³ | 1900 mg/m ³ |
| | | | TWA: 260 mg/m ³ | STEL: 1300 ppm | _ |
| | | | | STEL: 2500 mg/m ³ | |
| LIMONENE | = | - | = | TWA: 25 ppm TWA: | - |
| 5989-27-5 | | | | 140 mg/m ³ | |
| | | | | STEL: 50 ppm STEL: | |
| | | | | 280 mg/m ³ | |
| PINENES | - | TWA: 20 ppm | - | - | - |

| 80-56-8 | | | | | |
|---------------|------------------------|------------------------------|-----------------------------|--------------------------------|------------------------|
| Chemical Name | Austria | Switzerland | Poland | Norway | Ireland |
| ETHYL ALCOHOL | STEL 2000 ppm STEL | STEL: 1000 ppm | NDS: 1900 mg/m ³ | TWA: 500 ppm TWA: | TWA: 1000 ppm TWA: |
| 64-17-5 | 3800 mg/m ³ | STEL: 1920 mg/m ³ | | 950 mg/m ³ | 1900 mg/m ³ |
| | MAK: 1000 ppm MAK: | MAK: 500 ppm MAK: | | STEL: 625 ppm STEL: | |
| | 1900 mg/m ³ | 960 mg/m ³ | | 1187.5 mg/m ³ | |
| LIMONENE | - | STEL: 40 ppm STEL: | • | TWA: 25 ppm TWA: | - |
| 5989-27-5 | | 220 mg/m ³ | | 140 mg/m ³ | |
| | | MAK: 20 ppm MAK: | | STEL: 37.5 ppm | |
| | | 110 mg/m ³ | | STEL: 175 mg/m ³ | |
| PINENES | - | - | - | TWA: 25 ppm TWA: | - |
| 80-56-8 | | | | 140 mg/m ³ | |
| | | | | Skin | |
| | | | | STEL: 37.5 ppm | |
| | | | | STEL: 175 mg/m ³ | |
| MYRCENE | - | - | - | TWA: 40 ppm | - |
| 123-35-3 | | | | TWA: 275 mg/m ³ | |
| | | | | STEL: 60 ppm | |
| | | | | STEL: 343.75 mg/m ³ | |

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration No information available.

(PNEC)

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Skin and body protectionTightly fitting safety goggles.
Long sleeved clothing.

Environmental Exposure Controls Do not allow material to contaminate ground water system.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state liquid Appearance clear

Odor Characteristic of lemon

Color Slightly yellow

Property Values • Method

PH No information available

Melting/freezing point No information available

Melting/freezing point

No information available
Boiling point/boiling range

FCC Method

Flash Point 24 °C / 75 °F Closed cup Evaporation rate FCC Method

Flammability (solid, gas)

No information available

Flammability Limits in Air

Upper flammability limit
Iower flammability limit
Vapor pressure mm Hg 20°C
Vapor density
Relative density
No information available
No information available
No information available
No information available

Relative density

Specific Gravity @ 25C

Specific Gravity @ 20C

No information a FCC Method

Specific Gravity @ 20C

Refractive Index

No information a FCC Method

FCC Method

1.3489 - 1.3789

No information a FCC Method

FCC Method

FCC Method

Water solubility

Solubility in other solvents

No information available
No information available

Revision Date 14-Jun-2018

Partition coefficient: n-octanol/water

Autoignition temperature

Decomposition temperature

No information available

No information available

No information available

Viscosity, kinematic No information available Viscosity, dynamic No information available

Explosive propertiesOxidizing Properties
No information available
No information available

9.2. Other information

Softening point
Molecular Weight
VOC Content(%)
Density VALUE
No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact none. Sensitivity to Static Discharge Yes.

10.3. Possibility of hazardous reactions

Hazardous Reactions

None under normal processing.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

None under normal use conditions.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Product Information

Product does not present an acute toxicity hazard based on known or supplied information.

InhalationThere is no data available for this product.Eye contactThere is no data available for this product.Skin contactThere is no data available for this product.IngestionThere is no data available for this product.

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 7,041.00 mg/kg

 ATEmix (dermal)
 2,952.00 mg/kg

 ATEmix (inhalation-dust/mist)
 66,892.66 mg/l

Unknown Acute Toxicity

99.3671% of the mixture consists of ingredient(s) of unknown toxicity.

38.0369 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

98.0369 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

99.3671 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas). 99.3671 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (yapor).

39.3671 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

Oral LD50 Dermal LD50 **Chemical Name** LC50 Inhalation ETHYL ALCOHOL 7060 mg/kg (Rat) 124.7 mg/L (Rat) 4 h LIMONENE 4400 mg/kg (Rat) 2000 mg/kg (Rabbit) **PINENES** 5000 mg/kg (Rat) 2100 mg/kg (Rat) 2250 mg/kg (Rabbit) 2000 mg/kg CITRAL 4950 mg/kg (Rat) (Rat)

Skin corrosion/irritationNo information available.

Eye damage/irritation No information available.

Sensitization No information available.

Germ Cell Mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

Specific target organ systemic toxicity (single exposure)

No information available.

Specific target organ systemic toxicity (repeated exposure)

No information available.

Target Organ Effects Blood, Central nervous system, Eyes, Liver, Reproductive system, Respiratory system,

Skin.

Aspiration hazard No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity Toxic to aquatic life Harmful to aquatic life with long lasting effects

38.0538% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name | Toxicity to algae | Toxicity to fish | Toxicity to daphnia and other aquatic invertebrates |
|---------------|-------------------|---|---|
| ETHYL ALCOHOL | = | 12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h | 9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia |
| | | Pimephales promelas mg/L LC50 | magna mg/L EC50 2: 48 h Daphnia |
| | | static 13400 - 15100: 96 h | magna mg/L EC50 Static |
| | | Pimephales promelas mg/L LC50 | |
| | | flow-through | |
| LIMONENE | - | 0.619-0.796: 96 h Pimephales | - |
| | | promelas mg/L LC50 flow-through | |

| | | 35: 96 h Oncorhynchus mykiss mg/L LC50 | |
|---------|---|--|----------------------------------|
| PINENES | - | 0.28: 96 h Pimephales promelas mg/L LC50 static | 41: 48 h Daphnia magna mg/L LC50 |
| | 16: 72 h Desmodesmus subspicatus mg/L EC50 19: 96 h Desmodesmus subspicatus mg/L EC50 | | 7: 48 h Daphnia magna mg/L EC50 |

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

| Chemical Name | log Pow |
|---------------|---------|
| ETHYL ALCOHOL | -0.32 |
| PINENES | 4.1 |
| CITRAL | 2.76 |

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging Empty remaining contents.

application specific. Waste codes should be assigned by the user based on the application

for which the product was used.

Section 14: TRANSPORT INFORMATION

IMDG / IMO

14.1 UN/ID No 1197

14.2 Proper shipping name EXTRACTS, FLAVOURING, LIQUID

14.3 Hazard class 3 14.4 Packing Group III

DOT/ADR/RID

14.1 UN/ID No 1197

Revision Date 14-Jun-2018

14.2 Proper shipping name EXTRACTS, FLAVOURING, LIQUID

14.3 Hazard class 3 14.4 Packing Group III

ICAO/IATA

14.1 UN/ID No 1197

14.2 Proper shipping name EXTRACTS, FLAVOURING, LIQUID

14.3 Hazard class 3 14.4 Packing Group III

14.5 Environmental hazard Not applicable

14.6 Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

International Inventories

TSCA DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS AICS -

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

No information available

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of R-phrases referred to under sections 2 and 3

R43 - May cause sensitization by skin contact

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Full text of H-Statements referred to under section 3

H319 - Causes serious eye irritation

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H401 - Toxic to aquatic life

H317 - May cause an allergic skin reaction

H313 - May be harmful in contact with skin

H227 - Combustible liquid

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H226 - Flammable liquid and vapor

H225 - Highly flammable liquid and vapor

H303 - May be harmful if swallowed

Legend

SVHC: Substances of Very High Concern for Authorization:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA: Time weighted average STEL: Short term exposure limit

Ceiling: Maximum limit value: * Skin designation

Revision Date 14-Jun-2018

Reason for revision: Not applicable.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.