



1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Number 220

Manufacturer Apex Flavors, Inc.
1371 Brass Mill Rd.
Suite A
Belcamp, MD 21017
(410) 565-6600

Product name CREME BRULEE TYPE, NATURAL AND ARTIFICIAL
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Not for direct consumption

1.3. Details of the supplier of the safety data sheet

For further information, please contact:

E-mail Address cpisano@apexflavors.com

1.4. Emergency telephone number

Emergency telephone Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Acute inhalation toxicity - dust/mist	Category 3
Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 1A
Flammable liquids	Category 3

Classification according to EU Directives 67/548/EEC or 1999/45/EC
For the full text of the R-phrases mentioned in this Section, see Section 16

Symbol(s)
Xn - Harmful

R-code(s)
Xn;R21

2.2. Label elements

**Signal Word**

Danger

Hazard Statements

H331 - Toxic if inhaled

H319 - Causes serious eye irritation

H350 - May cause cancer

H411 - Toxic to aquatic life with long lasting effects

H226 - Flammable liquid and vapor

Precautionary Statements

P321 - Specific treatment (see .? on this label)

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P201 - Obtain special instructions before use

P281 - Use personal protective equipment as required

P308 + P313 - IF exposed or concerned: Get medical advice/ attention

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

2.3. Other information**3. COMPOSITION/INFORMATION ON INGREDIENTS****3.1 Substances**

Chemical Name	EC-No	CAS-No	Alternate CAS #	Weight %	Classification according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
PROPYLENE GLYCOL	200-338-0	57-55-6		30-50%	-	No data available	No data available
ETHYL ALCOHOL	200-578-6	64-17-5		30-50%	F; R11	Flam. Liq. 2 (H225) Eye Irrit. 1 (H319)	No data available
BENZYL ALCOHOL	202-859-9	100-51-6		1-5%	Xn; R20/22	Acute Tox. 5 (H333) Acute Tox. 4 (H302)	No data available
ETHYL MALTOL	225-582-5	4940-11-8		1-5%	-	Acute Tox. 4 (H302) (EFA)	No data available
METHYL N-AMYL KETONE FCC (2-Heptanone)	Present	110-43-0		<1	R10 Xn; R20/22	Acute Tox. 4 (H302) Acute Tox. 4 (H302) (EFA) Flam. Liq. 3 (H226)(EFA) Acute Tox. 4 (H332)(EFA) Flam. Liq. 3 (H226) Acute Tox. 4 (H332)	No data available

PHENOL	Present	108-95-2		<1	T; R23/24/25 C; R34 Xn; R48/20/21/22 Muta.Cat.3; R68	Acute Tox. 3 (H301) STOT RE 2 (H373) (EFFA) Skin Corr. 1B (314) (EFFA) Muta. 2 (H341) (EFFA) Eye Dam. 1 (H318) (EFFA) Acute Tox. 3 (H301) (EFFA) Acute Tox. 3 (H311)(EFFA) Acute Tox. 3 (H331)(EFFA) Acute Tox. 3 (H311) Skin Corr. 1B (H314) STOT RE 2 (H373) Muta. 2 (H341) Acute Tox. 3 (H331)	No data available
--------	---------	----------	--	----	---	--	-------------------

For the full text of the R-phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

4.1. Description of first aid measures

General advice	If symptoms persist, call a physician Do not breathe dust/fume/gas/mist/vapors/spray Do not get in eyes, on skin, or on clothing
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes Keep eye wide open while rinsing If symptoms persist, call a physician
Skin contact	Consult a physician if necessary. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Ingestion	Rinse mouth. Drink plenty of water. If symptoms persist, call a physician. Do NOT induce vomiting.
Inhalation	Move to fresh air. Call a physician. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.
Self-protection of the first aider	Use personal protective equipment

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Extinguishing media which shall not be used for safety reasons

No information available

5.2. Special hazards arising from the substance or mixture

Special Hazard

None

5.3. Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

See Section 12 for additional Ecological Information

6.2. Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid contact with skin, eyes and clothing. Use personal protective equipment as required. Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children.

7.3 Specific end use(s)

Exposure scenario N/A

Other Guidelines N/A

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical Name	European Union	The United Kingdom	France	Spain	Germany
PROPYLENE GLYCOL 57-55-6		STEL: 450 ppm STEL: 1422 mg/m ³ STEL: 30 mg/m ³ TWA: 150 ppm TWA: 474 mg/m ³ TWA: 10 mg/m ³			
ETHYL ALCOHOL 64-17-5		STEL: 3000 ppm STEL: 5760 mg/m ³ TWA: 1000 ppm TWA: 1920 mg/m ³	VME: 1000 ppm VME: 1900 mg/m ³ VLCT: 5000 ppm VLCT: 9500 mg/m ³	VLA-ED: 1000 ppm VLA-ED: 1910 mg/m ³	MAK: 500 ppm MAK: 960 mg/m ³ Ceiling / Peak: 1000 ppm Ceiling / Peak: 1920 mg/m ³ Skin TWA: 500 ppm TWA: 960 mg/m ³
METHYL N-AMYL KETONE FCC (2-Heptanone)	S* TWA 50 ppm TWA	STEL: 100 ppm STEL: 475 mg/m ³	TWA: 50 ppm TWA: 238 mg/m ³	S* STEL: 100 ppm STEL:	TWA: 238 mg/m ³

110-43-0	238 mg/m ³ STEL 100 ppm STEL 475 mg/m ³	TWA: 50 ppm TWA: 237 mg/m ³ Skin	STEL: 100 ppm STEL: 475 mg/m ³	474 mg/m ³ TWA: 50 ppm TWA: 237 mg/m ³	
PHENOL 108-95-2	S* TWA 7.8 mg/m ³ TWA 2 ppm	STEL: 4 ppm STEL: 16 mg/m ³ TWA: 2 ppm TWA: 7.8 mg/m ³ Skin	TWA: 2 ppm TWA: 7.8 mg/m ³ STEL: 4 ppm STEL: 15.6 mg/m ³	S* STEL: 4 ppm STEL: 16 mg/m ³ TWA: 2 ppm TWA: 8 mg/m ³	Skin TWA: 2 ppm TWA: 8 mg/m ³

Chemical Name	Italy	Portugal	The Netherlands	Finland	Denmark
ETHYL ALCOHOL 64-17-5		TWA: 1000 ppm	Skin STEL: 1900 mg/m ³ TWA: 260 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³ STEL: 1300 ppm STEL: 2500 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³
BENZYL ALCOHOL 100-51-6				TWA: 10 ppm TWA: 45 mg/m ³	
METHYL N-AMYL KETONE FCC (2-Heptanone) 110-43-0	TWA: 50 ppm TWA: 238 mg/m ³ STEL: 100 ppm STEL: 475 mg/m ³ Skin	TWA: 50 ppm	TWA: 233 mg/m ³	TWA: 50 ppm TWA: 240 mg/m ³ STEL: 75 ppm STEL: 360 mg/m ³ Skin	TWA: 50 ppm TWA: 238 mg/m ³ Skin
PHENOL 108-95-2	TWA: 2 ppm TWA: 8.0 mg/m ³ STEL: 4 ppm STEL: 16 mg/m ³ Skin	STEL: 4 ppm STEL: 16 mg/m ³ TWA: 2 ppm TWA: 8 mg/m ³	Skin TWA: 8 mg/m ³	TWA: 2 ppm TWA: 8 mg/m ³ STEL: 4 ppm STEL: 16 mg/m ³ Skin	TWA: 1 ppm TWA: 4 mg/m ³ Skin

Chemical Name	Austria	Sweden - Occupational Exposure Limits - TLVs (LLVs)	Switzerland	Poland	Norway
PROPYLENE GLYCOL 57-55-6					TWA: 25 ppm TWA: 79 mg/m ³ STEL: 37.5 ppm STEL: 118.5 mg/m ³
ETHYL ALCOHOL 64-17-5	STEL 2000 ppm STEL 3800 mg/m ³ MAK: 1000 ppm MAK: 1900 mg/m ³	500 ppm NGV 1000 mg/m ³ NGV	STEL: 1000 ppm STEL: 1920 mg/m ³ MAK: 500 ppm MAK: 960 mg/m ³	NDS: 1900 mg/m ³	TWA: 500 ppm TWA: 950 mg/m ³ STEL: 625 ppm STEL: 1187.5 mg/m ³
BENZYL ALCOHOL 100-51-6				NDS: 240 mg/m ³	
METHYL N-AMYL KETONE FCC (2-Heptanone) 110-43-0	Skin STEL 100 ppm STEL 473 mg/m ³ TWA: 50 ppm TWA: 237 mg/m ³	25 ppm NGV 120 mg/m ³ NGV	TWA: 50 ppm TWA: 235 mg/m ³	STEL: 475 mg/m ³ TWA: 238 mg/m ³	TWA: 25 ppm TWA: 115 mg/m ³ Skin STEL: 37.5 ppm STEL: 143.75 mg/m ³
PHENOL 108-95-2	Skin STEL 4 ppm STEL 16 mg/m ³ TWA: 2 ppm TWA: 8 mg/m ³	1 ppm NGV 4 mg/m ³ NGV	Skin STEL: 5 ppm STEL: 19 mg/m ³ TWA: 5 ppm TWA: 19 mg/m ³	STEL: 16 mg/m ³ TWA: 7.8 mg/m ³	TWA: 1 ppm TWA: 4 mg/m ³ Skin STEL: 3 ppm STEL: 12 mg/m ³

Component	Ireland
PROPYLENE GLYCOL 57-55-6 (30-50%)	TWA: 150 ppm TWA: 470 mg/m ³ TWA: 10 mg/m ³
ETHYL ALCOHOL 64-17-5 (30-50%)	TWA: 1000 ppm TWA: 1900 mg/m ³
METHYL N-AMYL KETONE FCC (2-Heptanone) 110-43-0 (<1)	TWA: 50 ppm TWA: 238 mg/m ³ STEL: 100 ppm STEL: 475 mg/m ³ Skin
PHENOL 108-95-2 (<1)	TWA: 2 ppm TWA: 8 mg/m ³ STEL: 4 ppm STEL: 16 mg/m ³ Skin

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas

Personal protective equipment

Eye Protection Tightly fitting safety goggles
Hand Protection Protective gloves
Skin and body protection Long sleeved clothing
Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

Environmental Exposure Controls Do not allow material to contaminate ground water system

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	liquid	Appearance	clear
Odor	sweet Buttery toasted	Color	light yellow

<u>Property</u>	<u>Values</u>	<u>Method</u>
pH		No information available
Melting/freezing point		No information available
Boiling point/boiling range		FCC Method
Flash Point	27 °C / 80 °F	Closed cup
Evaporation rate		FCC Method
Flammability (solid, gas)		No information available
Flammability Limits in Air		No information available
Upper flammability limit		
lower flammability limit		
Vapor pressure mm Hg 20°C		No information available
Vapor density		No information available
Relative density		No information available
Specific Gravity @ 25C	0.9439 - 0.9739	FCC Method
Specific Gravity @ 20C	0.9469 - 0.9769	FCC Method
Refractive Index	1.4076 - 1.4376	FCC Method
Water solubility		No information available
Partition coefficient: n-octanol/water		No information available
Autoignition temperature		No information available
Decomposition temperature		No information available
Viscosity, dynamic		No information available

Explosive properties No information available

Oxidizing Properties No information available

9.2. Other information

VOC Content(%) 86.77

Molecular Weight No information available

10. STABILITY AND REACTIVITY

10.1. Reactivity

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Heat, flames and sparks

10.5. Incompatible materials

No materials to be especially mentioned

10.6. Hazardous decomposition products

None under normal use conditions

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Inhalation	There is no data available for this product
Eye contact	There is no data available for this product
Skin contact	There is no data available for this product
Ingestion	There is no data available for this product
Acute toxicity	0.03% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document (Rev. 1, 2005):

Oral	5,825.00 mg/kg
Dermal	17,230.00 mg/kg

Inhalation

Mist	1.00 mg/l
Vapor	220.00 mg/l

Skin corrosion/irritation	No information available
Eye damage/irritation	No information available
Sensitization	No information available
Germ Cell Mutagenicity	No information available
Carcinogenicity	No information available

Specific target organ systemic toxicity (single exposure)	No information available
--	--------------------------

Specific target organ systemic toxicity (repeated exposure)	No information available
--	--------------------------

Target Organ Effects Blood Central nervous system Eyes Liver Reproductive system Respiratory system Skin

Aspiration hazard No information available

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
PROPYLENE GLYCOL	19000: 96 h Pseudokirchneriella subcapitata mg/L EC50	51600: 96 h Oncorhynchus mykiss mg/L LC50 static 41 - 47: 96 h Oncorhynchus mykiss mL/L LC50 static 51400: 96 h Pimephales promelas mg/L LC50 static 710: 96 h Pimephales promelas mg/L LC50	10000: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50 Static
ETHYL ALCOHOL		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static
BENZYL ALCOHOL	35: 3 h Anabaena variabilis mg/L EC50	10: 96 h Lepomis macrochirus mg/L LC50 static 460: 96 h Pimephales promelas mg/L LC50 static	23: 48 h water flea mg/L EC50
METHYL N-AMYL KETONE FCC (2-Heptanone)		126 - 137: 96 h Pimephales promelas mg/L LC50 flow-through	
PHENOL	46.42: 96 h Pseudokirchneriella subcapitata mg/L EC50 0.0188 - 0.1044: 96 h Pseudokirchneriella subcapitata mg/L EC50 static 187 - 279: 72 h Desmodesmus subspicatus mg/L EC50 static	11.9 - 50.5: 96 h Pimephales promelas mg/L LC50 flow-through 20.5 - 25.6: 96 h Pimephales promelas mg/L LC50 static 32: 96 h Pimephales promelas mg/L LC50 5.449 - 6.789: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 7.5 - 14: 96 h Oncorhynchus mykiss mg/L LC50 static 4.23 - 7.49: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 5.0 - 12.0: 96 h Oncorhynchus mykiss mg/L LC50 13.5: 96 h Lepomis macrochirus mg/L LC50 static 11.9 - 25.3: 96 h Lepomis macrochirus mg/L LC50 flow-through 11.5: 96 h Lepomis macrochirus mg/L LC50 semi-static 34.09 - 47.64: 96 h Poecilia reticulata mg/L LC50 static 31: 96 h Poecilia reticulata mg/L LC50 semi-static 27.8: 96 h Brachydanio rerio mg/L LC50 0.00175: 96 h Cyprinus carpio mg/L LC50 semi-static 33.9 - 43.3: 96 h Oryzias latipes mg/L LC50 flow-through 23.4 - 36.6: 96 h Oryzias latipes mg/L LC50 static	4.24 - 10.7: 48 h Daphnia magna mg/L EC50 Static 10.2 - 15.5: 48 h Daphnia magna mg/L EC50

12.2. Persistence and degradability

No information available

12.3. Bioaccumulative potential

No information available

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
BENZYL ALCOHOL	1.1
METHYL N-AMYL KETONE FCC (2-Heptanone)	1.98
PHENOL	1.47

12.4. Mobility in soil

No information available

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

Endocrine Disruptor Information .? is a suspected endocrine disruptor

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused products	Dispose of in accordance with local regulations
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal
Other Information	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used

14. TRANSPORT INFORMATION

DOT/ADR

UN/ID No	1197
Proper shipping name	EXTRACTS, FLAVOURING, LIQUID
Hazard class	3
Packing Group	III
ERG Code	127

IMDG / IMO

Proper shipping name	EXTRACTS, FLAVOURING, LIQUID
Hazard class	3
UN/ID No	1197
Packing Group	III

ICAO/IATA

UN/ID No	1197
Proper shipping name	EXTRACTS, FLAVOURING, LIQUID
Hazard class	3
Packing Group	III

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

WGK Classification

Chemical Name	Germany - Water Classification (VwVwS) - Annex 2 - Water
---------------	--

	Hazard Classes
PROPYLENE GLYCOL 57-55-6	Hazard Class 1
ETHYL ALCOHOL 64-17-5	Hazard Class 1
BENZYL ALCOHOL 100-51-6	Hazard Class 1
PHENOL 108-95-2	Hazard Class 2

International Inventories

All of the components in the product are on the following Inventory lists: No information available.

TSCA	-
EINECS/ELINCS	-
DSL/NDSL	-
PICCS	-
ENCS	-
IECSC	-
AICS	-
KECL	-

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
 PICCS - Philippines Inventory of Chemicals and Chemical Substances
 ENCS - Japan Existing and New Chemical Substances
 IECSC - China Inventory of Existing Chemical Substances
 AICS - Australian Inventory of Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical safety assessment**16. OTHER INFORMATION****Risk Combination Phrases**

R20/22 - Harmful by inhalation and if swallowed

Full text of H-Statements referred to under sections 2 and 3

H333 - May be harmful if inhaled H302 - Harmful if swallowed H301 - Toxic if swallowed H373 - May cause damage to organs (a,b,c) through prolonged or repeated exposure if inhaled H341 - Suspected of causing genetic defects if inhaled H318 - Causes serious eye damage H311 - Toxic in contact with skin H331 - Toxic if inhaled H314 - Causes severe skin burns and eye damage H226 - Flammable liquid and vapor H332 - Harmful if inhaled H225 - Highly flammable liquid and vapor H319 - Causes serious eye irritation

Revision Date 18-May-2017

Revision Note Not applicable.

Revision# 1

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

WARNING/DISCLAIMER:

Apex Flavors, Inc.'s products are sold exclusively for use in food and drink for human consumption. These products have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, and electronic cigarettes or similar devices (collectively "E-Cigarettes"). In supplying this product(s), Apex Flavors, Inc. instructs, and purchasing recipient confirms, that this product(s) will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof. Recipients of our products that use them outside of their intended use of food or drink do so at their own risk and without warranty, either expressed or implied, from Apex Flavors, Inc. or its suppliers. The user assumes all liability for loss, injury, damage, or expense resulting from such uses.

Disclaimer

Food ingredients that are safe to be consumed in food products may pose hazards if not handled properly. This product is intended to be used in food products and, not intended to be consumed in its present form. The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.