





This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 21-Feb-2019

Version 1

## Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## 1.1. Product identifier

Product Code(s)617Product nameLICORICE FLAVOR, NATURAL WONF

Pure substance/mixture Mixture Contains ESTRAGOLE, ETHYL ALCOHOL

1.2. Relevant identified uses of the substance or mixture and uses advised against

cpisano@apexflavors.com

Recommended Use Ingredient for further processing

Uses advised against No information available

### 1.3. Details of the supplier of the safety data sheet

Manufacturer	Apex Flavors, Inc.
	1371 Brass Mill Rd.
	Suite A
	Belcamp, MD 21017
	(410) 565-6600
Ear further information al	aca aontaati

#### For further information, please contact:

E-mail Address			
1.4. Emergency	/ tele	phone	number

Emergency telephone

Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US

## **Section 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008	
Serious eye damage/eye irritation	Category 2 - (H319)
Carcinogenicity	Category 1A - (H350)
Chronic aquatic toxicity	Category 3 - (H412)
Flammable liquids	Category 3 - (H226)



Signal Word

Danger

### **Hazard Statements**

H319 - Causes serious eye irritation H350 - May cause cancer H412 - Harmful to aquatic life with long lasting effects H226 - Flammable liquid and vapor Contains LIMONENE, BENZO DIHYDRO PYRONE (Dihydro Coumarin), ESTRAGOLE EUH208 - May produce an allergic reaction

## Precautionary Statements - EU (§28, 1272/2008)

P201 - Obtain special instructions before use

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P370 + P378 - In case of fire: Use .? to extinguish

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P273 - Avoid release to the environment

### 2.3. Other information

No information available

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1 Substances

Chemical Name	EC-No	CAS-No	Weight %	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Ethanol	200-578-6	64-17-5	30-50%	Flam. Liq. 2 (H225) Flam. Liq. 2 (H225)	No data available
ETHYL ALCOHOL	200-578-6	64-17-5	15-20%	Flam. Liq. 2 (H225) Eye Irrit. 1 (H319)	No data available
ANETHOLE	203-205-5	104-46-1	5-10%	Aquatic Acute 2 (H401) Skin Sens. 1 (H317) Skin Irrit. 3 (H316) Acute Tox. 5 (H303)	No data available
LIMONENE	227-813-5	5989-27-5	<1%	Aquatic Acute 1 (H400) Skin Sens. 1 (H317) Skin Irrit. 1 (H315) Asp. Tox. 1 (H304) Aquatic Chronic 1 (H410) Flam. Liq. 3 (H226)	No data available
BENZO DIHYDRO PYRONE (Dihydro Coumarin)	Present	119-84-6	<1%	Skin Sens. 1 (H317) (EFFA) Skin Irrit. 3 (316) (EFFA) Acute Tox. 4 (H302) (EFFA)	No data available
ESTRAGOLE	205-427-8	140-67-0	<1%	Skin Sens. 1 (H317) Carc. 2 (H351) Muta. 2 (H341) Skin Irrit. 3 (H316) Acute Tox. 4 (H302) Flam. Liq. 4 (H227)	No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

Full text of H- and EUH-phrases: see section 16

## Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation	Move to fresh air. If symptoms persist, call a physician.
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. Wash off immediately with soap and plenty of water.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.
Ingestion	Do NOT induce vomiting. Drink plenty of water. Immediate medical attention is not required. Rinse mouth.
Self-protection of the first aider	Use personal protective equipment.
4.2. Most important symptoms and	effects, both acute and delayed
Main Symptoms	No information available.
4.3. Indication of any immediate me	edical attention and special treatment needed
Note to physicians	May cause sensitization in susceptible persons.

## Section 5: FIRE FIGHTING MEASURES

## 5.1. Extinguishing media

# Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

No information available

### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors In the event of fire and/or explosion do not breathe fumes May cause sensitization in susceptible persons

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment.

## Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Use personal protective equipment. Avoid contact with eyes and skin.

### For emergency responders

Use personal protection recommended in Section 8.

#### 6.2. Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

#### 6.3. Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

After cleaning, flush away traces with water. Prevent product from entering drains.

#### 6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

## Section 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Ensure adequate ventilation. Use personal protective equipment as required.

## **General Hygiene Considerations**

When using, do not eat, drink or smoke. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

### **Storage Conditions**

Keep out of the reach of children. Keep container tightly closed. Keep containers tightly closed in a cool, well-ventilated place.

#### Incompatible products

None known based on information supplied.

#### 7.3 Specific end use(s)

## Risk Management Methods (RMM)

The information required is contained in this Material Safety Data Sheet.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Chemical Name	European Union	The United Kingdom	France	Spain	Germany
Ethanol	-	STEL: 3000 ppm	VME: 1000 ppm VME:	VLA-ED: 1000 ppm	-
64-17-5		STEL: 5760 mg/m <sup>3</sup>	1900 mg/m <sup>3</sup>	VLA-ED: 1910 mg/m <sup>3</sup>	
		TWA: 1000 ppm TWA:			
		1920 mg/m <sup>3</sup>	VLCT: 9500 mg/m <sup>3</sup>		
ETHYL ALCOHOL	-	STEL: 3000 ppm	VME: 1000 ppm VME:	VLA-ED: 1000 ppm	-
64-17-5		STEL: 5760 mg/m <sup>3</sup>	1900 mg/m <sup>3</sup>	VLA-ED: 1910 mg/m <sup>3</sup>	
		TWA: 1000 ppm TWA:	VLCT: 5000 ppm		
		1920 mg/m <sup>3</sup>	VLCT: 9500 mg/m <sup>3</sup>		
Chemical Name	Italy	Portugal	The Netherlands	Finland	Denmark
Ethanol	-	TWA: 1000 ppm	Skin	TWA: 1000 ppm TWA:	TWA: 1000 ppm TWA:
64-17-5			STEL: 1900 mg/m <sup>3</sup>	1900 mg/m <sup>3</sup>	1900 mg/m <sup>3</sup>
			TWA: 260 mg/m <sup>3</sup>	STEL: 1300 ppm	
				STEL: 2500 mg/m <sup>3</sup>	
ETHYL ALCOHOL	-	TWA: 1000 ppm	Skin	TWA: 1000 ppm TWA:	TWA: 1000 ppm TWA:
64-17-5			STEL: 1900 mg/m <sup>3</sup>	1900 mg/m <sup>3</sup>	1900 mg/m³
			TWA: 260 mg/m <sup>3</sup>	STEL: 1300 ppm	
				STEL: 2500 mg/m <sup>3</sup>	
LIMONENE	-	-	-	TWA: 25 ppm TWA:	-
5989-27-5				140 mg/m <sup>3</sup>	
				STEL: 50 ppm STEL:	
				280 mg/m <sup>3</sup>	
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
Ethanol	STEL 2000 ppm STEL	STEL: 1000 ppm	NDS: 1900 mg/m <sup>3</sup>	TWA: 500 ppm TWA:	TWA: 1000 ppm TWA:
64-17-5	3800 mg/m <sup>3</sup>	STEL: 1920 mg/m <sup>3</sup>		950 mg/m³	1900 mg/m <sup>3</sup>
	MAK: 1000 ppm MAK:	MAK: 500 ppm MAK:		STEL: 625 ppm STEL:	
	1900 mg/m <sup>3</sup>	960 mg/m <sup>3</sup>		1187.5 mg/m <sup>3</sup>	
ETHYL ALCOHOL	STEL 2000 ppm STEL	STEL: 1000 ppm	NDS: 1900 mg/m <sup>3</sup>	TWA: 500 ppm TWA:	TWA: 1000 ppm TWA:
64-17-5	3800 mg/m <sup>3</sup>	STEL: 1920 mg/m <sup>3</sup>		950 mg/m <sup>3</sup>	1900 mg/m <sup>3</sup>
	MAK: 1000 ppm MAK:	MAK: 500 ppm MAK:		STEL: 625 ppm STEL:	
	1900 mg/m <sup>3</sup>	960 mg/m <sup>3</sup>		1187.5 mg/m <sup>3</sup>	

LIMONENE	-	STEL: 40 ppm STEL:	-	TWA: 25 ppm TWA:	-
5989-27-5		220 mg/m <sup>3</sup>		140 mg/m <sup>3</sup>	
		MAK: 20 ppm MAK:		STEL: 37.5 ppm	
		110 mg/m <sup>3</sup>		STEL: 175 mg/m <sup>3</sup>	
· · · ·		· · ·			
Derived No Effect Level (D	DNEL)	No information available.			
Predicted No Effect Conce (PNEC)	entration	No information available.			
8.2. Exposure controls					
Engineering Controls		Ensure adequate ventilation,	especially in confine	d areas.	
Personal protective equ	linmont				
Eye/face protection	apment	Tightly fitting safety goggles.			
Skin and body protect	ion	Long sleeved clothing.			
Skill and body protect		Long sieeved clothing.			
	Controlo	Do not allow motorial to cont	aminata around wata	r ovete m	
Environmental Exposure (	Controis	Do not allow material to cont	aminate ground wate	r system.	

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1. Information on basic physical and chemical properties

Physical state Appearance Odor Color	liquid liquid characteristic of licorice colorless	
<u>Property</u> pH Melting/freezing point Boiling point/boiling range Flash Point Evaporation rate Flammability (solid, gas) Flammability Limits in Air	<u>Values</u> 24 °C / 76 °F	• <u>Method</u> No information available No information available FCC Method Closed cup FCC Method No information available
Upper flammability limit lower flammability limit lower flammability limit Vapor pressure mm Hg 20°C Vapor density Relative density Specific Gravity @ 25C Specific Gravity @ 20C Refractive Index Water solubility Solubility in other solvents Partition coefficient: n-octanol/wat Autoignition temperature Decomposition temperature Viscosity, kinematic Viscosity, dynamic Explosive properties Oxidizing Properties	0.8837 - 0.9137 0.8867 - 0.9167 1.3513 - 1.3813 er No information available No information available	No information available No information available No information available No information available No information available FCC Method FCC Method FCC Method No information available No information available No information available No information available No information available No information available No information available
9.2. Other information		
Softening point Molecular Weight VOC Content(%) Density VALUE	No information available No information available No information available No information available	

**Bulk Density VALUE** 

No information available

## Section 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

No data available.

#### 10.2. Chemical stability

Stable under normal conditions.

Explosion data Sensitivity to Mechanical Impact none. Sensitivity to Static Discharge Yes.

#### 10.3. Possibility of hazardous reactions

## Hazardous Reactions

None under normal processing.

## 10.4. Conditions to avoid

None known.

#### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

None under normal use conditions.

## Section 11: TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological effects

#### Acute toxicity

#### **Product Information**

Product does not present an acute toxicity hazard based on known or supplied information.

Inhalation	There is no data available for this product.
Eye contact	There is no data available for this product.
Skin contact	There is no data available for this product.
Ingestion	There is no data available for this product.

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	5,896.00 mg/kg
ATEmix (dermal)	7,639.00 mg/kg
ATEmix (inhalation-dust/mist)	70,651.02 mg/l
Unknown Acute Toxicity	
96 8133978% of the mixture cons	ists of ingredient(s) of un

96.8133978% of the mixture consists of ingredient(s) of unknown toxicity.

43.4452578 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

90.7762778 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

96.8133978 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

96.8133978 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

49.4823778 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

## Oral LD50

Chemical Name Oral LD50 Dermal LD50 LC50 Inhalation
---

Ethanol	7060 mg/kg (Rat)	124.7 mg/L (Rat) 4 h
ETHYL ALCOHOL	7060 mg/kg ( Rat )	124.7 mg/L (Rat) 4 h
Skin corrosion/irritation	No information available.	
Eye damage/irritation	No information available.	
Sensitization	No information available.	
Germ Cell Mutagenicity	No information available.	
Carcinogenicity	No information available.	
Reproductive toxicity	No information available.	
Specific target organ systemic toxicity (single exposure)	No information available.	
Specific target organ systemic toxicity (repeated exposure)	No information available.	
Target Organ Effects	Blood, Central nervous system Skin.	, Eyes, Liver, Reproductive system, Respiratory system,
Aspiration hazard	No information available.	

## Section 12: ECOLOGICAL INFORMATION

## 12.1. Toxicity

### Ecotoxicity

Toxic to aquatic life Harmful to aquatic life with long lasting effects

## 43.94526% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Ethanol	-	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static
ETHYL ALCOHOL	-	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static
LIMONENE	-	0.619-0.796: 96 h Pimephales promelas mg/L LC50 flow-through 35: 96 h Oncorhynchus mykiss mg/L LC50	-

## 12.2. Persistence and degradability

No information available.

## 12.3. Bioaccumulative potential

No information available.

Chemical Name	log Pow
Ethanol	-0.32
ETHYL ALCOHOL	-0.32

### 12.4. Mobility in soil

Mobility in soil

No information available.

## 12.5. Results of PBT and vPvB assessment

No information available.

#### 12.6. Other adverse effects

No information available

## Section 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Waste from residues / unused products	Dispose of in accordance with local regulations.
Contaminated packaging	Empty remaining contents.
Other Information	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

## Section 14: TRANSPORT INFORMATION

IMDG / IMO 14.1 UN/ID No 14.2 Proper shipping name 14.3 Hazard class 14.4 Packing Group	1197 EXTRACTS, FLAVOURING, LIQUID 3 III
DOT/ADR/RID 14.1 UN/ID No 14.2 Proper shipping name 14.3 Hazard class 14.4 Packing Group	1197 EXTRACTS, FLAVOURING, LIQUID 3 III
ICAO/IATA 14.1 UN/ID No 14.2 Proper shipping name 14.3 Hazard class 14.4 Packing Group 14.5 Environmental hazard 14.6 Special Provisions	1197 EXTRACTS, FLAVOURING, LIQUID 3 III Not applicable None

## Section 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

#### Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

### Persistent Organic Pollutants

Not applicable

### Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

#### International Inventories **TSCA** Complies DSL/NDSL Complies EINECS/ELINCS Complies Complies ENCS Complies IECSC Complies KECL Complies PICCS Complies AICS

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 $\ensuremath{\mathsf{DSL/NDSL}}$  - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### 15.2. Chemical safety assessment

No information available

## Section 16: OTHER INFORMATION

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of R-phrases referred to under sections 2 and 3

R22 - Harmful if swallowed

R43 - May cause sensitization by skin contact

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

#### Full text of H-Statements referred to under section 3

H401 - Toxic to aquatic life

H317 - May cause an allergic skin reaction

H316 - Causes mild skin irritation

H303 - May be harmful if swallowed

H302 - Harmful if swallowed

H351 - Suspected of causing cancer if inhaled
---

- H341 Suspected of causing genetic defects if inhaled
- H227 Combustible liquid
- H400 Very toxic to aquatic life
- H315 Causes skin irritation

#### H304 - May be fatal if swallowed and enters airways

- H410 Very toxic to aquatic life with long lasting effects
- H226 Flammable liquid and vapor
- H225 Highly flammable liquid and vapor
- H319 Causes serious eye irritation

#### Legend

Reason for revision:

SVHC: Substances of Very High Concern for Authorization:

### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA:	Time weighted average	
Ceiling:	Maximum limit value:	
Revision Date	21-Feb-2019	

Short term exposure limit Skin designation

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Not applicable.

WARNING/DISCLAIMER: Apex Flavors, Inc.'s products are sold exclusively for use in food and drink for human consumption. These products have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, and electronic cigarettes or similar devices (collectively "E-Cigarettes"). In supplying this product(s), Apex Flavors, Inc. instructs, and purchasing recipient confirms, that this product(s) will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof. Recipients of our products that use them outside of their intended use of food or drink do so at their own risk and without warranty, either expressed or implied, from Apex Flavors, Inc. or its suppliers. The user assumes all liability for loss, injury, damage, or expense resulting from such uses.

STEL: