# APEX FLAVORS, INC.

# SAFETY DATA SHEET.

Version 1

# 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Number	281BEV				
Manufacturer	Apex Flavors, Inc. 1371 Brass Mill Rd. Suite A Belcamp, MD 21017 (410) 565-6600				
Product name Pure substance/mixture	KALAMANSI TYPE, NATURAL FLAVOR BLEND Mixture				
1.2. Relevant identified uses of the	substance or mixture and uses advised against				
Recommended Use	Not for direct consumption				
1.3. Details of the supplier of the sa	afety data sheet				
For further information, please contact:					
E-mail Address	cpisano@apexflavors.com				
1.4. Emergency telephone number					

**Emergency telephone** 

Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US

# 2. HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

Skin corrosion/irritation	Category 3
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Carcinogenicity	Category 1A
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 2
Flammable liquids	Category 2

### Classification according to EU Directives 67/548/EEC or 1999/45/EC


For the full text of the R-phrases mentioned in this Section, see Section 16

### Symbol(s)

- Xi Irritant
- F Highly flammable N - Dangerous for the environment
- in Dangerous for the enviro

### **R-code(s)** F;R11 - R43 - N;R51/53

### 2.2. Label elements



Signal Word

Danger

### Hazard Statements

- H316 Causes mild skin irritation
- H319 Causes serious eye irritation
- H317 May cause an allergic skin reaction
- H350 May cause cancer
- H411 Toxic to aquatic life with long lasting effects

### **Precautionary Statements**

P280 - Wear eye protection/ face protection

P321 - Specific treatment (see .? on this label)

P201 - Obtain special instructions before use

P281 - Use personal protective equipment as required

P308 + P313 - IF exposed or concerned: Get medical advice/ attention

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

### 2.3. Other information

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

### 3.1 Substances

Chemical Name	EC-No	CAS-No	Alternate CAS #	Weight %	Classificatio n according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
ETHYL ALCOHOL	200-578-6	64-17-5		50-90%	F; R11	Flam. Liq. 2 (H225) Eye Irrit. 1 (H319)	No data available
LIMONENE	227-813-5	5989-27-5		1-5%	R10, XI; R38, XI; R43, N; R50/53;	Aquatic Acute 1 (H400) Skin Sens. 1 (H317) Skin Irrit. 1 (H315) Asp. Tox. 1 (H304) Aquatic Chronic 1 (H410) Flam. Liq. 3 (H226)	No data available
PINENES	201-291-9	80-56-8		<1	R10, XI; R43, N; R50/53, XN; R65;	Aquatic Acute 1 (H400) Skin Sens. 1 (H317) Skin Irrit. 1 (H315) Asp. Tox. 1 (H304) Aquatic Chronic 1 (H410) Acute Tox. 5 (H303) Flam. Liq. 3 (H226)	No data available

# 281BEV KALAMANSI TYPE, NATURAL FLAVOR BLEND

P-CYMENE	202-796-7	99-87-6	<1	R10, N;	Aquatic Acute 2 (H401)	No data available
				R51/53, XN;	Skin Irrit. 3 (H316)	
				R65;	Aquatic Chronic 2 (H411)	
					Asp. Tox. 1 (H304)	
					Acute Tox. 5 (H303)	
					Flam. Liq. 3 (H226)	

For the full text of the R-phrases mentioned in this Section, see Section 16

# 4. FIRST AID MEASURES

### 4.1. Description of first aid measures

General advice	Immediate medical attention is required Show this material safety data sheet to the doctor in attendance.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes If symptoms persist, call a physician
Skin contact	Wash off immediately with plenty of water. Wash off immediately with soap and plenty of water.
Ingestion	Do NOT induce vomiting. Drink plenty of water. Immediate medical attention is not required. Rinse mouth.
Inhalation	Move to fresh air. If symptoms persist, call a physician.
Self-protection of the first aider	Remove all sources of ignition
	<b></b>

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons

# **5. FIRE-FIGHTING MEASURES**

### 5.1. Extinguishing media

### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Extinguishing media which shall not be used for safety reasons No information available

### 5.2. Special hazards arising from the substance or mixture

Special Hazard None

### 5.3. Advice for firefighters

### Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear

### 6. ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation. Use personal protective equipment.

See Section 12 for additional Ecological Information

### 6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)

# 7. HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Use only in an area containing flame proof equipment. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep containers tightly closed in a cool, well-ventilated place.

### 7.3 Specific end use(s)

Exposure scenario N/A
Other Guidelines N/A

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

### Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical Name	European Union	The United Kingdom	France	Spain	Germany
ETHYL ALCOHOL		STEL: 3000 ppm	VME: 1000 ppm VME:	VLA-ED: 1000 ppm	MAK: 500 ppm MAK:
64-17-5		STEL: 5760 mg/m <sup>3</sup>	1900 mg/m <sup>3</sup>	VLA-ED: 1910 mg/m <sup>3</sup>	960 mg/m <sup>3</sup>
		TWA: 1000 ppm TWA:	VLCT: 5000 ppm		Ceiling / Peak: 1000
		1920 mg/m <sup>3</sup>	VLCT: 9500 mg/m <sup>3</sup>		ppm Ceiling / Peak:
					1920 mg/m <sup>3</sup>
					Skin
					TWA: 500 ppm TWA:
					960 mg/m <sup>3</sup>
LIMONENE					MAK: 20 ppm MAK:
5989-27-5					110 mg/m <sup>3</sup>
					Ceiling / Peak: 40 ppm
					Ceiling / Peak: 220
					mg/m <sup>3</sup>
					TWA: 20 ppm TWA:
					110 mg/m <sup>3</sup>
PINENES				VLA-ED: 20 ppm	
80-56-8				VLA-ED: 113 mg/m <sup>3</sup>	

Chemical Name	Italy	Portugal	The Netherlands	Finland	Denmark
ETHYL ALCOHOL		TWA: 1000 ppm	Skin	TWA: 1000 ppm TWA:	TWA: 1000 ppm TWA:
64-17-5			STEL: 1900 mg/m <sup>3</sup>	1900 mg/m <sup>3</sup>	1900 mg/m <sup>3</sup>
			TWA: 260 mg/m <sup>3</sup>	STEL: 1300 ppm	_
				STEL: 2500 mg/m <sup>3</sup>	
LIMONENE				TWA: 25 ppm TWA:	

5989-27-5		140 mg/m <sup>3</sup> STEL: 50 ppm STEL: 280 mg/m <sup>3</sup>	
PINENES 80-56-8	TWA: 20 ppm		
P-CYMENE 99-87-6			TWA: 25 ppm TWA: 135 mg/m <sup>3</sup>

Chemical Name	Austria	Sweden - Occupational Exposure Limits - TLVs (LLVs)	Switzerland	Poland	Norway
ETHYL ALCOHOL 64-17-5	STEL 2000 ppm STEL 3800 mg/m <sup>3</sup> MAK: 1000 ppm MAK: 1900 mg/m <sup>3</sup>	500 ppm NGV 1000 mg/m³ NGV	STEL: 1000 ppm STEL: 1920 mg/m <sup>3</sup> MAK: 500 ppm MAK: 960 mg/m <sup>3</sup>	NDS: 1900 mg/m <sup>3</sup>	TWA: 500 ppm TWA: 950 mg/m <sup>3</sup> STEL: 625 ppm STEL: 1187.5 mg/m <sup>3</sup>
LIMONENE 5989-27-5			STEL: 40 ppm STEL: 220 mg/m <sup>3</sup> MAK: 20 ppm MAK: 110 mg/m <sup>3</sup>		TWA: 25 ppm TWA: 140 mg/m <sup>3</sup> STEL: 37.5 ppm STEL: 175 mg/m <sup>3</sup>
PINENES 80-56-8		25 ppm NGV 150 mg/m <sup>3</sup> NGV			TWA: 25 ppm TWA: 140 mg/m <sup>3</sup> Skin STEL: 37.5 ppm STEL: 175 mg/m <sup>3</sup>
P-CYMENE 99-87-6		25 ppm NGV 140 mg/m <sup>3</sup> NGV			

Component	Ireland
ETHYL ALCOHOL	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>
64-17-5 ( 50-90% )	

Derived No Effect Level (DNEL)	No information available
Predicted No Effect Concentration (PNEC)	No information available
8.2. Exposure controls	
Engineering Controls	Ensure adequate ventilation, especially in confined areas
Personal protective equipment Eye Protection Hand Protection Skin and body protection Respiratory protection	Tightly fitting safety goggles Protective gloves Antistatic boots Wear fire/ flame resistant/ retardant clothing Impervious gloves When workers are facing concentrations above the exposure limit they must use appropriate certified respirators
General Hygiene Considerations	When using, do not eat, drink or smoke Provide regular cleaning of equipment, work area and clothing
Environmental Exposure Controls	Do not allow material to contaminate ground water system

translucent yellow

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Physical state Odor	liquid characteristic of kalamansi	Appearance Color
Property pH Melting/freezing poir Boiling point/boiling Flash Point Evaporation rate Flammability (solid, g Flammability Limits i Upper flammability	range 19 °C / 66 °F gas) in Air / limit	<u>Method</u> No information available No information available FCC Method Closed cup FCC Method No information available No information available
lower flammability Vapor pressure mm Vapor density Relative density Specific Gravity @ 20 Refractive Index Water solubility Partition coefficient: Autoignition tempera Decomposition temp Viscosity, dynamic	Hg 20°C 5C 0.8133 - 0.8433 0C 0.8163 - 0.8463 1.3591 - 1.3891 n-octanol/water ature	No information available No information available No information available FCC Method FCC Method FCC Method No information available No information available No information available No information available
Explosive properties Oxidizing Properties		

9.2. Other information

VOC Content(%) Molecular Weight 93.39104 No information available

# **10. STABILITY AND REACTIVITY**

### 10.1. Reactivity

### 10.2. Chemical stability

Stable under normal conditions

### 10.3. Possibility of hazardous reactions

### 10.4. Conditions to avoid

Heat, flames and sparks

### 10.5. Incompatible materials

No materials to be especially mentioned

### 10.6. Hazardous decomposition products

None under normal use conditions

# **11. TOXICOLOGICAL INFORMATION**

### 11.1. Information on toxicological effects

Acute toxicity			
Inhalation	There is no data available for this product		
Eye contact	There is no data available for this product		
Skin contact	There is no data available for this product		
Ingestion	There is no data available for this product		
Acute toxicity	3.764685% of the mixture consists of ingredient(s) of unknown toxicity		
The following values are calculated based on chapter 3.1 of the GHS document (Rev. 1, 2005):			
Oral Dermal	7,151.00 mg/kg 41,978.00 mg/kg		
Inhalation Mist	73,905.50 mg/l		
Skin corrosion/irritation Eye damage/irritation Sensitization Germ Cell Mutagenicity Carcinogenicity	No information available No information available No information available No information available No information available		
Specific target organ systemic toxicity (single exposure)	No information available		
Specific target organ systemic toxicity (repeated exposure)	No information available		
Target Organ Effects	Blood Central nervous system Eyes Liver Reproductive system Respiratory system Skin		
Aspiration hazard	No information available		

# **12. ECOLOGICAL INFORMATION**

### 12.1. Toxicity

# Ecotoxicity effects

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
ETHYL ALCOHOL		mykiss mL/L LC50 static 100: 96 h	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static
LIMONENE		0.619-0.796: 96 h Pimephales promelas mg/L LC50 flow-through 35: 96 h Oncorhynchus mykiss	

	mg/L LC50	
PINENES	0.28: 96 h Pimephales promelas mg/L LC50 static	41: 48 h Daphnia magna mg/L LC50

### 12.2. Persistence and degradability

No information available

### 12.3. Bioaccumulative potential

No information available

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
PINENES	4.1
P-CYMENE	4.1

### 12.4. Mobility in soil

No information available

### 12.5. Results of PBT and vPvB assessment

### 12.6. Other adverse effects

Endocrine Disruptor Information

.? is a suspected endocrine disruptor

# **13. DISPOSAL CONSIDERATIONS**

### 13.1. Waste treatment methods

Waste from residues / unused products	Dispose of in accordance with local regulations
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal
Other Information	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used

# 14. TRANSPORT INFORMATION

DOT/ADR UN/ID No Proper shipping name Hazard class Packing Group ERG Code	1197 EXTRACTS, FLAVOURING, LIQUID 3 II 127
IMDG / IMO	
Proper shipping name	EXTRACTS, FLAVOURING, LIQUID
Hazard class	3
UN/ID No	1197
Packing Group	
Marine pollutant	This product contains a chemical which is listed as a marine pollutant according to IMDG/IMO
ICAO/IATA	
UN/ID No	1197
Proper shipping name	EXTRACTS, FLAVOURING, LIQUID

Hazard class	3		
Packing Group			
Marine Pollutant	Р		

# **15. REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **WGK Classification**

Chemical Name	Germany - Water Classification (VwVwS) - Annex 2 - Water	
	Hazard Classes	
ETHYL ALCOHOL	Hazard Class 1	
64-17-5		

### International Inventories

All of the components in the product are on the following Inventory lists: No information available.

TSCA	-
EINECS/ELINCS	-
DSL/NDSL	-
PICCS	-
ENCS	-
IECSC	-
AICS	-
KECL	-

Legend

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

### 15.2. Chemical safety assessment

# **16. OTHER INFORMATION**

### **Risk Combination Phrases**

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

### Full text of H-Statements referred to under sections 2 and 3

H400 - Very toxic to aquatic life H317 - May cause an allergic skin reaction H315 - Causes skin irritation H304 - May be fatal if swallowed and enters airways H410 - Very toxic to aquatic life with long lasting effects H226 - Flammable liquid and vapor H225 - Highly flammable liquid and vapor H319 - Causes serious eye irritation H303 - May be harmful if swallowed H401 - Toxic to aquatic life H316 - Causes mild skin irritation H411 - Toxic to aquatic life with long lasting effects

Revision Date	16-Apr-2018
Revision Note	Not applicable.
Revision#	1

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

### WARNING/DISCLAIMER:

Apex Flavors, Inc.'s products are sold exclusively for use in food and drink for human consumption. These products have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, and electronic cigarettes or similar devices (collectively "E-Cigarettes"). In supplying this product(s), Apex Flavors, Inc. instructs, and purchasing recipient confirms, that this product(s) will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof. Recipients of our products that use them outside of their intended use of food or drink do so at their own risk and without warranty, either expressed or implied, from Apex Flavors, Inc. or its suppliers. The user assumes all liability for loss, injury, damage, or expense resulting from such uses.

### Disclaimer

Food ingredients that are safe to be consumed in food products may pose hazards if not handled properly. This product is intended to be used in food products and, not intended to be consumed in its present form. The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.