



1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Number 713CON

Manufacturer Apex Flavors, Inc.
1371 Brass Mill Rd
Suite A
Belcamp, MD 21017
(410) 565-6600

Product name PEAR TYPE, NATURAL FLAVOR BLEND (OIL SOLUBLE)
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use No information available

1.3. Details of the supplier of the safety data sheet

For further information, please contact:

E-mail Address cpisano@apexflavors.com

1.4. Emergency telephone number

Emergency telephone Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Acute oral toxicity	Category 5
Acute dermal toxicity	Category 5
Acute inhalation toxicity - dust/mist	Category 2
Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 2
Acute aquatic toxicity	Not classified for acute
Flammable liquids	Category 4

Classification according to EU Directives 67/548/EEC or 1999/45/EC
For the full text of the R-phrases mentioned in this Section, see Section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

- H303 - May be harmful if swallowed
- H313 - May be harmful in contact with skin
- H319 - Causes serious eye irritation
- H330 - Fatal if inhaled
- H351 - Suspected of causing cancer
- H411 - Toxic to aquatic life with long lasting effects

H227 - Combustible liquid

Precautionary Statements

- P310 - Immediately call a POISON CENTER or doctor/ physician
- P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing
- P403 + P233 - Store in a well-ventilated place. Keep container tightly closed
- P260 - Do not breathe dust/fume/gas/mist/vapors/spray
- P320 - Specific treatment is urgent (see .? on this label)
- P281 - Use personal protective equipment as required
- P403 + P235 - Store in a well-ventilated place. Keep cool
- P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction
- P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking
- P280 - Wear protective gloves/ eye protection/ face protection

2.3. Other information

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	EC-No	CAS-No	Alternate CAS #	Weight %	Classification according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
ETHYL ALCOHOL	Present	64-17-5		15-20%	F; R11	Eye Irrit. 1 (H319) (EFFA) Flam. Liq. 2 (H225) (EFFA) Flam. Liq. 2 (H225)	No data available
BENZYL ALCOHOL	Present	100-51-6		10-15%	Xn; R20/22	Acute Tox. 4 (H302) Eye Irrit. 1 (H319) (EFFA) Acute Tox. 4 (H302) (EFFA) Acute Tox. 5 (H313)(EFFA) Acute Tox. 4 (H332)(EFFA) Eye Irrit. 1 (H319) Acute Tox. 4 (H302) Acute Tox. 5 (H313) Acute Tox. 4 (H332) Acute Tox. 4 (H332)	No data available
ACETIC ACID	Present	64-19-7		1-5%	R10 C; R35	Skin Corr. 1A (314) (EFFA) Eye Dam. 1 (H318) (EFFA) Flam. Liq. 3 (H226)(EFFA) Skin Corr. 1A (H314) Eye Dam. 1 (H318) Skin Corr. 1A (H314) Flam. Liq. 3 (H226)	No data available
PROPIONIC ACID	201-176-3	79-09-4		1-5%	C; R34	Skin Corr. 1B (314) (EFFA) Eye Dam. 1 (H318) (EFFA) Acute Tox. 5 (H303)(EFFA) Flam. Liq. 3 (H226)(EFFA) Skin Corr. 1B (H314) Eye Dam. 1 (H318)	No data available

ACETALDEHYDE	200-836-8	75-07-0		1-5%	F+; R12 Xi; R36/37 Carc.Cat.3; R40	Carc. 2 (H351) (EFFA) Eye Irrit. 1 (H319) (EFFA) Flam. Liq. 1 (H224) (EFFA) Flam. Liq. 1 (H224) STOT SE 3 (H335) Carc. 2 (H351) Eye Irrit. 2 (H319)	No data available
ISOAMYL ACETATE	Present	123-92-2		1-5%	R10 R66	Aquatic Acute 3 (H402) (EFFA) (EUH066) Flam. Liq. 3 (H226)	No data available
TRANS-2-HEXENAL	229-778-1	6728-26-3		<1	-	Aquatic Acute 2 (H401) (EFFA) Skin Sens. 1 (H317) (EFFA) Skin Irrit. 3 (316) (EFFA) Aquatic Chronic 2 (H411) (EFFA) Acute Tox. 4 (H302) (EFFA) Acute Tox. 3 (H311)(EFFA) Flam. Liq. 3 (H226)(EFFA)	No data available
FURFURAL	Present	98-01-1		<1	Xn; R21 T; R23/25 Xi; R36/37/38 Carc.Cat.3; R40	Acute Tox. 3 (H301) Carc. 2 (H351) (EFFA) Eye Irrit. 1 (H319) (EFFA) Skin Irrit. 2 (315) (EFFA) Acute Tox. 3 (H301) (EFFA) Acute Tox. 4 (H312)(EFFA) Flam. Liq. 4 (H227)(EFFA) Acute Tox. 3 (H331)(EFFA) Carc. 2 (H351) Eye Irrit. 1 (H319) Skin Irrit. 2 (H315) Acute Tox. 3 (H301) Acute Tox. 4 (H312) Acute Tox. 3 (H331) Acute Tox. 4 (H312) Skin Irrit. 2 (H315) STOT SE 3 (H335) Carc. 2 (H351) Acute Tox. 3 (H331) Eye Irrit. 2 (H319)	No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

4.1. Description of first aid measures

- Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
- Skin contact** Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
- Ingestion** Clean mouth with water and drink afterwards plenty of water.
- Inhalation** Move to fresh air.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Extinguishing media which shall not be used for safety reasons

No information available

5.2. Special hazards arising from the substance or mixture

Special Hazard

None

5.3. Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

See Section 12 for additional Ecological Information

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Ensure adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

Exposure scenario N/A

Other Guidelines N/A

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical Name	European Union	The United Kingdom	France	Spain	Germany
---------------	----------------	--------------------	--------	-------	---------

**713CON PEAR TYPE, NATURAL FLAVOR BLEND
(OIL SOLUBLE)**

Revision Date 09-Jul-2015

ETHYL ALCOHOL 64-17-5		STEL: 3000 ppm STEL: 5760 mg/m ³ TWA: 1000 ppm TWA: 1920 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³ STEL: 5000 ppm STEL: 9500 mg/m ³	STEL: 1000 ppm STEL: 1910 mg/m ³	TWA: 500 ppm TWA: 960 mg/m ³ Ceiling / Peak: 1000 ppm Ceiling / Peak: 1920 mg/m ³ Skin
ACETIC ACID 64-19-7	TWA 10 ppm TWA 25 mg/m ³		STEL: 10 ppm STEL: 25 mg/m ³	STEL: 15 ppm STEL: 37 mg/m ³ TWA: 10 ppm TWA: 25 mg/m ³	TWA: 10 ppm TWA: 25 mg/m ³ Ceiling / Peak: 20 ppm Ceiling / Peak: 50 mg/m ³
PROPIONIC ACID 79-09-4	TWA 10 ppm TWA 31 mg/m ³ STEL 20 ppm STEL 62 mg/m ³	STEL: 15 ppm STEL: 46 mg/m ³ TWA: 10 ppm TWA: 31 mg/m ³	TWA: 10 ppm TWA: 31 mg/m ³ STEL: 20 ppm STEL: 62 mg/m ³	STEL: 20 ppm STEL: 62 mg/m ³ TWA: 10 ppm TWA: 31 mg/m ³	TWA: 10 ppm TWA: 31 mg/m ³ Ceiling / Peak: 20 ppm Ceiling / Peak: 62 mg/m ³
ACETALDEHYDE 75-07-0		STEL: 50 ppm STEL: 92 mg/m ³ TWA: 20 ppm TWA: 37 mg/m ³	TWA: 100 ppm TWA: 180 mg/m ³	STEL: 25 ppm STEL: 46 mg/m ³	TWA: 50 ppm TWA: 91 mg/m ³ Ceiling / Peak: 50 ppm Ceiling / Peak: 91 mg/m ³ Skin
ISOAMYL ACETATE 123-92-2	TWA 50 ppm TWA 270 mg/m ³ STEL 100 ppm STEL 540 mg/m ³	TWA: 50 ppm TWA: 270 mg/m ³	TWA: 50 ppm TWA: 270 mg/m ³ STEL: 100 ppm STEL: 540 mg/m ³	STEL: 100 ppm STEL: 540 mg/m ³ TWA: 50 ppm TWA: 270 mg/m ³	TWA: 50 ppm TWA: 270 mg/m ³ Ceiling / Peak: 50 ppm Ceiling / Peak: 270 mg/m ³
FURFURAL 98-01-1		STEL: 5 ppm STEL: 20 mg/m ³ TWA: 2 ppm TWA: 8 mg/m ³ Skin	STEL: 2 ppm STEL: 8 mg/m ³	S* TWA: 2 ppm TWA: 8 mg/m ³	Skin

Chemical Name	Italy	Portugal	The Netherlands	Finland	Denmark
ETHYL ALCOHOL 64-17-5		TWA: 1000 ppm	Skin STEL: 1900 mg/m ³ TWA: 260 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³ STEL: 1300 ppm STEL: 2500 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³
BENZYL ALCOHOL 100-51-6				TWA: 10 ppm TWA: 45 mg/m ³	
ACETIC ACID 64-19-7		STEL: 15 ppm TWA: 10 ppm TWA: 25 mg/m ³	TWA: 25 mg/m ³	TWA: 5 ppm TWA: 13 mg/m ³ STEL: 10 ppm STEL: 25 mg/m ³	TWA: 10 ppm TWA: 25 mg/m ³
PROPIONIC ACID 79-09-4	TWA: 10 ppm TWA: 31 mg/m ³ STEL: 20 ppm STEL: 62 mg/m ³	STEL: 20 ppm STEL: 62 mg/m ³ TWA: 10 ppm TWA: 31 mg/m ³	STEL: 62 mg/m ³ TWA: 31 mg/m ³	TWA: 10 ppm TWA: 31 mg/m ³ STEL: 20 ppm STEL: 61 mg/m ³	TWA: 10 ppm TWA: 31 mg/m ³
ACETALDEHYDE 75-07-0		Ceiling: 25 ppm	STEL: 92 mg/m ³ TWA: 37 mg/m ³	STEL: 25 ppm STEL: 46 mg/m ³	Ceiling: 25 ppm Ceiling: 45 mg/m ³
ISOAMYL ACETATE 123-92-2	TWA: 50 ppm TWA: 270 mg/m ³ STEL: 100 ppm STEL: 540 mg/m ³	STEL: 100 ppm STEL: 540 mg/m ³ TWA: 50 ppm	STEL: 530 mg/m ³	TWA: 50 ppm TWA: 270 mg/m ³ STEL: 100 ppm STEL: 540 mg/m ³	TWA: 50 ppm TWA: 271 mg/m ³
FURFURAL 98-01-1		TWA: 2 ppm		TWA: 2 ppm TWA: 8 mg/m ³ STEL: 5 ppm STEL: 20 mg/m ³ Skin	TWA: 2 ppm TWA: 7.9 mg/m ³ Skin

Chemical Name	Austria	Sweden - Occupational Exposure Limits - TLVs (LLVs)	Switzerland	Poland	Norway
ETHYL ALCOHOL 64-17-5	STEL 2000 ppm STEL 3800 mg/m ³ TWA: 1000 ppm TWA: 1900 mg/m ³	500 ppm NGV 1000 mg/m ³ NGV	STEL: 1000 ppm STEL: 1920 mg/m ³ TWA: 500 ppm TWA: 960 mg/m ³	TWA: 1900 mg/m ³	TWA: 500 ppm TWA: 950 mg/m ³ STEL: 625 ppm STEL: 1187.5 mg/m ³
BENZYL ALCOHOL 100-51-6				TWA: 240 mg/m ³	
ACETIC ACID 64-19-7	STEL 20 ppm STEL 50 mg/m ³ TWA: 10 ppm TWA: 25 mg/m ³	5 ppm NGV 13 mg/m ³ NGV	STEL: 20 ppm STEL: 50 mg/m ³ TWA: 10 ppm TWA: 25 mg/m ³	STEL: 30 mg/m ³ TWA: 15 mg/m ³	TWA: 10 ppm TWA: 25 mg/m ³ STEL: 20 ppm STEL: 37.5 mg/m ³
PROPIONIC ACID 79-09-4	STEL 20 ppm STEL 62 mg/m ³ TWA: 10 ppm TWA: 31 mg/m ³	10 ppm NGV 30 mg/m ³ NGV	STEL: 20 ppm STEL: 60 mg/m ³ TWA: 10 ppm TWA: 30 mg/m ³	STEL: 45 mg/m ³ TWA: 30 mg/m ³	TWA: 10 ppm TWA: 30 mg/m ³ STEL: 20 ppm STEL: 45 mg/m ³
ACETALDEHYDE 75-07-0	STEL 50 ppm STEL 90 mg/m ³ TWA: 50 ppm TWA: 90 mg/m ³ Ceiling 50 ppm Ceiling 90 mg/m ³	25 ppm NGV 45 mg/m ³ NGV	STEL: 50 ppm STEL: 90 mg/m ³ TWA: 90 mg/m ³ TWA: 50 ppm	: 45 mg/m ³ TWA: 5 mg/m ³	TWA: 25 ppm TWA: 45 mg/m ³ STEL: 37.5 ppm STEL: 67.5 mg/m ³
ISOAMYL ACETATE 123-92-2	STEL 100 ppm STEL 540 mg/m ³ TWA: 50 ppm TWA: 270 mg/m ³	50 ppm NGV 270 mg/m ³ NGV	TWA: 50 ppm TWA: 260 mg/m ³	STEL: 500 mg/m ³ TWA: 250 mg/m ³	TWA: 50 ppm TWA: 260 mg/m ³ STEL: 75 ppm STEL: 325 mg/m ³
FURFURAL 98-01-1	Skin TWA: 5 ppm TWA: 20 mg/m ³	2 ppm NGV 8 mg/m ³ NGV	Skin TWA: 2 ppm TWA: 8 mg/m ³	STEL: 25 mg/m ³ TWA: 10 mg/m ³	TWA: 2 ppm TWA: 8 mg/m ³ Skin STEL: 4 ppm STEL: 16 mg/m ³

Component	Ireland
ETHYL ALCOHOL 64-17-5 (15-20%)	STEL: 1000 ppm
ACETIC ACID 64-19-7 (1-5%)	TWA: 10 ppm TWA: 25 mg/m ³ STEL: 15 ppm STEL: 37 mg/m ³
PROPIONIC ACID 79-09-4 (1-5%)	TWA: 10 ppm TWA: 31 mg/m ³ STEL: 20 ppm STEL: 62 mg/m ³
ACETALDEHYDE 75-07-0 (1-5%)	TWA: 25 ppm TWA: 45 mg/m ³ STEL: 25 ppm STEL: 45 mg/m ³
ISOAMYL ACETATE 123-92-2 (1-5%)	TWA: 50 ppm TWA: 260 mg/m ³ STEL: 100 ppm STEL: 520 mg/m ³
FURFURAL 98-01-1 (<1)	TWA: 2 ppm TWA: 8 mg/m ³ STEL: 5 ppm STEL: 20 mg/m ³ Skin

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas

Personal protective equipment

Eye Protection Tightly fitting safety goggles
Hand Protection Protective gloves
Skin and body protection Long sleeved clothing
Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

Environmental Exposure Controls No information available

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	liquid	Appearance	clear
Odor	pear	Color	yellow
<u>Property</u>	<u>Values</u>	<u>Method</u>	
pH		No information available	
Melting/freezing point		No information available	
Boiling point/boiling range		FCC Method	
Flash Point	93 °C / 200 °F	Closed cup	
Evaporation rate		FCC Method	
Flammability (solid, gas)		No information available	
Flammability Limits in Air		No information available	
Upper flammability limit			
lower flammability limit			
Vapor pressure mm Hg 20°C		No information available	
Vapor density		No information available	
Relative density		No information available	
Specific Gravity @ 25C	1.0128 - 1.0428	FCC Method	
Specific Gravity @ 20C	1.0158 - 1.0458	FCC Method	
Refractive Index	1.414 - 1.444	FCC Method	
Water solubility		No information available	
Partition coefficient: n-octanol/water		No information available	
Autoignition temperature		No information available	
Decomposition temperature		No information available	
Viscosity, dynamic		No information available	
Explosive properties	No information available		
Oxidizing Properties	No information available		

9.2. Other information

VOC Content(%) 43.3341201832736
Molecular Weight No information available

10. STABILITY AND REACTIVITY

10.1. Reactivity

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Heat, flames and sparks

10.5. Incompatible materials

No materials to be especially mentioned

10.6. Hazardous decomposition products

None under normal use conditions

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Inhalation There is no data available for this product

Eye contact There is no data available for this product

Skin contact There is no data available for this product

Ingestion There is no data available for this product

Acute toxicity 3.39798% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document (Rev. 1, 2005):

Oral 3,052.00 mg/kg
Dermal 2,513.00 mg/kg
Mist 0.32 mg/l
Vapor 75.00 mg/l

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
ETHYL ALCOHOL			124.7 mg/L (Rat) 4 h
BENZYL ALCOHOL	1230 mg/kg (Rat)	2 g/kg (Rabbit)	8.8 mg/L (Rat) 4 h
ACETIC ACID	3310 mg/kg (Rat)	1060 mg/kg (Rabbit)	11.4 mg/L (Rat) 4 h
PROPIONIC ACID	= 2600 mg/kg (Rat)	= 496 mg/kg (Rabbit)	= 4650 ppm (Rat) 8 h
ACETALDEHYDE	1930 mg/kg (Rat)		
ISOAMYL ACETATE	16600 mg/kg (Rat)	5 g/kg (Rabbit)	
TRANS-2-HEXENAL	780 mg/kg (Rat)	600 mg/kg (Rabbit)	
FURFURAL	125 mg/kg (Rat)	500 - 1000 mg/kg (Rabbit)	175 ppm (Rat) 6 h

Skin corrosion/irritation No information available
Eye damage/irritation No information available
Sensitization No information available
Germ Cell Mutagenicity No information available
Carcinogenicity No information available

Specific target organ systemic toxicity (single exposure) No information available

Specific target organ systemic toxicity (repeated exposure) No information available

Target Organ Effects Blood Central nervous system Eyes Kidney Liver Reproductive system Respiratory system Skin Teeth

Aspiration hazard

No information available

12. ECOLOGICAL INFORMATION**12.1. Toxicity****Ecotoxicity effects**

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
ETHYL ALCOHOL		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static
BENZYL ALCOHOL	35: 3 h Anabaena variabilis mg/L EC50	460: 96 h Pimephales promelas mg/L LC50 static 10: 96 h Lepomis macrochirus mg/L LC50 static	23: 48 h water flea mg/L EC50
ACETIC ACID		79: 96 h Pimephales promelas mg/L LC50 static 75: 96 h Lepomis macrochirus mg/L LC50 static	65: 48 h Daphnia magna mg/L EC50 Static
PROPIONIC ACID	45.8: 72 h Desmodesmus subspicatus mg/L EC50 43: 96 h Desmodesmus subspicatus mg/L EC50	1: 96 h Pimephales promelas mg/L LC50 static 73 - 99.7: 96 h Lepomis macrochirus mg/L LC50 static 51: 96 h Oncorhynchus mykiss mg/L LC50 static	
ACETALDEHYDE	237 - 249: 120 h Nitzschia linearis mg/L EC50	28.0 - 34.0: 96 h Pimephales promelas mg/L LC50 flow-through 53: 96 h Lepomis macrochirus mg/L LC50 static 1.8 - 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static 39.8 - 46.8: 96 h Pimephales promelas mg/L LC50 static	3.64 - 6.15: 48 h Daphnia magna mg/L EC50 Static 48.3: 48 h Daphnia magna mg/L EC50
FURFURAL		13.4 - 19.3: 96 h Pimephales promelas mg/L LC50 static 16.79 - 26.35: 96 h Pimephales promelas mg/L LC50 flow-through	29: 24 h Daphnia magna mg/L EC50

12.2. Persistence and degradability

No information available

12.3. Bioaccumulative potential

No information available

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
BENZYL ALCOHOL	1.1
ACETIC ACID	-0.31
PROPIONIC ACID	0.25 - 0.33
ACETALDEHYDE	0.5
FURFURAL	0.67

12.4. Mobility in soil

No information available

12.5. Results of PBT and vPvB assessment**12.6. Other adverse effects**

Chemical Name	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Japan - Endocrine Disruptor Information
FURFURAL	Group III Chemical		

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused products	Dispose of in accordance with local regulations
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal

14. TRANSPORT INFORMATION

DOT	Not regulated
IMDG / IMO	Not regulated
ICAO/IATA	Not regulated

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

WGK Classification

Chemical Name	Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes
ETHYL ALCOHOL 64-17-5	Hazard Class 1
BENZYL ALCOHOL 100-51-6	Hazard Class 1
ACETIC ACID 64-19-7	Hazard Class 1
PROPIONIC ACID 79-09-4	Hazard Class 1
ACETALDEHYDE 75-07-0	Hazard Class 1
ISOAMYL ACETATE 123-92-2	Hazard Class 1
FURFURAL 98-01-1	Hazard Class 2

International Inventories

All of the components in the product are on the following inventory lists: United States of America (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), China (IECSC), Japan (ENCS), Philippines (PICCS).

TSCA	Complies
EINECS/ELINCS	Complies
DSL/NDSL	Complies
PICCS	Complies
ENCS	Complies
IECSC	Complies
AICS	Complies

KECL -

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical safety assessment

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed H319 - Causes serious eye irritation H313 - May be harmful in contact with skin H332 - Harmful if inhaled H402 - Harmful to aquatic life H226 - Flammable liquid and vapor H225 - Highly flammable liquid and vapor H318 - Causes serious eye damage H314 - Causes severe skin burns and eye damage H401 - Toxic to aquatic life H317 - May cause an allergic skin reaction H411 - Toxic to aquatic life with long lasting effects H311 - Toxic in contact with skin H351 - Suspected of causing cancer if inhaled H224 - Extremely flammable liquid and vapor H335 - May cause respiratory irritation H303 - May be harmful if swallowed H301 - Toxic if swallowed H312 - Harmful in contact with skin H227 - Combustible liquid H331 - Toxic if inhaled H315 - Causes skin irritation EUH066 - Repeated exposure may cause skin dryness or cracking

Revision Date 09-Jul-2015

Revision Note Not applicable.

Revision# 1

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

WARNING/DISCLAIMER:

Apex Flavors, Inc.'s products are sold exclusively for use in food and drink for human consumption. These products have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, and electronic cigarettes or similar devices (collectively "E-Cigarettes"). In supplying this product(s), Apex Flavors, Inc. instructs, and purchasing recipient confirms, that this product(s) will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof. Recipients of our products that use them outside of their intended use of food or drink do so at their own risk and without warranty, either expressed or implied, from Apex Flavors, Inc. or its suppliers. The user assumes all liability for loss, injury, damage, or expense resulting from such uses.

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.