SAFETY DATA SHEET.



Version 1

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Number 746CON

Manufacturer Apex Flavors, Inc.

1371 Brass Mill Rd

Suite A

Belcamp, MD 21017

410-565-6600

Product name VANILLA TYPE, NATURAL FLAVOR BLEND (OIL SOLUBLE)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use No information available

1.3. Details of the supplier of the safety data sheet

For further information, please contact:

E-mail Address cpisano@apexflavors.com

1.4. Emergency telephone number

Emergency telephone Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

2.1. Classification of the substance of mixture		
Acute oral toxicity	Category 5	
Acute dermal toxicity	Category 5	
Acute inhalation toxicity - dust/mist	Category 3	
Serious eye damage/eye irritation	Category 2A	
Flammable liquids	Category 4	

Classification according to EU Directives 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16

2.2. Label elements



Signal Word Danger

Hazard Statements

H303 - May be harmful if swallowed

H313 - May be harmful in contact with skin

H319 - Causes serious eye irritation

H331 - Toxic if inhaled

H227 - Combustible liquid

Precautionary Statements

P321 - Specific treatment (see .? on this label)

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P403 + P235 - Store in a well-ventilated place. Keep cool

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P280 - Wear protective gloves/ eye protection/ face protection

2.3. Other information

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chen	nical Name	EC-No	CAS-No	Alternate CAS #	Weight %	Classificatio n according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
BENZ	YL ALCOHOL	Present	100-51-6		5-10%	Xn; R20/22	Acute Tox. 4 (H302) Eye Irrit. 1 (H319) (EFFA) Acute Tox. 4 (H302) (EFFA) Acute Tox. 5 (H313)(EFFA) Acute Tox. 4 (H332)(EFFA) Eye Irrit. 1 (H319) Acute Tox. 4 (H302) Acute Tox. 5 (H313) Acute Tox. 4 (H332) Acute Tox. 4 (H332)	No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

4.1. Description of first aid measures

General advice If symptoms persist, call a physician

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes Keep eye wide open while rinsing If symptoms

persist, call a physician

Skin contact Immediate medical attention is not required. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes. If skin irritation persists, call a

physician.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Call a physician. Do NOT induce vomiting.

Inhalation Immediate medical attention is not required. If symptoms persist, call a physician. Move to

fresh air in case of accidental inhalation of vapors or decomposition products.

Self-protection of the first aiderUse personal protective equipment

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use Dry chemical Carbon dioxide CO2 Water spray Alcohol-resistant foam

Extinguishing media which shall not be used for safety reasons

No information available

5.2. Special hazards arising from the substance or mixture

Special Hazard

None

5.3. Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges.

See Section 12 for additional Ecological Information

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Use only in area provided with appropriate exhaust ventilation. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from heat, sparks and open flame. No smoking. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat and sources of ignition. Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Keep in properly labeled containers.

7.3 Specific end use(s)

Revision Date 04-Jun-2015

Exposure scenario N/A

Other Guidelines N/A

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies

Component	Italy	Portugal	The Netherlands	Finland	Denmark	
BENZYL ALCOHOL 100-51-6 (5-10%)				TWA: 10 ppm TWA: 45 mg/m ³		
Chemical Name	Austria	Sweden - Occupational Exposure Limits - TLVs (LLVs)	Switzerland	Poland	Norway	BENZ ALCO 100-:
			TWA: 240 mg/m ³			

Derived No Effect Level (DNEL)

No information available

Predicted No Effect Concentration No information available

(PNEC)

Engineering Controls Ensure adequate ventilation, especially in confined areas

Personal protective equipment

8.2. Exposure controls

Eye Protection Tightly fitting safety goggles

Hand Protection Protective gloves

Skin and body protection

Respiratory protection

Long sleeved clothing Chemical resistant apron Antistatic boots Impervious gloves

When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

General Hygiene Considerations When using, do not eat, drink or smoke Provide regular cleaning of equipment, work area

and clothing

Environmental Exposure Controls No information available

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical stateliquidAppearanceclearOdorvanilla creamColoryellowish

<u>Property</u> <u>Values</u> <u>Method</u>

pH No information available
Melting/freezing point No information available

Boiling point/boiling range FCC Method Closed cup

Evaporation rate

FIGURE 188 F Closed cup
FCC Method
No information available

Flammability Limits in Air
Upper flammability limit

No information available

Iower flammability limit

Vapor pressure mm Hg 20°C

Vapor density

No information available
No information available

Relative density

Specific Gravity @ 25C

1.145 - 1.165

Specific Gravity @ 20C

1.148 - 1.168

FCC Method

FCC Method

Specific Gravity @ 20C 1.148 - 1.168 FCC Method Refractive Index 1.458 - 1.478 FCC Method

Water solubilityNo information availablePartition coefficient: n-octanol/waterNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information available

Viscosity, dynamic No information available

Explosive propertiesNo information available **Oxidizing Properties**No information available

9.2. Other information

VOC Content(%) 10.3200000021607 Molecular Weight No information available

10. STABILITY AND REACTIVITY

10.1. Reactivity

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Heat, flames and sparks

10.5. Incompatible materials

No materials to be especially mentioned

10.6. Hazardous decomposition products

None under normal use conditions

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Inhalation There is no data available for this product

Eye contact There is no data available for this product

Skin contact There is no data available for this product

Ingestion There is no data available for this product

Acute toxicity 0.01% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document (Rev. 1, 2005):

 Oral
 2,579.00 mg/kg

 Dermal
 2,275.00 mg/kg

 Mist
 0.50 mg/l

 Vapor
 110.00 mg/l

Chemical Name Oral LD50		Dermal LD50	LC50 Inhalation	
BENZYL ALCOHOL	1230 mg/kg (Rat)	2 g/kg (Rabbit)	8.8 mg/L (Rat) 4 h	

Skin corrosion/irritationNo information availableEye damage/irritationNo information availableSensitizationNo information availableGerm Cell MutagenicityNo information availableCarcinogenicityNo information available

Specific target organ systemic toxicity (single exposure)

No information available

Specific target organ systemic toxicity (repeated exposure)

No information available

Target Organ Effects No information available

Aspiration hazard No information available

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects Contains no substances known to be hazardous to the environment or not degradable in

waste water treatment plants

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
BENZYL ALCOHOL	35: 3 h Anabaena variabilis mg/L	460: 96 h Pimephales promelas	23: 48 h water flea mg/L EC50
	EC50	mg/L LC50 static 10: 96 h Lepomis	_
		macrochirus mg/L LC50 static	

12.2. Persistence and degradability

No information available

12.3. Bioaccumulative potential

No information available

Chemical Name	log Pow
BENZYL ALCOHOL	1.1

12.4. Mobility in soil

No information available

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused

products

Dispose of in accordance with local regulations

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal

14. TRANSPORT INFORMATION

DOTNot regulatedIMDG / IMONot regulatedICAO/IATANot regulated

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

WGK Classification

Chemical Name	Germany - Water Classification (VwVwS) - Annex 2 - Water
	Hazard Classes
BENZYL ALCOHOL	Hazard Class 1
100-51-6	

International Inventories

All of the components in the product are on the following Inventory lists: United States of America (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), China (IECSC), Japan (ENCS), Philippines (PICCS).

TSCA Complies
EINECS/ELINCS Complies
DSL/NDSL Complies
PICCS Complies
ENCS Complies
IECSC Complies
AICS Complies

Revision Date 04-Jun-2015

KECL -

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical safety assessment

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed H319 - Causes serious eye irritation H313 - May be harmful in contact with skin H332 - Harmful if inhaled

Revision Date 04-Jun-2015

Revision Note Not applicable.

Revision# 1

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

WARNING/DISCLAIMER:

Apex Flavors, Inc.'s products are sold exclusively for use in food and drink for human consumption. These products have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, and electronic cigarettes or similar devices (collectively "E-Cigarettes"). In supplying this product(s), Apex Flavors, Inc. instructs, and purchasing recipient confirms, that this product(s) will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof. Recipients of our products that use them outside of their intended use of food or drink do so at their own risk and without warranty, either expressed or implied, from Apex Flavors, Inc. or its suppliers. The user assumes all liability for loss, injury, damage, or expense resulting from such uses.

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.