APEX FLAVORS, INC.



SAFETY DATA SHEET.

This safety data sheet complies with the requirements of: OSHA CFR Title 29 CFR 1910.1200

Version 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Code(s) 286, 286BEV, 286TTB

Product name WATERMELON LIME TYPE EXTRACT, NATURAL

UN/ID No 1197

Recommended use of the chemical and restrictions on use
Recommended Use
Uses advised against
No information available

Manufacturer Apex Flavors, Inc.

1361 Brass Mill Rd

Suite E

Belcamp, MD 21017 410-565-6600

Emergency telephone

Chemtrec: 1-800-424-9300 for US/ Outside US Chemtel 813-248-0585

2. HAZARDS IDENTIFICATION

Classification

Serious eye damage/eye irritation	Category 2A
Skin Sensitization	Category 1
Carcinogenicity	Category 1A
Flammable liquids	Category 3

GHS Label elements, including precautionary statements

Emergency Overview

Danger

Hazard Statements

Causes serious eye irritation May cause an allergic skin reaction May cause cancer Flammable liquid and vapor



Appearance liquid Physical state liquid Aroma No information available

286, 286BEV, 286TTB WATERMELON LIME TYPE EXTRACT, NATURAL

Revision Date 12-May-2021

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Specific treatment (see .? on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other information

- Toxic to aquatic life with long lasting effects
- · Toxic to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
ETHYL ALCOHOL	64-17-5	30-50%	*
LIMONENE	5989-27-5	<1	*
PINENES	80-56-8	<1	*

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice Immediate medical attention is required. Show this material safety data sheet to the doctor

in attendance.

Eye contactRinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash off immediately with plenty of water.

Inhalation Move to fresh air.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Self-protection of the first aider Remove all sources of ignition.

Most important symptoms/effects, acute and delayed

Main Symptoms Hives.

Indication of immediate medical attention and special treatment needed, if necessary

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

286, 286BEV, 286TTB WATERMELON LIME TYPE EXTRACT, NATURAL

Revision Date 12-May-2021

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Decomposition by contact with water may generate vapors which can be ignited by heat or open flame.

Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact none.

Sensitivity to Static Discharge Yes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate

ventilation.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in

low areas.

Methods and materials for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder, sawdust). Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of

ignition. Take precautionary measures against static discharges. Use only in an area containing flame proof equipment. To avoid ignition of vapors by static electricity discharge,

all metal parts of the equipment must be grounded.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep tightly closed in a dry and cool place. Keep in properly labeled containers.

Incompatible productsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure GuidelinesThis product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ETHYL ALCOHOL	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900	IDLH: 3300 ppm
64-17-5		mg/m³	TWA: 1000 ppm TWA: 1900
		(vacated) TWA: 1000 ppm	mg/m³
		(vacated) TWA: 1900 mg/m ³	-

Revision Date 12-May-2021

PINENES 80-56-8	TWA: 20 ppm	-	
CITRAL 5392-40-5	TWA: 5 ppm inhalable fraction and vapor S*	-	
ACETALDEHYDE 75-07-0	Ceiling: 25 ppm	TWA: 200 ppm TWA: 360 mg/m³ (vacated) TWA: 100 ppm (vacated) TWA: 180 mg/m³ (vacated) STEL: 150 ppm (vacated) STEL: 270 mg/m³	IDLH: 2000 ppm
BENZONITRILE 100-47-0	-	TWA: 5 mg/m³ CN (vacated) TWA: 5 mg/m³ S*	IDLH: 25 mg/m³ CN

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Exposure controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection If splashes are likely to occur, wear:.

Skin and body protection Chemical resistant apron.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection must be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area

and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Revision Date 12-May-2021

No information available

Physical and chemical properties

Physical state liquid Appearance liquid

Aroma No information available Color No information available

<u>Property</u> <u>Values</u> <u>Method</u>

pH No information available

Melting/freezing point FCC Method

Boiling point/boiling range FCC Method

Flash Point28 °C / 83 °FClosed cupEvaporation rateNo information availableNo information available

Flammability (solid, gas)

No information available
Flammability Limits in Air

Upper flammability limit

No information available
No information available

Iower flammability limit
Vapor pressure mm Hg 20°C

No information available

Vapor pressure mm Hg 20°CNo information availableVapor densityNo information available

 Specific Gravity @ 25C
 0.9541 - 0.9771
 FCC Method

 Specific Gravity @ 20C
 0.9771 - 0.9571
 FCC Method

 Refractive Index @ 20C
 1.3820 - 1.4020
 FCC Method

Water solubility Practically insoluble Solubility in other solvents

Partition coefficient: n-octanol/water

Autoignition temperatureNo information availableNo information availableDecomposition temperatureNo information available

Decomposition temperature
Viscosity, kinematic

No information available

Viscosity, dynamicNo information availableExplosive propertiesNo information availableOxidizing PropertiesNo information available

Other information

Softening point
Molecular Weight
VOC Content(%)
Density VALUE
No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Heat, flames and sparks.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known information

There is no data available for this product. Inhalation

Eye contact There is no data available for this product.

There is no data available for this product. Skin contact

Ingestion There is no data available for this product.

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
ETHYL ALCOHOL	7060 mg/kg (Rat)	-	124.7 mg/L (Rat)4 h
64-17-5			
PROPYLENE GLYCOL	OPYLENE GLYCOL 20000 mg/kg (Rat)		-
57-55-6			
PINENES	2100 mg/kg (Rat)	5000 mg/kg (Rat)	-
80-56-8			

Information on toxicological effects

No information available. **Symptoms**

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available. **Germ Cell Mutagenicity** No information available.

Carcinogenicity This product contains one or more substances which are classified by IARC as

carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly

Revision Date 12-May-2021

carcinogenic to humans (Group 2B).

Chemical Name	ACGIH	IARC	NTP	OSHA
ETHYL ALCOHOL	A3	Group 1	Known	X
64-17-5		•		
LIMONENE		Group 3		
5989-27-5		·		

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity Specific target organ systemic No information available. No information available.

toxicity (single exposure)

Specific target organ systemic toxicity (repeated exposure)

No information available.

Chronic toxicity **Target Organ Effects**

May cause adverse liver effects. Contains a known or suspected reproductive toxin. Blood, Central nervous system, Eyes, Liver, Reproductive system, Respiratory system,

Skin, Kidney.

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

mg/kg

Revision Date 12-May-2021

Ecotoxicity

Toxic to aquatic life with long lasting effects

51.44849% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
64-17-5	
PINENES	4.1
80-56-8	

12. ECOLOGICAL INFORMATION

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods It must undergo special treatment, e.g. at suitable disposal site, to comply with local

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number D001 U001 U112 U203

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status	
ETHYL ALCOHOL 64-17-5	Toxic Ignitable	
LIMONENE 5989-27-5	Toxic	

14. TRANSPORT INFORMATION

DOT/ADR

UN/ID No 1197

Proper shipping name EXTRACTS, FLAVOURING, LIQUID

Hazard class 3
Packing Group III
ERG Code 127

ICAO/IATA

UN/ID No 1197

Proper shipping name EXTRACTS, FLAVOURING, LIQUID

Hazard class 3
Packing Group III

127

IMDG / IMO

ERG Code

UN/ID No 1197

Proper shipping name EXTRACTS, FLAVOURING, LIQUID

Hazard class 3 Packing Group III

15. REGULATORY INFORMATION

Revision Date 12-May-2021

International Inventories

TSCA DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS AICS -

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard no
Chronic Health Hazard no
Fire Hazard Yes
Sudden Release of Pressure Hazard no
Reactive Hazard no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
ETHYL ALCOHOL - 64-17-5	Carcinogen
ACETALDEHYDE - 75-07-0	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ETHYL ALCOHOL 64-17-5	Х	X	Х
PROPYLENE GLYCOL 57-55-6	X		Х
PINENES 80-56-8	X	X	Х
METHYL SALICYLATE 119-36-8			X
BENZONITRILE 100-47-0	X	X	Х

Revision Date 12-May-2021

U.S. EPA Label information

IO. OTHER INI ORMATION				
NFPA	Health Hazard 2	Flammability 3	Instability 0	Physical and chemical hazards *
<u>HMIS</u>	Health Hazard 2	Flammability 3	Physical Hazard 0	Personal protection B

16 OTHER INFORMATION

Revision Date 12-May-2021

Revision Note No information available

Revision#

WARNING/DISCLAIMER:

Our ingredients have not been tested, nor have they been determined safe, for inhalation or use in any electronic smoking devices, electronic nicotine delivery systems, electronic cigarettes, or other similar devices (collectively "E-Cigarettes") or in any E-Liquids used with E-Cigarettes. By receiving Apex Flavors, Inc ingredients, the recipient confirms that they will not use these ingredients in connection with the manufacture and distribution of E-Cigarettes, E-Liquids or any component thereof. WE DISCLAIM, TO THE FULLEST EXTENT PERMITTED BY LAW, ALL WARRANTIES, EXPRESS OR IMPLIED, and disclaim all liability in connection with the use of our ingredients in connection with E-Cigarettes and E-Liquids. All such risks are assumed by you and the user.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

end