APEX FLAVORS, INC.

SAFETY DATA SHEET.



This safety data sheet complies with the requirements of: OSHA CFR Title 29 CFR 1910.1200

Version 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Code(s) 428, 428BEV, 428TTB

Product name POMEGRANATE ACAI BERRY TYPE, NATURAL & ARTIFICIAL (CONTAINS <0.10%

ARTIFICIAL TOP NOTE)

UN/ID No 1197

Recommended use of the chemical and restrictions on use
Recommended Use
Uses advised against
No information available

Manufacturer Apex Flavors, Inc

1371 Brass Mill Rd Suite A Belcamp, MD 21017 410-565-6600

Emergency telephone

Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US

2. HAZARDS IDENTIFICATION

Classification

Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 1A
Flammable liquids	Category 3

GHS Label elements, including precautionary statements

Emergency Overview

Danger

Hazard Statements

Causes serious eye irritation May cause cancer Flammable liquid and vapor



Appearance liquid Aroma No information available

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other information

- Toxic to aquatic life with long lasting effects
- · Toxic to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
ETHYL ALCOHOL	64-17-5	20-30%	*
GLYCERINE	56-81-5	10-15%	*
ACETALDEHYDE	75-07-0	<1	*

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice Immediate medical attention is required. Show this material safety data sheet to the doctor

in attendance.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

symptoms persist, call a physician.

Skin contact Wash off immediately with plenty of water. Wash off immediately with soap and plenty of

water.

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Drink plenty of water. Immediate medical attention is not required.

Rinse mouth.

Self-protection of the first aider Remove all sources of ignition.

Most important symptoms/effects, acute and delayed

Main Symptoms Hives.

Indication of immediate medical attention and special treatment needed, if necessary

Note to physicians May cause sensitization in susceptible persons.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

BERRY TYPE, NATURAL & ARTIFICIAL (CONTAINS <0.10% ARTIFICIAL TOP NOTE)

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Decomposition by contact with water may generate vapors which can be ignited by heat or open flame.

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes. May cause sensitization in susceptible persons.

Explosion data

Sensitivity to Mechanical Impact none. Sensitivity to Static Discharge Yes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate

ventilation. Use personal protective equipment.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do

not flush into surface water or sanitary sewer system. Beware of vapors accumulating to

form explosive concentrations. Vapors can accumulate in low areas.

Methods and materials for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers. Dam up. Soak up with inert absorbent

material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Soak up with inert

absorbent material.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of

ignition. Take precautionary measures against static discharges. Use only in an area containing flame proof equipment. To avoid ignition of vapors by static electricity discharge,

all metal parts of the equipment must be grounded.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep

containers tightly closed in a cool, well-ventilated place.

Incompatible productsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

	exposure iiriilis established by	the region specific regulatory t	ouics.
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ETHYL ALCOHOL 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³
GLYCERINE 56-81-5	-	TWA: 15 mg/m³ mist, total particulate TWA: 5 mg/m³ mist, respirable fraction (vacated) TWA: 10 mg/m³ mist, total particulate (vacated) TWA: 5 mg/m³ mist, respirable fraction	
ACETALDEHYDE 75-07-0	Ceiling: 25 ppm	TWA: 200 ppm TWA: 360 mg/m³ (vacated) TWA: 100 ppm (vacated) TWA: 180 mg/m³ (vacated) STEL: 150 ppm (vacated) STEL: 270 mg/m³	IDLH: 2000 ppm
ACETIC ACID 64-19-7	STEL: 15 ppm TWA: 10 ppm	TWA: 10 ppm TWA: 25 mg/m³ (vacated) TWA: 10 ppm (vacated) TWA: 25 mg/m³	IDLH: 50 ppm TWA: 10 ppm TWA: 25 mg/m ³ STEL: 15 ppm STEL: 37 mg/m ³
ETHYL ACETATE 141-78-6	TWA: 400 ppm	TWA: 400 ppm TWA: 1400 mg/m³ (vacated) TWA: 400 ppm (vacated) TWA: 1400 mg/m³	IDLH: 2000 ppm TWA: 400 ppm TWA: 1400 mg/m ³
ISOAMYL ALCOHOL 123-51-3	STEL: 125 ppm TWA: 100 ppm	TWA: 100 ppm TWA: 360 mg/m³ (vacated) TWA: 100 ppm (vacated) TWA: 360 mg/m³ (vacated) STEL: 125 ppm (vacated) STEL: 450 mg/m³	IDLH: 500 ppm TWA: 100 ppm TWA: 360 mg/m³ STEL: 125 ppm STEL: 450 mg/m³
DIMETHYL SULFIDE 75-18-3	TWA: 10 ppm	-	
ACETOPHENONE 98-86-2	TWA: 10 ppm	-	
ISOBUTYL ACETATE 110-19-0	TWA: 150 ppm	TWA: 150 ppm TWA: 700 mg/m³ (vacated) TWA: 150 ppm (vacated) TWA: 700 mg/m³	IDLH: 1300 ppm TWA: 150 ppm TWA: 700 mg/m³
BENZYL ACETATE 140-11-4	TWA: 10 ppm	-	
PINENES 80-56-8	TWA: 20 ppm	-	
CITRAL 5392-40-5	TWA: 5 ppm inhalable fraction and vapor S*	-	
BENZONITRILE 100-47-0	-	TWA: 5 mg/m³ CN (vacated) TWA: 5 mg/m³ S*	IDLH: 25 mg/m³ CN

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Exposure controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tightly fitting safety goggles.

Skin and body protection Chemical resistant apron.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection must be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

No information available

provided in accordance with current local regulations.

General Hygiene Considerations When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area

and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state liquid Appearance liquid

Aroma No information available Color No information available

<u>Property</u> <u>Values</u> <u>Method</u>

pH No information available

Melting/freezing pointFCC MethodBoiling point/boiling rangeFCC Method

Flash Point 27 °C / 80 °F Closed cup
Evaporation rate No information available No information available

Flammability (solid, gas)

No information available

No information available

No information available

No information available

Upper flammability limit No information available

lower flammability limit No information available

Vapor pressure mm Hg 20°CNo information availableVapor densityNo information available

 Specific Gravity @ 25C
 0.9880 - 1.0080
 FCC Method

 Specific Gravity @ 20C
 0.9910 - 1.0110
 FCC Method

 Potractive Index @ 20C
 1.2070 - 1.4170
 FCC Method

Refractive Index @ 20C 1.3970 - 1.4170 FCC Method Water solubility Practically insoluble

Solubility in other solvents

Partition coefficient: n-octanol/water

No information available

No information available

No information available

Autoignition temperatureNo information availableNo information availableDecomposition temperatureNo information availableViscosity, kinematicNo information availableNo information available

Viscosity, kinematic
Viscosity, dynamic
Explosive properties
Oxidizing Properties
No information available
No information available
No information available

Other information

Softening point
Molecular Weight
VOC Content(%)
Density VALUE
No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

428, 428BEV, 428TTB POMEGRANATE ACAI Revision Date 22-Feb-2021

BERRY TYPE, NATURAL & ARTIFICIAL (CONTAINS <0.10% ARTIFICIAL TOP NOTE)

None under normal processing.

Conditions to Avoid

Extremes of temperature and direct sunlight.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known information

Inhalation There is no data available for this product.

Eye contact There is no data available for this product.

Skin contact There is no data available for this product.

Ingestion There is no data available for this product.

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
PROPYLENE GLYCOL 57-55-6	20000 mg/kg (Rat)	20800 mg/kg (Rabbit)	-
ETHYL ALCOHOL 64-17-5	7060 mg/kg (Rat)	-	124.7 mg/L (Rat) 4 h
GLYCERINE 56-81-5	-	10 g/kg(Rabbit)	570 mg/m³ (Rat)1 h
ACETALDEHYDE 75-07-0	1930 mg/kg (Rat)	-	-

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ Cell MutagenicityNo information available.

Carcinogenicity This product contains one or more substances which are classified by IARC as

carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly

carcinogenic to humans (Group 2B).

Chemical Name	ACGIH	IARC	NTP	OSHA
ETHYL ALCOHOL	A3	Group 1	Known	X
64-17-5		-		
ACETALDEHYDE	A3	Group 1	Reasonably Anticipated	X
75-07-0		Group 2B		

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity Specific target organ systemic toxicity (single exposure)

No information available. No information available.

Specific target organ systemic toxicity (repeated exposure)

No information available.

Chronic toxicity

Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated

exposure. May cause adverse liver effects. Contains a known or suspected reproductive

toxin.

Target Organ Effects

Blood, Central nervous system, Eyes, Liver, Reproductive system, Respiratory system,

Skin, Kidney.

Aspiration hazard

No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

. mg/kg mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects

26.17379% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
64-17-5	
GLYCERINE	-1.76
56-81-5	
ACETALDEHYDE	0.5
75-07-0	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods Dispose of in accordance with local regulations.

Contaminated packaging Do not reuse container.

D001 U001 U004 U112 **US EPA Waste Number**

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
ETHYL ALCOHOL	Toxic Ignitable
64-17-5	

ACETALDEHYDE	Toxic Ignitable
75-07-0	-

14. TRANSPORT INFORMATION

DOT/ADR

UN/ID No 1197

Proper shipping name EXTRACTS, FLAVOURING, LIQUID

Hazard class 3
Packing Group III
ERG Code 127

ICAO/IATA

UN/ID No 1197

Proper shipping name EXTRACTS, FLAVOURING, LIQUID

Hazard class 3
Packing Group III
ERG Code 127

IMDG / IMO

UN/ID No 1197

Proper shipping name EXTRACTS, FLAVOURING, LIQUID

Hazard class 3 Packing Group III

15. REGULATORY INFORMATION

International Inventories

TSCA DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS AICS -

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

SARA 311/312 Hazard Categories

Acute Health HazardYesChronic Health HazardnoFire HazardYesSudden Release of Pressure HazardnoReactive Hazardno

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
ACETALDEHYDE 75-07-0	1000 lb			Х

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
ACETALDEHYDE 75-07-0	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
ETHYL ALCOHOL - 64-17-5	Carcinogen
ACETALDEHYDE - 75-07-0	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
PROPYLENE GLYCOL	X		X
57-55-6			
ETHYL ALCOHOL	X	X	X
64-17-5			
GLYCERINE	X	X	X
56-81-5			
ACETALDEHYDE	X	X	X
75-07-0			
METHYL EUGENOL	X		
93-15-2			
BENZONITRILE	X	X	X
100-47-0			

U.S. EPA Label information

16. OTHER INFORMATION

NFPA_	Health Hazard 2	Flammability 3	Instability 0	Physical and chemical
				hazards *
HMIS	Health Hazard 2	Flammability 3	Physical Hazard 0	Personal protection B

Revision Date 22-Feb-2021

Revision Note No information available

Revision# 1

WARNING/DISCLAIMER:

The ingredients/flavors provided by Trilogy have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, electronic cigarettes or other similar devices (collectively "E-Cigarettes"). In supplying ingredients/flavors, Trilogy instructs, and by receiving such ingredients/flavors recipient confirms, that the ingredients/flavors will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

end