

# SAFETY DATA SHEET.

This safety data sheet complies with the requirements of: OSHA CFR Title 29 CFR 1910.1200

Version 1

## **1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

Product identifier Product Code(s) Product name

505, 505TTB, 505BEV HIBISCUS PUNCH TYPE, NATURAL FLAVOR BLEND

**UN/ID No** 

Recommended use of the chemical and restrictions on useRecommended UseNo information available.Uses advised againstNo information available

1197

Manufacturer

Apex Flavors, Inc. 1361 Brass Mill Rd. Suite E Belcamp, MD 21017 410-565-6600

#### Emergency telephone

Chemtrec: 1-800-424-9300 for US/ Outside US Chemtel 813-248-0585

## 2. HAZARDS IDENTIFICATION

#### **Classification**

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Carcinogenicity	Category 1A
Flammable liquids	Category 3

## GHS Label elements, including precautionary statements

 Danger

 Hazard Statements

 Harmful if inhaled

 May cause cancer

 Flammable liquid and vapor

 Image: Contract of the state liquid

 Appearance liquid
 Physical state liquid

 Aroma No information available

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing In case of fire: Use CO2, dry chemical, or foam for extinction

#### **Precautionary Statements - Storage**

Store locked up Store in a well-ventilated place. Keep cool

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Other information

Harmful to aquatic life with long lasting effects

Harmful to aquatic life

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS-No	Weight %	Trade Secret
ETHYL ALCOHOL	64-17-5	1-5%	*
BENZYL ALCOHOL	100-51-6	<1	*
BENZALDEHYDE	100-52-7	<1	*

## 4. FIRST AID MEASURES

#### First aid measures for different exposure routes

General advice	If symptoms persist, call a physician.		
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.		
Skin contact	Immediate medical attention is not required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.		
Inhalation	Immediate medical attention is not required. If symptoms persist, call a physician. Move to fresh air in case of accidental inhalation of vapors or decomposition products.		
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician. Do NOT induce vomiting.		
Self-protection of the first aider	Use personal protective equipment.		
Most important symptoms/effects,	acute and delayed		
Main Symptoms	Hives.		
Indication of immediate medical attention and special treatment needed, if necessary			
Note to physicians	Treat symptomatically.		
5. FIRE-FIGHTING MEASURES			

#### Suitable Extinguishing Media

Use. Dry chemical. Carbon dioxide CO<sub>2</sub>. Water spray. Alcohol-resistant foam.

#### Unsuitable extinguishing media

Decomposition by contact with water may generate vapors which can be ignited by heat or open flame.

#### Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition. Risk of ignition.

Explosion data Sensitivity to Mechanical Impact none. Sensitivity to Static Discharge Yes.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Pay attention to flashback. Take precautionary measures against static discharges. Use personal protective equipment.			
Environmental precautions				
Environmental precautions	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.			
Methods and materials for contain	nent and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.			
Methods for cleaning up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Take precautionary measures against static discharges.			
7. HANDLING AND STORAGE				
Precautions for safe handling				
Advice on safe handling	Use only in area provided with appropriate exhaust ventilation. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from heat, sparks and open flame. No smoking. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).			

#### Conditions for safe storage, including any incompatibilities

## Storage ConditionsKeep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Keep<br/>in properly labeled containers.

Incompatible products None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

•	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.		
Chemical Name	ACGIH TLV	NIOSH IDLH	
ETHYL ALCOHOL	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900	IDLH: 3300 ppm

64-17-5		mg/m <sup>3</sup> (vacated) TWA: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>
		(vacated) TWA: 1900 mg/m <sup>3</sup>	_
GLYCERINE	-	TWA: 15 mg/m <sup>3</sup> mist, total	
56-81-5		particulate TWA: 5 mg/m <sup>3</sup> mist,	
		respirable fraction	
		(vacated) TWA: 10 mg/m <sup>3</sup> mist,	
		total particulate (vacated) TWA: 5	
		mg/m <sup>3</sup> mist, respirable fraction	
ACETIC ACID	STEL: 15 ppm	TWA: 10 ppm TWA: 25 mg/m <sup>3</sup>	IDLH: 50 ppm
64-19-7	TWA: 10 ppm	(vacated) TWA: 10 ppm (vacated)	TWA: 10 ppm TWA: 25 mg/m <sup>3</sup>
		TWA: 25 mg/m <sup>3</sup>	STEL: 15 ppm STEL: 37 mg/m <sup>3</sup>
ISOAMYL ALCOHOL	STEL: 125 ppm	TWA: 100 ppm TWA: 360 mg/m <sup>3</sup>	IDLH: 500 ppm
123-51-3	TWA: 100 ppm	(vacated) TWA: 100 ppm	TWA: 100 ppm TWA: 360 mg/m
		(vacated) TWA: 360 mg/m <sup>3</sup>	STEL: 125 ppm STEL: 450
		(vacated) STEL: 125 ppm	mg/m <sup>3</sup>
		(vacated) STEL: 450 mg/m <sup>3</sup>	_
ACETALDEHYDE	Ceiling: 25 ppm	TWA: 200 ppm TWA: 360 mg/m <sup>3</sup>	IDLH: 2000 ppm
75-07-0		(vacated) TWA: 100 ppm	
		(vacated) TWA: 180 mg/m <sup>3</sup>	
		(vacated) STEL: 150 ppm	
		(vacated) STEL: 270 mg/m <sup>3</sup>	
ISOBUTYL ACETATE	TWA: 150 ppm	TWA: 150 ppm	IDLH: 1300 ppm
110-19-0		TWA: 700 mg/m <sup>3</sup>	TWA: 150 ppm
		(vacated) TWA: 150 ppm	TWA: 700 mg/m <sup>3</sup>
		(vacated) TWA: 700 mg/m <sup>3</sup>	
ACETOPHENONE	TWA: 10 ppm	-	
98-86-2			
BENZYL ACETATE	TWA: 10 ppm	-	
140-11-4			
ETHYL ACETATE	TWA: 400 ppm	TWA: 400 ppm TWA: 1400	IDLH: 2000 ppm
141-78-6		mg/m <sup>3</sup>	TWA: 400 ppm TWA: 1400
		(vacated) TWA: 400 ppm	mg/m <sup>3</sup>
		(vacated) TWA: 1400 mg/m <sup>3</sup>	, , , , , , , , , , , , , , , , , , ,
ISOAMYL ACETATE	STEL: 100 ppm	TWA: 100 ppm	IDLH: 1000 ppm
123-92-2	TWA: 50 ppm	TWA: 525 mg/m <sup>3</sup>	TWA: 100 ppm
		(vacated) TWA: 100 ppm	TWA: 525 mg/m <sup>3</sup>
		(vacated) TWA: 525 mg/m <sup>3</sup>	Ū Ū
DIMETHYL SULFIDE	TWA: 10 ppm	-	
75-18-3			
PINENES	TWA: 20 ppm	-	
80-56-8			
CITRAL	TWA: 5 ppm inhalable fraction	-	
5392-40-5	and vapor		
	S*		
BENZONITRILE	-	TWA: 5 mg/m <sup>3</sup> CN	IDLH: 25 mg/m <sup>3</sup> CN
100-47-0		(vacated) TWA: 5 mg/m <sup>3</sup>	

NIOSH IDLH: Immediately Dangerous to Life or Health

## Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Exposure controls

## Engineering Controls

Showers Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

Eye/face protection	Tightly fitting safety goggles.
Skin and body protection	Chemical resistant apron.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection must be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. **General Hygiene Considerations** When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing. 9. PHYSICAL AND CHEMICAL PROPERTIES **Physical and chemical properties** 

**Physical state** Appearance liquid Aroma Color Property Values bΗ Melting/freezing point **Boiling point/boiling range Flash Point Evaporation rate** Flammability (solid, gas) Flammability Limits in Air **Upper flammability limit** lower flammability limit Vapor pressure mm Hg 20°C Vapor density Specific Gravity @ 25C 1.0251 - 1.0451 Specific Gravity @ 20C 1.0281 - 1.0481 **Refractive Index @ 20C** 1.3905 - 1.4105 Water solubility Solubility in other solvents Partition coefficient: n-octanol/water Autoignition temperature **Decomposition temperature** Viscosity, kinematic Viscosity, dynamic **Explosive properties Oxidizing Properties** Other information Softening point Molecular Weight

VOC Content(%) Density VALUE Bulk Density VALUE

liquid No information available No information available

60 °C / 140 °F No information available No information available

No information available No information available

Practically insoluble

No information available

No information available No information available No information available No information available

No information available No information available No information available No information available No information available

#### Method

No information available FCC Method FCC Method Closed cup No information available No information available No information available

No information available No information available FCC Method FCC Method FCC Method

No information available No information available No information available No information available No information available

## **10. STABILITY AND REACTIVITY**

#### Reactivity No data available

#### Chemical stability

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### Conditions to Avoid

Heat, flames and sparks.

#### Incompatible Materials

None known based on information supplied.

#### Hazardous Decomposition Products

None known based on information supplied.

### **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known information
Inhalation	There is no data available for this product.
Eye contactThere is no data available for this product.	
Skin contact	There is no data available for this product.
Ingestion	There is no data available for this product.

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
PROPYLENE GLYCOL 57-55-6	20000 mg/kg (Rat)	20800 mg/kg (Rabbit)	-
ETHYL ALCOHOL 64-17-5	7060 mg/kg (Rat)	-	124.7 mg/L (Rat)4 h

#### Information on toxicological effects

Symptoms

**Chemical Name** 

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization
Germ Cell Mutagenicity
Carcinogenicity

No information available. No information available. This product contains one or more substances which are classified by IARC as

carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly				
carcinogenic to humans (Group 2B).				
ACGIH IARC NTP OSHA				
4.0	0	1/	V	

ETHYL ALCOHOL 64-17-5	A3	Group 1	Known	X	
ACGIH (American Conf	erence of Governmental Ind	lustrial Hygienists)			
A3 - Animal Carcinogen					
	ency for Research on Cance	er)			
Group 1 - Carcinogenic t					
NTP (National Toxicolo	5, 5,				
Known - Known Carcino					
	afety and Health Administra	tion of the US Department o	f Labor)		
X - Present					
Reproductive toxicity	Reproductive toxicity No information available.				
Specific target organ sys	Specific target organ systemic No information available.				
	oxicity (single exposure)				
Specific target organ sys	Specific target organ systemic No information available.				
toxicity (repeated exposure)					
Chronic toxicity	<b>Chronic toxicity</b> May cause adverse liver effects. Contains a known or suspected reproductive toxin.				
Target Organ Effects Blood, Central nervous system, Eyes, Liver, Reproductive system, Respiratory system,					
	Skin.				
Aspiration hazard	No information	on available.			
-					

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

. mg/kg mg/l

## **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Harmful to aquatic life with long lasting effects

37.84073% of the mixture consists of components(s) of unknown hazards to the aquatic environment

#### Persistence and degradability No information available.

#### **Bioaccumulation**

No information available.

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
64-17-5	
BENZYL ALCOHOL	1.1
100-51-6	
BENZALDEHYDE	1.48
100-52-7	

#### Other adverse effects

No information available

## **13. DISPOSAL CONSIDERATIONS**

Waste treatment	
Waste Disposal Methods	It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	D001 U001 U004 U112

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
ETHYL ALCOHOL	Toxic Ignitable
64-17-5	

## 14. TRANSPORT INFORMATION

DOT/ADR UN/ID No	Not regulated (If shipped in NON BULK packaging by ground transport) 1197
Proper shipping name	EXTRACTS, FLAVOURING, LIQUID
Hazard class	3
Packing Group	
ERG Code	127

ICAO/IATA UN/ID No Proper shipping name Hazard class Packing Group ERG Code	1197 EXTRACTS, FLAVOURING, LIQUID 3 III 127
IMDG / IMO_ UN/ID No Proper shipping name Hazard class Packing Group	1197 EXTRACTS, FLAVOURING, LIQUID 3 III

## **15. REGULATORY INFORMATION**

International Inventories	
TSCA	-
DSL/NDSL	-
EINECS/ELINCS	-
ENCS	-
IECSC	-
KECL	-
PICCS	-
AICS	-

#### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### U.S. Federal Regulations

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	no
Fire Hazard	Yes
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

#### Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### U.S. State Regulations

### California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65	
ETHYL ALCOHOL - 64-17-5	Carcinogen	
ACETALDEHYDE - 75-07-0	Carcinogen	
U.S. State Right-to-Know Regulations		

Chemical Name	New Jersey	Massachusetts	Pennsylvania
PROPYLENE GLYCOL	Х		Х
57-55-6			
ETHYL ALCOHOL	Х	Х	Х
64-17-5			
ETHYL BUTYRATE	Х	Х	Х
105-54-4			
P-CYMENE		Х	Х
99-87-6			
BENZONITRILE	Х	Х	Х
100-47-0			

#### U.S. EPA Label information

16. OTHER INFORMATION				
<u>NFPA</u>	Health Hazard 2	Flammability 2	Instability 0	Physical and chemical hazards *
<u>HMIS</u>	Health Hazard 2	Flammability 2	Physical Hazard 0	Personal protection B

Revision Date	23-Feb-2021	
Revision Note	No information available	
Revision#	1	

### WARNING/DISCLAIMER:

Our ingredients have not been tested, nor have they been determined safe, for inhalation or use in any electronic smoking devices, electronic nicotine delivery systems, electronic cigarettes, or other similar devices (collectively "E-Cigarettes") or in any E-Liquids used with E-Cigarettes. By receiving Apex Flavors, Inc ingredients, the recipient confirms that they will not use these ingredients in connection with the manufacture and distribution of E-Cigarettes, E-Liquids or any component thereof. WE DISCLAIM, TO THE FULLEST EXTENT PERMITTED BY LAW, ALL WARRANTIES, EXPRESS OR IMPLIED, and disclaim all liability in connection with the use of our ingredients in connection with E-Cigarettes and E-Liquids. All such risks are assumed by you and the user.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

end