# APEX FLAVORS, INC.

# SAFETY DATA SHEET.



Version 1

# 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Number 174BEV

**Manufacturer** Apex Flavors, Inc.

1371 Brass Mill Rd.

Suite A

Belcamp, MD 21017 (410) 565-6600

Product name HAZELNUT TYPE, NATURAL FLAVOR BLEND (PROPYLENE GLYCOL FREE) -

**NUT FREE** 

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use No information available

1.3. Details of the supplier of the safety data sheet

For further information, please contact:

E-mail Address cpisano@apexflavors.com

1.4. Emergency telephone number

Emergency telephone Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US

# 2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Serious eye damage/eye irritation	Category 2A
Acute aquatic toxicity	Not classified for acute
Flammable liquids	Category 3

# Classification according to EU Directives 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16

### 2.2. Label elements

·



Signal Word Warning

# **Hazard Statements**

H319 - Causes serious eye irritation

H411 - Toxic to aquatic life with long lasting effects

H226 - Flammable liquid and vapor

# **Precautionary Statements**

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

### 2.3. Other information

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Chemical Name	EC-No	CAS-No	Alternate CAS #	Weight %	Classificatio n according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
ETHYL ALCOHOL	Present	64-17-5		30-50%	F; R11	Eye Irrit. 1 (H319) (EFFA) Flam. Liq. 2 (H225) (EFFA) Flam. Liq. 2 (H225)	No data available
GLYCERINE	Present	56-81-5		20-30%	-	No data available	No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

# 4. FIRST AID MEASURES

# 4.1. Description of first aid measures

**Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

**Inhalation** Move to fresh air.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically

# 5. FIRE-FIGHTING MEASURES

# 5.1. Extinguishing media

### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

#### Extinguishing media which shall not be used for safety reasons

No information available

### 5.2. Special hazards arising from the substance or mixture

### **Special Hazard**

None

### 5.3. Advice for firefighters

### Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear

# 6. ACCIDENTAL RELEASE MEASURES

# 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

See Section 12 for additional Ecological Information

# 6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)

# 7. HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Ensure adequate ventilation.

# 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

### 7.3 Specific end use(s)

Exposure scenario N/A
Other Guidelines N/A

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

\_\_\_\_

**Exposure limits** 

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical Name	European Union	The United Kingdom	France	Spain	Germany
ETHYL ALCOHOL 64-17-5		STEL: 3000 ppm STEL: 5760 mg/m <sup>3</sup> TWA: 1000 ppm TWA: 1920 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1900 mg/m³ STEL: 5000 ppm STEL: 9500 mg/m³	STEL: 1000 ppm STEL: 1910 mg/m <sup>3</sup>	TWA: 500 ppm TWA: 960 mg/m³ Ceiling / Peak: 1000 ppm Ceiling / Peak: 1920 mg/m³ Skin
GLYCERINE 56-81-5		STEL: 30 mg/m³ TWA: 10 mg/m³	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 50 mg/m³ Ceiling / Peak: 100 mg/m³

Chemical Name	Italy	Portugal	The Netherlands	Finland	Denmark
ETHYL ALCOHOL 64-17-5		TWA: 1000 ppm	Skin STEL: 1900 mg/m³ TWA: 260 mg/m³	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> STEL: 1300 ppm STEL: 2500 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>
GLYCERINE 56-81-5		TWA: 10 mg/m <sup>3</sup>		TWA: 20 mg/m <sup>3</sup>	

Chemical Name	Austria	Sweden - Occupational Exposure Limits - TLVs (LLVs)	Switzerland	Poland	Norway
ETHYL ALCOHOL 64-17-5	STEL 2000 ppm STEL 3800 mg/m <sup>3</sup> TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>	500 ppm NGV 1000 mg/m³ NGV	STEL: 1000 ppm STEL: 1920 mg/m <sup>3</sup> TWA: 500 ppm TWA: 960 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup>	TWA: 500 ppm TWA: 950 mg/m <sup>3</sup> STEL: 625 ppm STEL: 1187.5 mg/m <sup>3</sup>
GLYCERINE 56-81-5			STEL: 100 mg/m <sup>3</sup> TWA: 50 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	

Component	Ireland
ETHYL ALCOHOL	STEL: 1000 ppm
64-17-5 ( 30-50% )	
GLYCERINE	TWA: 10 mg/m <sup>3</sup>
56-81-5 ( 20-30% )	

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available

(PNEC)

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas

Personal protective equipment

**Eye Protection** Tightly fitting safety goggles

Hand Protection Protective gloves
Skin and body protection Long sleeved clothing

Respiratory protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

**Environmental Exposure Controls** No information available

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1. Information on basic physical and chemical properties

Physical stateliquidAppearancehazyOdorRoasted Nutty hazelnutColorbrown

<u>Property</u> <u>Values</u> <u>Method</u>

pH No information available

Melting/freezing point

No information available

Boiling point/boiling range

FCC Method

Flash Point 26 °C / 78 °F Closed cup Evaporation rate FCC Method

Flammability (solid, gas)

Flammability Limits in Air

No information available
No information available

Upper flammability limit lower flammability limit

Vapor pressure mm Hg 20°C

Vapor density

No information available
No information available

Vapor densityNo information availableRelative densityNo information available

 Specific Gravity @ 25C
 0.965 - 0.985
 FCC Method

 Specific Gravity @ 20C
 0.968 - 0.988
 FCC Method

 Refractive Index
 1.3845 - 1.4045
 FCC Method

Refractive Index 1.3845 - 1.4045 FCC Method
Water solubility No information available

Partition coefficient: n-octanol/waterNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableViscosity, dynamicNo information available

**Explosive properties**Oxidizing Properties
No information available
No information available

9.2. Other information

VOC Content(%) 66.2834091186523

Molecular Weight No information available

# 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

#### 10.2. Chemical stability

Stable under normal conditions

# 10.3. Possibility of hazardous reactions

### 10.4. Conditions to avoid

Heat, flames and sparks

## 10.5. Incompatible materials

No materials to be especially mentioned

# 10.6. Hazardous decomposition products

None under normal use conditions

# 11. TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological effects

**Acute toxicity** 

Inhalation There is no data available for this product

There is no data available for this product Eye contact

Skin contact There is no data available for this product

Ingestion There is no data available for this product

**Acute toxicity** 32.34655% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document (Rev. 1, 2005):

**Dermal** 27,347.00 mg/kg

Mist 463.25 mg/l

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
ETHYL ALCOHOL			124.7 mg/L (Rat) 4 h
GLYCERINE		10 g/kg (Rabbit)	570 mg/m <sup>3</sup> (Rat) 1 h

Skin corrosion/irritation Eye damage/irritation

Sensitization

**Germ Cell Mutagenicity** 

Carcinogenicity

No information available No information available

No information available No information available No information available

Specific target organ systemic toxicity (single exposure)

No information available

Specific target organ systemic

toxicity (repeated exposure)

No information available

Blood Central nervous system Eyes Kidney Liver Reproductive system Respiratory system **Target Organ Effects** 

No information available **Aspiration hazard** 

# 12. ECOLOGICAL INFORMATION

12.1. Toxicity

**Ecotoxicity effects** Contains no substances known to be hazardous to the environment or not degradable in

waste water treatment plants

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other
			aquatic invertebrates

ETHYL ALCOHOL	12.0 - 16.0: 96 h Oncorhynchus	9268 - 14221: 48 h Daphnia magna
	mykiss mL/L LC50 static 100: 96 h	mg/L LC50 2: 48 h Daphnia magna
	Pimephales promelas mg/L LC50	mg/L EC50 Static
	static 13400 - 15100: 96 h	-
	Pimephales promelas mg/L LC50	
	flow-through	
GLYCERINE	 51 - 57: 96 h Oncorhynchus mykiss	500: 24 h Daphnia magna mg/L
	mL/L LC50 static	EC50

### 12.2. Persistence and degradability

No information available

# 12.3. Bioaccumulative potential

No information available

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
GLYCERINE	-1.76

### 12.4. Mobility in soil

No information available

# 12.5. Results of PBT and vPvB assessment

### 12.6. Other adverse effects

# 13. DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Waste from residues / unused

products

Dispose of in accordance with local regulations

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal

# 14. TRANSPORT INFORMATION

### DOT

IMDG / IMO

Proper shipping name EXTRACTS, FLAVOURING, LIQUID

Hazard class 3 UN/ID No 1197 Packing Group III

ICAO/IATA

**UN/ID No** 1197

Proper shipping name EXTRACTS, FLAVOURING, LIQUID

Hazard class 3
Packing Group III
ERG Code 127

# 15. REGULATORY INFORMATION

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **WGK Classification**

Chemical Name	Germany - Water Classification (VwVwS) - Annex 2 - Water		
	Hazard Classes		
ETHYL ALCOHOL	Hazard Class 1		
64-17-5			
GLYCERINE	Hazard Class 1		
56-81-5			

#### **International Inventories**

All of the components in the product are on the following Inventory lists: Canada (DSL/NDSL), Australia (AICS), China (IECSC), Philippines (PICCS).

TSCA -

EINECS/ELINCS -

DSL/NDSL Complies PICCS Complies

ENCS -

IECSC Complies Complies

KECL -

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

### 15.2. Chemical safety assessment

# 16. OTHER INFORMATION

# Full text of H-Statements referred to under sections 2 and 3

 $\ensuremath{\mathsf{H319}}$  - Causes serious eye irritation  $\ensuremath{\mathsf{H225}}$  - Highly flammable liquid and vapor

**Revision Date** 19-Oct-2015

Revision Note Not applicable.

Revision# 1

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

# WARNING/DISCLAIMER:

Apex Flavors, Inc.'s products are sold exclusively for use in food and drink for human consumption. These products have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, and electronic cigarettes or similar devices (collectively "E-Cigarettes"). In supplying this product(s), Apex Flavors, Inc. instructs, and purchasing recipient confirms, that this product(s) will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof. Recipients of our products that use them outside of their intended use of food or drink do so at their own risk and without warranty, either expressed or implied, from Apex Flavors, Inc. or its suppliers. The user assumes all liability for loss, injury, damage, or expense resulting from such uses.

# 174BEV HAZELNUT TYPE, NATURAL FLAVOR BLEND (PROPYLENE GLYCOL FREE) - NUT FREE

Revision Date 19-Oct-2015

**Disclaimer** 

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.