APEX FLAVORS, INC.



SAFETY DATA SHEET.

This safety data sheet complies with the requirements of: OSHA CFR Title 29 CFR 1910.1200

Version 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Code(s) 778BEV

Product name Watermelon Hard Candy Type, Natural Flavor Blend

Recommended use of the chemical and restrictions on use

Recommended Use
Uses advised against
No information available.
No information available

Manufacturer Apex Flavors, Inc.

1371 Brass Mill Rd

SuiteA

Belcamp, MD 21017 410-565-6600

Emergency telephone

Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Inhalation (Dusts/Mists)	Category 2
Serious eye damage/eye irritation	Category 2A
Flammable liquids	Category 4

GHS Label elements, including precautionary statements

Emergency Overview

Danger

Hazard Statements

Fatal if inhaled

Causes serious eye irritation

Combustible liquid



Appearance liquid Physical state liquid Aroma Characteristic of watermelon.

Precautionary Statements - Response

Specific treatment is urgent (see .? on this label)

778BEV Watermelon Hard Candy Type, Natural Flavor Blend

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other information

- · Harmful to aquatic life with long lasting effects
- · Harmful to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
BENZYL ALCOHOL	100-51-6	10-15%	*
ETHYL BUTYRATE	105-54-4	1-5%	*
Trade Secret	Proprietary	1-5%	*
BENZALDEHYDE	100-52-7	<1	*

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice If symptoms persist, call a physician.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

Skin contact Immediate medical attention is not required. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes. If skin irritation persists, call a

physician.

Inhalation Immediate medical attention is not required. If symptoms persist, call a physician. Move to

fresh air in case of accidental inhalation of vapors or decomposition products.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Call a physician. Do NOT induce vomiting.

Self-protection of the first aiderUse personal protective equipment.

Most important symptoms/effects, acute and delayed

Main Symptoms Hives.

Indication of immediate medical attention and special treatment needed, if necessary

Note to physiciansTreat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use. Dry chemical. Carbon dioxide CO₂. Water spray. Alcohol-resistant foam.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition. Risk of ignition.

Explosion data

Sensitivity to Mechanical Impact none. Sensitivity to Static Discharge none.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment. Remove all sources of ignition. Evacuate personnel to

safe areas. Keep people away from and upwind of spill/leak. Pay attention to flashback.

Take precautionary measures against static discharges.

Environmental precautions

Environmental precautions Do not flush into surface water or sanitary sewer system. Prevent further leakage or

spillage if safe to do so. Prevent product from entering drains. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Methods and materials for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material. Dam up. Pick up and transfer to properly labeled

containers. Take precautionary measures against static discharges.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation. To avoid ignition of vapors

by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from heat, sparks and open flame. No smoking. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from heat and sources of ignition. Keep containers tightly closed in a cool,

well-ventilated place. Keep away from heat. Keep in properly labeled containers.

Incompatible productsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

	Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
Ī	Propanol	TWA: 100 ppm	TWA: 200 ppm TWA: 500 mg/m ³	IDLH: 800 ppm	
	71-23-8		(vacated) TWA: 200 ppm	TWA: 200 ppm TWA: 500 mg/m ³	
			(vacated) TWA: 500 mg/m ³	STEL: 250 ppm STEL: 625	
			(vacated) STEL: 250 ppm	mg/m³	
			(vacated) STEL: 625 mg/m ³		

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Exposure controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tightly fitting safety goggles.

Skin and body protection Chemical resistant apron.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection must be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area

and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state liquid liquid **Appearance**

Aroma Characteristic of watermelon.

Color colorless

Method Property Values

No information available На

FCC Method Melting/freezing point Boiling point/boiling range FCC Method Flash Point 72 °C / 162 °F Closed cup

Evaporation rate No information available No information available Flammability (solid, gas) No information available No information available No information available

Flammability Limits in Air

Upper flammability limit No information available lower flammability limit No information available

Vapor pressure mm Hg 20°C No information available

Vapor density No information available FCC Method Specific Gravity @ 25C 1.0166 1.0466

Specific Gravity @ 20C 1.0196 1.0496 FCC Method Refractive Index FCC Method 1.4309 1.4609 Soluble in water Water solubility

Solubility in other solvents No information available Partition coefficient: n-octanol/water

No information available No information available No information available **Autoignition temperature**

Decomposition temperature No information available No information available

Viscosity, kinematic No information available Viscosity, dynamic No information available **Explosive properties** No information available **Oxidizing Properties** No information available

Other information

No information available Softening point **Molecular Weight** No information available **VOC Content(%)** No information available **Density VALUE** No information available **Bulk Density VALUE** No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Heat, flames and sparks.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known information

Inhalation There is no data available for this product.

Eye contact There is no data available for this product.

Skin contact There is no data available for this product.

Ingestion There is no data available for this product.

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation	
PROPYLENE GLYCOL 57-55-6	20000 mg/kg (Rat)	20800 mg/kg (Rabbit)		
BENZYL ALCOHOL 1230 mg/kg (Rat) 100-51-6		2000 mg/kg(Rabbit)	8.8 mg/L (Rat) 4 h	
ETHYL BUTYRATE 105-54-4	13 g/kg (Rat)	2 g/kg(Rabbit)	-	

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available. **Germ Cell Mutagenicity** No information available.

Reproductive toxicity
Specific target organ systemic

toxicity (single exposure)

Specific target organ systemic

toxicity (repeated exposure)
Aspiration hazard

No information available. No information available.

No information available.

No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

. mg/kg mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects

0.5% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	log Pow
BENZYL ALCOHOL	1.1
100-51-6	

BENZALDEHYDE	1.48
100-52-7	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods It must undergo special treatment, e.g. at suitable disposal site, to comply with local

regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
ETHYL BUTYRATE	Ignitable
105-54-4	

14. TRANSPORT INFORMATION

DOT/ADR Not regulated

ICAO/IATA Not regulated

IMDG / IMO Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS AICS -

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	no
Fire Hazard	Yes
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product is not, to the best of our knowledge, subject to the labeling requirements under California Proposition 65

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
PROPYLENE GLYCOL 57-55-6	X		X
ETHYL BUTYRATE 105-54-4	X	X	X
Propanol 71-23-8	X	X	X
Trade Secret			X

U.S. EPA Label information

10. OTTIER IN ORMATION					
NFPA_	Health Hazard 0	Flammability	2	Instability 0	Physical and chemical
HMIS	Health Hazard 0	Flammability	2	Physical Hazard 0	hazards * Personal protection B
TIVII 3	neallii nazai u 0	Fiaiiiiiabiiity	_	riiysicai nazaiu 0	reisonal protection b

16 OTHER INFORMATION

Revision Date 14-Apr-2020

Revision Note No information available

Revision#

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

end