# APEX FLAVORS, INC.



# SAFETY DATA SHEET.

This safety data sheet complies with the requirements of: OSHA CFR Title 29 CFR 1910.1200

Version 1

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Code(s) 884TTB

Product name CHERRY LIMEADE TYPE, NATURAL FLAVOR BLEND

**UN/ID No** 1197

Recommended use of the chemical and restrictions on use
Recommended Use No information available.
Uses advised against No information available

Manufacturer Apex Flavors, Inc.

1361 Brass Mill Rd Suite E Belcamp, MD 21017 410-565-6600

**Emergency telephone** 

Chemtrec: 1-800-424-9300 for US/ Outside US Chemtel 813-248-0585

# 2. HAZARDS IDENTIFICATION

# Classification

Serious eye damage/eye irritation	Category 1
Skin Sensitization	Category 1
Carcinogenicity	Category 1A
Flammable liquids	Category 2

# GHS Label elements, including precautionary statements

#### **Emergency Overview**

#### Danger

### **Hazard Statements**

Causes serious eye damage May cause an allergic skin reaction May cause cancer Highly flammable liquid and vapor



Appearance liquid Physical state liquid Aroma No information available

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

Specific treatment (see .? on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

#### **Precautionary Statements - Storage**

Store locked up

# **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

#### Other information

- · Toxic to aquatic life with long lasting effects
- · Toxic to aquatic life

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
GLYCERINE	56-81-5	30-50%	*
ETHYL ALCOHOL	64-17-5	30-50%	*
ACETIC ACID	64-19-7	1-5%	*
LACTIC ACID	50-21-5	1-5%	*
BENZALDEHYDE	100-52-7	1-5%	*
LIMONENE	5989-27-5	<1	*

## 4. FIRST AID MEASURES

#### First aid measures for different exposure routes

General advice Immediate medical attention is required. Show this material safety data sheet to the doctor

in attendance.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash off immediately with plenty of water.

**Inhalation** Move to fresh air.

Ingestion Clean mouth with water and drink afterwards plenty of water.

**Self-protection of the first aider** Remove all sources of ignition.

Most important symptoms/effects, acute and delayed

Main Symptoms Hives.

 $\underline{\textbf{Indication of immediate medical attention and special treatment needed, if necessary}}$ 

**Note to physicians** Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

Decomposition by contact with water may generate vapors which can be ignited by heat or open flame.

#### Specific hazards arising from the chemical

No information available.

**Explosion data** 

Sensitivity to Mechanical Impact none. Sensitivity to Static Discharge Yes.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate

ventilation.

Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in

low areas.

Methods and materials for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder, sawdust). Pick up and transfer to properly labeled containers.

#### 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of

ignition. Take precautionary measures against static discharges. Use only in an area containing flame proof equipment. To avoid ignition of vapors by static electricity discharge,

all metal parts of the equipment must be grounded.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep tightly closed in a dry and cool place. Keep in properly labeled containers.

**Incompatible products**None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

**Exposure Guidelines**This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

		in a region of come regiment, is	
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
GLYCERINE	-	TWA: 15 mg/m <sup>3</sup> mist, total	

50.04.5		mantiaulata TMA. F. man/ma? maiat	
56-81-5		particulate TWA: 5 mg/m³ mist,	
		respirable fraction	
		(vacated) TWA: 10 mg/m³ mist,	
		total particulate (vacated) TWA: 5	
		mg/m³ mist, respirable fraction	
ETHYL ALCOHOL	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900	IDLH: 3300 ppm
64-17-5		mg/m³	TWA: 1000 ppm TWA: 1900
		(vacated) TWA: 1000 ppm	mg/m³
		(vacated) TWA: 1900 mg/m <sup>3</sup>	_
ACETIC ACID	STEL: 15 ppm	TWA: 10 ppm TWA: 25 mg/m <sup>3</sup>	IDLH: 50 ppm
64-19-7	TWA: 10 ppm	(vacated) TWA: 10 ppm (vacated)	TWA: 10 ppm TWA: 25 mg/m <sup>3</sup>
		TWA: 25 mg/m <sup>3</sup>	STEL: 15 ppm STEL: 37 mg/m <sup>3</sup>
ETHYL ACETATE	TWA: 400 ppm	TWA: 400 ppm TWA: 1400	IDLH: 2000 ppm
141-78-6		mg/m³	TWA: 400 ppm TWA: 1400
		(vacated) TWA: 400 ppm	mg/m³
		(vacated) TWA: 1400 mg/m <sup>3</sup>	3
PINENES	TWA: 20 ppm	-	
80-56-8			
FURFURAL	TWA: 2 ppm	TWA: 5 ppm	IDLH: 100 ppm
98-01-1	S*	TWA: 20 mg/m <sup>3</sup>	
		(vacated) TWA: 2 ppm	
		(vacated) TWA: 8 mg/m <sup>3</sup>	
		(vacated) S*	
		S*	
ISOAMYL ACETATE	STEL: 100 ppm	TWA: 100 ppm	IDLH: 1000 ppm
123-92-2	TWA: 50 ppm	TWA: 525 mg/m <sup>3</sup>	TWA: 100 ppm
123 32 2	1 WA. 30 ppm	(vacated) TWA: 100 ppm	TWA: 525 mg/m <sup>3</sup>
		(vacated) TWA: 100 ppm (vacated) TWA: 525 mg/m <sup>3</sup>	1 WA. 323 Hig/III
CITRAL	TWA: 5 ppm_inhalable fraction	(vacated) 1 vvA. 323 mg/m	
5392-40-5	and vapor		
3382-40-3	S*		
ACETOPHENONE	TWA: 10 ppm	-	
98-86-2			
	•	•	

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Exposure controls** 

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** If splashes are likely to occur, wear:.

**Skin and body protection** Chemical resistant apron.

respiratory protection must be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area

and clothing.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Physical and chemical properties

Physical state liquid Appearance liquid

Aroma No information available Color No information available

<u>Property</u> <u>Values</u> <u>Method</u>

pH No information available

Melting/freezing point FCC Method

Melting/freezing pointFCC MethodBoiling point/boiling rangeFCC MethodFlash Point19 °C / 67 °FClosed cup

Evaporation rateNo information availableNo information availableFlammability (solid, gas)No information availableNo information availableFlammability Limits in AirNo information available

Upper flammability limitNo information availablelower flammability limitNo information available

Vapor pressure mm Hg 20°C

Vapor density

No information available
No information available

 Specific Gravity @ 25C
 0.9806 - 1.1006
 FCC Method

 Specific Gravity @ 20C
 0.9836 - 1.1036
 FCC Method

 Refractive Index @ 20C
 1.3996 - 1.4196
 FCC Method

Refractive Index @ 20C 1.3996 - 1.4196 FCC Method Water solubility Practically insoluble

Solubility in other solvents

Partition coefficient: n-octanol/water

No information available
No information available

Autoignition temperature No information available No information available

 Decomposition temperature
 No information available

 Viscosity, kinematic
 No information available

 No information available

Viscosity, dynamic

Explosive properties

Oxidizing Properties

No information available

No information available

No information available

Other information

Softening point
Molecular Weight
VOC Content(%)
Density VALUE
No information available

### 10. STABILITY AND REACTIVITY

### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### **Conditions to Avoid**

Extremes of temperature and direct sunlight.

#### **Incompatible Materials**

None known based on information supplied.

#### **Hazardous Decomposition Products**

None known based on information supplied.

#### 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known information

**Inhalation** There is no data available for this product.

**Eye contact** There is no data available for this product.

**Skin contact** There is no data available for this product.

**Ingestion** There is no data available for this product.

#### Information on toxicological effects

**Symptoms** No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Germ Cell Mutagenicity No information available.

Carcinogenicity This product contains one or more substances which are classified by IARC as

carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly

carcinogenic to humans (Group 2B).

Chemical Name	ACGIH	IARC	NTP	OSHA
ETHYL ALCOHOL	A3	Group 1	Known	X
64-17-5				
LIMONENE		Group 3		
5989-27-5		·		

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity
Specific target organ systemic toxicity (single exposure)

No information available. No information available.

Specific target organ systemic toxicity (repeated exposure)

No information available.

Chronic toxicity
Target Organ Effects

May cause adverse liver effects. Contains a known or suspected reproductive toxin. Blood, Central nervous system, Eyes, Kidney, Liver, Reproductive system, Respiratory

system, Skin, Teeth.

**Aspiration hazard** No information available.

#### Numerical measures of toxicity - Product Information

#### The following values are calculated based on chapter 3.1 of the GHS document

. mg/kg mg/l

### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Toxic to aquatic life with long lasting effects

14.38112% of the mixture consists of components(s) of unknown hazards to the aquatic environment

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

Chemical Name	log Pow
GLYCERINE	-1.76
56-81-5	
ETHYL ALCOHOL	-0.32
64-17-5	
ACETIC ACID	-0.31
64-19-7	
BENZALDEHYDE	1.48
100-52-7	

### Other adverse effects

No information available

# 13. DISPOSAL CONSIDERATIONS

**Waste treatment** 

Waste Disposal Methods It must undergo special treatment, e.g. at suitable disposal site, to comply with local

regulations.

**Contaminated packaging** Do not reuse container.

US EPA Waste Number D001 U004 U112 U125

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status	
ETHYL ALCOHOL	Toxic Ignitable	
64-17-5		
ACETIC ACID	Toxic Corrosive Ignitable	
64-19-7	·	
LIMONENE	Toxic	
5989-27-5		

## 14. TRANSPORT INFORMATION

DOT/ADR

**UN/ID No** 1197

Proper shipping name EXTRACTS, FLAVOURING, LIQUID

Hazard class 3
Packing Group II
ERG Code 127

ICAO/IATA

**UN/ID No** 1197

Proper shipping name EXTRACTS, FLAVOURING, LIQUID

Hazard class 3
Packing Group II
ERG Code 127

IMDG / IMO

**UN/ID No** 1197

Proper shipping name EXTRACTS, FLAVOURING, LIQUID

Hazard class 3 Packing Group II

### 15. REGULATORY INFORMATION

**International Inventories** 

TSCA DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS AICS -

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

# SARA 311/312 Hazard Categories

Acute Health Hazard no
Chronic Health Hazard no
Fire Hazard Yes
Sudden Release of Pressure Hazard no
Reactive Hazard no

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
ACETIC ACID 64-19-7	5000 lb			Х

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name Hazardous Substances RQs Extremely Hazardous Substances RQ
--

		RQs	
ACETIC ACID	5000 lb		RQ 5000 lb final RQ RQ 2270 kg
64-19-7			final RQ

# **U.S. State Regulations**

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
ETHYL ALCOHOL - 64-17-5	Carcinogen

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
GLYCERINE	X	X	Χ
56-81-5			
ETHYL ALCOHOL	X	X	Χ
64-17-5			
BENZALDEHYDE	X	X	X
100-52-7			
ETHYL ACETATE	X	X	Χ
141-78-6			
ETHYL BENZOATE			X
93-89-0			
ACETOPHENONE	X	X	X
98-86-2			
P-CYMENE		X	X
99-87-6			

#### U.S. EPA Label information

### 16. OTHER INFORMATION

NFPA	Health Hazard 2	Flammability 4	Instability 0	Physical and chemical hazards *
<u>HMIS</u>	Health Hazard 2	Flammability 4	Physical Hazard 0	Personal protection B

Revision Date 05-Nov-2020

Revision Note No information available

Revision# 1

#### **WARNING/DISCLAIMER:**

Our ingredients have not been tested, nor have they been determined safe, for inhalation or use in any electronic smoking devices, electronic nicotine delivery systems, electronic cigarettes, or other similar devices (collectively "E-Cigarettes") or in any E-Liquids used with E-Cigarettes. By receiving Apex Flavors, Inc ingredients, the recipient confirms that they will not use these ingredients in connection with the manufacture and distribution of E-Cigarettes, E-Liquids or any component thereof. WE DISCLAIM, TO THE FULLEST EXTENT PERMITTED BY LAW, ALL WARRANTIES, EXPRESS OR IMPLIED, and disclaim all liability in connection with the use of our ingredients in connection with E-Cigarettes and E-Liquids. All such risks are assumed by you and the user.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

end