## APEX FLAVORS, INC.



## SAFETY DATA SHEET.

This safety data sheet complies with the requirements of: OSHA CFR Title 29 CFR 1910.1200

Version 1

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Code(s) 886

Product name ELDER FLOWER BLUEBERRY TYPE, NATURAL FLAVOR BLEND

**UN/ID No** 1197

Recommended use of the chemical and restrictions on use
Recommended Use No information available.
Uses advised against No information available

Manufacturer Apex Flavors, Inc.

1371 Brass Mill Rd Suite A Belcamp, MD 21017 410-565-6600

**Emergency telephone** 

Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US

## 2. HAZARDS IDENTIFICATION

#### Classification

Serious eye damage/eye irritation	Category 2A
Skin Sensitization	Category 1
Carcinogenicity	Category 1A
Flammable liquids	Category 3

# GHS Label elements, including precautionary statements

#### **Emergency Overview**

#### Danger

## **Hazard Statements**

Causes serious eye irritation May cause an allergic skin reaction May cause cancer Flammable liquid and vapor



Appearance liquid Physical state liquid Aroma No information available

**Precautionary Statements - Response** 

IF exposed or concerned: Get medical advice/attention

Specific treatment (see .? on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

In case of fire: Use CO2, dry chemical, or foam for extinction

#### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep cool

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

#### Other information

- Toxic to aquatic life with long lasting effects
- · Toxic to aquatic life

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
ETHYL ALCOHOL	64-17-5	30-50%	*
GLYCERINE	56-81-5	1-5%	*
LIMONENE	5989-27-5	<1	*
Trade Secret	Proprietary	<1	*
BENZYL ALCOHOL	100-51-6	<1	*

## 4. FIRST AID MEASURES

#### First aid measures for different exposure routes

General advice Immediate medical attention is required. Show this material safety data sheet to the doctor

in attendance.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

**Skin contact** Wash off immediately with plenty of water.

**Inhalation** Immediate medical attention is not required. If symptoms persist, call a physician. Move to

fresh air in case of accidental inhalation of vapors or decomposition products.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Call a physician. Do NOT induce vomiting.

**Self-protection of the first aider** Remove all sources of ignition.

Most important symptoms/effects, acute and delayed

Main Symptoms Hives.

Indication of immediate medical attention and special treatment needed, if necessary

Note to physicians Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use. Dry chemical. Carbon dioxide CO<sub>2</sub>. Water spray. Alcohol-resistant foam.

#### Unsuitable extinguishing media

Decomposition by contact with water may generate vapors which can be ignited by heat or open flame.

#### Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition. Risk of ignition.

#### **Explosion data**

Sensitivity to Mechanical Impact none. Sensitivity to Static Discharge Yes.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Remove all sources of ignition. Ensure adequate

ventilation.

Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in

low areas.

#### Methods and materials for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Pick up and transfer to properly labeled containers. Soak up with inert absorbent

material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

#### 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on safe handling To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment

must be grounded. Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Use only in

an area containing flame proof equipment.

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep in properly labeled containers. Keep tightly closed in a dry and cool place.

**Incompatible products**None known based on information supplied.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

# 886 ELDER FLOWER BLUEBERRY TYPE, NATURAL FLAVOR BLEND

**Exposure Guidelines** 

This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ETHYL ALCOHOL	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900	IDLH: 3300 ppm
64-17-5		mg/m³	TWA: 1000 ppm TWA: 1900
		(vacated) TWA: 1000 ppm	mg/m³
		(vacated) TWA: 1900 mg/m <sup>3</sup>	
GLYCERINE	-	TWA: 15 mg/m <sup>3</sup> mist, total	
56-81-5		particulate TWA: 5 mg/m³ mist,	
		respirable fraction	
		(vacated) TWA: 10 mg/m³ mist,	
		total particulate (vacated) TWA: 5	
		mg/m³ mist, respirable fraction	
ACETIC ACID	STEL: 15 ppm	TWA: 10 ppm TWA: 25 mg/m <sup>3</sup>	IDLH: 50 ppm
64-19-7	TWA: 10 ppm	(vacated) TWA: 10 ppm (vacated)	TWA: 10 ppm TWA: 25 mg/m <sup>3</sup>
		TWA: 25 mg/m <sup>3</sup>	STEL: 15 ppm STEL: 37 mg/m <sup>3</sup>
ETHYL ACETATE	TWA: 400 ppm	TWA: 400 ppm TWA: 1400	IDLH: 2000 ppm
141-78-6		mg/m³	TWA: 400 ppm TWA: 1400
		(vacated) TWA: 400 ppm	mg/m³
		(vacated) TWA: 1400 mg/m <sup>3</sup>	
Trade Secret	STEL: 100 ppm	-	
	TWA: 50 ppm		.=
ACETALDEHYDE	Ceiling: 25 ppm	TWA: 200 ppm TWA: 360 mg/m <sup>3</sup>	IDLH: 2000 ppm
75-07-0		(vacated) TWA: 100 ppm	
		(vacated) TWA: 180 mg/m <sup>3</sup>	
		(vacated) STEL: 150 ppm	
100 44 0/4 4 0/5 7 4 7 5	0.751 400	(vacated) STEL: 270 mg/m³	IDI.I. 4000
ISOAMYL ACETATE	STEL: 100 ppm	TWA: 100 ppm	IDLH: 1000 ppm
123-92-2	TWA: 50 ppm	TWA: 525 mg/m <sup>3</sup>	TWA: 100 ppm
		(vacated) TWA: 100 ppm	TWA: 525 mg/m <sup>3</sup>
100 ANN/L AL COLICI	OTEL 405	(vacated) TWA: 525 mg/m <sup>3</sup>	IDI II 500
ISOAMYL ALCOHOL	STEL: 125 ppm	TWA: 100 ppm TWA: 360 mg/m <sup>3</sup>	IDLH: 500 ppm
123-51-3	TWA: 100 ppm	(vacated) TWA: 100 ppm	TWA: 100 ppm TWA: 360 mg/m <sup>3</sup>
		(vacated) TWA: 360 mg/m <sup>3</sup>	STEL: 125 ppm STEL: 450
		(vacated) STEL: 125 ppm	mg/m³
DIMETLIAL CHILEIDE	TWA: 10 ppg	(vacated) STEL: 450 mg/m <sup>3</sup>	
DIMETHYL SULFIDE 75-18-3	TWA: 10 ppm	_	
Trade Secret	TWA: 10 ppm	<u> </u>	
Trade Secret	1 111/1. 10 pp.		
Trade Secret	TWA: 10 ppm	-	
NIOSH IDI H: Immediataly Dangerous	1		

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Exposure controls** 

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Tightly fitting safety goggles.

**Skin and body protection** Chemical resistant apron.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection must be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area

and clothing.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

## **Physical and chemical properties**

Physical state liquid Appearance liquid

Aroma No information available Color No information available

<u>Property</u> <u>Values</u> <u>Method</u>

pH No information available

Melting/freezing pointFCC MethodBoiling point/boiling rangeFCC MethodFlash Point25 °C / 77 °FClosed cup

Evaporation rateNo information availableNo information availableFlammability (solid, gas)No information availableNo information availableFlammability Limits in AirNo information available

Upper flammability limitNo information availablelower flammability limitNo information available

Vapor pressure mm Hg 20°C

No information available

Vapor density

Specific Gravity @ 25C

Specific Gravity @ 20C

O.9370 - 0.9570

FCC Method

FCC Method

FCC Method

Specific Gravity @ 20C 0.9400 - 0.9600 FCC Method Refractive Index @ 20C 1.3859 - 1.4059 FCC Method Water solubility Practically insoluble

Solubility in other solvents

Partition coefficient: n-octanol/water

No information available

No information available

No information available

Autoignition temperatureNo information availableNo information availableDecomposition temperatureNo information available

Viscosity, kinematic
Viscosity, dynamic
Explosive properties
Oxidizing Properties
No information available
No information available
No information available

Other information

Softening point
Molecular Weight
VOC Content(%)
Density VALUE
No information available

## 10. STABILITY AND REACTIVITY

No information available

No information available

#### Reactivity

No data available

## **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

## **Conditions to Avoid**

Heat, flames and sparks.

## **Incompatible Materials**

None known based on information supplied.

#### **Hazardous Decomposition Products**

None known based on information supplied.

#### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** Product does not present an acute toxicity hazard based on known information

Inhalation There is no data available for this product.

Eye contact There is no data available for this product.

Skin contact There is no data available for this product.

There is no data available for this product. Ingestion

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
ETHYL ALCOHOL	7060 mg/kg (Rat)	-	124.7 mg/L (Rat) 4 h
64-17-5			
PROPYLENE GLYCOL	20000 mg/kg (Rat)	20800 mg/kg ( Rabbit )	-
57-55-6			
GLYCERINE	-	10 g/kg (Rabbit)	570 mg/m <sup>3</sup> (Rat) 1 h
56-81-5			

#### Information on toxicological effects

No information available. **Symptoms** 

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available. No information available. **Germ Cell Mutagenicity** 

Carcinogenicity This product contains one or more substances which are classified by IARC as

carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly

carcinogenic to humans (Group 2B).

	04.00900	10aae (0.0ap ==).		
Chemical Name	ACGIH	IARC	NTP	OSHA
ETHYL ALCOHOL	A3	Group 1	Known	X
64-17-5				
LIMONENE		Group 3		
5989-27-5				

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available. Specific target organ systemic

No information available.

toxicity (single exposure) Specific target organ systemic

No information available.

toxicity (repeated exposure) **Chronic toxicity Target Organ Effects** 

May cause adverse liver effects. Contains a known or suspected reproductive toxin. Blood, Central nervous system, Eyes, Liver, Reproductive system, Respiratory system,

Skin, Kidney.

No information available. Aspiration hazard

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

. mg/kg mg/l

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Toxic to aquatic life with long lasting effects

13.12298% of the mixture consists of components(s) of unknown hazards to the aquatic environment

## Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
64-17-5	
GLYCERINE	-1.76
56-81-5	
BENZYL ALCOHOL	1.1
100-51-6	

#### Other adverse effects

No information available

## 13. DISPOSAL CONSIDERATIONS

#### **Waste treatment**

regulations.

**Contaminated packaging** Do not reuse container.

US EPA Waste Number D001 U112 U125

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
ETHYL ALCOHOL 64-17-5	Toxic Ignitable
LIMONENE 5989-27-5	Toxic

## 14. TRANSPORT INFORMATION

## DOT/ADR

**UN/ID No** 1197

Proper shipping name EXTRACTS, FLAVOURING, LIQUID

Hazard class 3
Packing Group III
ERG Code 127

ICAO/IATA

**UN/ID No** 1197

Proper shipping name EXTRACTS, FLAVOURING, LIQUID

Hazard class 3
Packing Group III

IMDG / IMO

**UN/ID No** 1197

Proper shipping name EXTRACTS, FLAVOURING, LIQUID

Hazard class 3
Packing Group III

## 15. REGULATORY INFORMATION

International Inventories

TSCA DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS AICS -

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard no
Fire Hazard Yes
Sudden Release of Pressure Hazard no
Reactive Hazard no

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

## **U.S. State Regulations**

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
ETHYL ALCOHOL - 64-17-5	Carcinogen
ACETALDEHYDE - 75-07-0	Carcinogen
MYRCENE - 123-35-3	Carcinogen

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ETHYL ALCOHOL	X	X	Χ
64-17-5			
PROPYLENE GLYCOL	X		Χ
57-55-6			
GLYCERINE	X	X	Χ
56-81-5			
ETHYL BUTYRATE	X	X	X
105-54-4			
ETHYL ACETATE	X	X	X
141-78-6			
Trade Secret			X
Trade Secret	X	X	Χ

#### **U.S. EPA Label information**

|--|

NFPA Health Hazard 2 Flammability 3 Instability 0 Physical and chemical hazards \*

HMIS Health Hazard 2 Flammability 3 Physical Hazard 0 Personal protection B

inis realitivazaro 2 rianinability 5 rilysical hazaro 6 reisonal protection b

**Revision Date** 19-Mar-2021

Revision Note No information available

Revision#

## WARNING/DISCLAIMER:

The ingredients/flavors provided by Trilogy have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, electronic cigarettes or other similar devices (collectively "E-Cigarettes"). In supplying ingredients/flavors, Trilogy instructs, and by receiving such ingredients/flavors recipient confirms, that the ingredients/flavors will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

end