
APEX FLAVORS, INC.



SAFETY DATA SHEET.

This safety data sheet complies with the requirements of: OSHA CFR Title 29 CFR 1910.1200

Version 6.01

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Code(s) 832, 832TTB, 832BEV

Product name GRAPE WHITE TYPE, NATURAL FLAVOR BLEND

UN/ID No 1993

Recommended use of the chemical and restrictions on use
Recommended Use
Uses advised against
No information available

Manufacturer Apex Flavors, Inc.

1371 Brass Mill Rd Suite A Belcamp, MD 21017 410-565-6600

Emergency telephone

Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US

2. HAZARDS IDENTIFICATION

Classification

Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 1A
Flammable liquids	Category 2

GHS Label elements, including precautionary statements

Emergency Overview

Danger

Hazard Statements

Causes serious eye damage May cause cancer Highly flammable liquid and vapor



Appearance clear

Physical state liquid

Aroma typical of grape

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

_

Immediately call a POISON CENTER or doctor/physician

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other information

· Toxic to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
GLYCERINE	56-81-5	50-90%	*
ETHYL ALCOHOL	64-17-5	30-50%	*
ETHYL ACETATE	141-78-6	1-5%	*
ACETIC ACID	64-19-7	1-5%	*

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice Immediate medical attention is required. Show this material safety data sheet to the doctor

in attendance.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash off immediately with plenty of water.

Inhalation Move to fresh air.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Self-protection of the first aider Remove all sources of ignition.

Most important symptoms/effects, acute and delayed

Main Symptoms Hives.

Indication of immediate medical attention and special treatment needed, if necessary

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Decomposition by contact with water may generate vapors which can be ignited by heat or open flame.

Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact none. Sensitivity to Static Discharge Yes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate

ventilation.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in

low areas.

Methods and materials for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder, sawdust). Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of

ignition. Take precautionary measures against static discharges. Use only in an area containing flame proof equipment. To avoid ignition of vapors by static electricity discharge,

all metal parts of the equipment must be grounded.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep tightly closed in a dry and cool place. Keep in properly labeled containers.

Incompatible products None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
GLYCERINE	-	TWA: 15 mg/m ³ mist, total	
56-81-5		particulate TWA: 5 mg/m³ mist,	
		respirable fraction	
		(vacated) TWA: 10 mg/m³ mist,	
		total particulate (vacated) TWA: 5	
		mg/m³ mist, respirable fraction	
ETHYL ALCOHOL	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900	IDLH: 3300 ppm
64-17-5		mg/m³	TWA: 1000 ppm TWA: 1900
		(vacated) TWA: 1000 ppm	mg/m³
		(vacated) TWA: 1900 mg/m ³	_
ACETIC ACID	STEL: 15 ppm	TWA: 10 ppm TWA: 25 mg/m ³	IDLH: 50 ppm
64-19-7	TWA: 10 ppm	(vacated) TWA: 10 ppm (vacated)	
		TWA: 25 mg/m ³	STEL: 15 ppm STEL: 37 mg/m ³

832, 832TTB, 832BEV GRAPE WHITE TYPE, NATURAL FLAVOR BLEND

_

ETHYL ACETATE 141-78-6	TWA: 400 ppm	TWA: 400 ppm TWA: 1400 mg/m ³	IDLH: 2000 ppm TWA: 400 ppm TWA: 1400
		(vacated) TWA: 400 ppm (vacated) TWA: 1400 mg/m ³	mg/m³
ISOAMYL ALCOHOL	STEL: 125 ppm	TWA: 100 ppm TWA: 360 mg/m ³	IDLH: 500 ppm
123-51-3	TWA: 100 ppm	(vacated) TWA: 100 ppm	TWA: 100 ppm TWA: 360 mg/m ³
		(vacated) TWA: 360 mg/m ³	STEL: 125 ppm STEL: 450
		(vacated) STEL: 125 ppm	mg/m³
		(vacated) STEL: 450 mg/m ³	

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Exposure controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection If splashes are likely to occur, wear:.

Skin and body protection Chemical resistant apron.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection must be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area

and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

No information available

Physical and chemical properties

Physical state liquid **Appearance** clear

Aroma typical of grape

Color No information available

Property Method Values

No information available pН

Melting/freezing point **FCC Method** Boiling point/boiling range **FCC Method** Flash Point 17 °C / 63 °F Closed cup

Evaporation rate No information available No information available Flammability (solid, gas) No information available No information available No information available

Flammability Limits in Air

Upper flammability limit No information available lower flammability limit No information available

Vapor pressure mm Hg 20°C

Vapor density No information available Specific Gravity @ 25C 1.064 - 1.084 FCC Method

Specific Gravity @ 20C 1.067 - 1.087 FCC Method Refractive Index 1.4186 - 1.4386 **FCC Method** Water solubility Practically insoluble

Solubility in other solvents

Partition coefficient: n-octanol/water

Autoignition temperature No information available

Decomposition temperature

Viscosity, kinematic No information available Viscosity, dynamic No information available **Explosive properties** No information available **Oxidizing Properties** No information available

Other information

No information available Softening point Molecular Weight No information available VOC Content(%) No information available **Density VALUE** No information available **Bulk Density VALUE** No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Heat, flames and sparks.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

_

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known information

Inhalation There is no data available for this product.

Eye contact There is no data available for this product.

Skin contact There is no data available for this product.

Ingestion There is no data available for this product.

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
GLYCERINE	-	10 g/kg (Rabbit)	570 mg/m³(Rat)1 h
56-81-5			
ETHYL ALCOHOL 64-17-5	7060 mg/kg (Rat)	-	124.7 mg/L (Rat) 4 h
ACETIC ACID 64-19-7	3310 mg/kg (Rat)	1060 mg/kg (Rabbit)	11.4 mg/L (Rat) 4 h
ETHYL ACETATE 141-78-6	5620 mg/kg (Rat)	20 mL/kg (Rabbit)	-
ETHYL BUTYRATE 105-54-4	13 g/kg (Rat)	2 g/kg(Rabbit)	-
ISOAMYL ALCOHOL 123-51-3	1300 mg/kg (Rat)	3970 μL/kg(Rabbit)	-
PHENYL ETHYL ALC 60-12-8	1790 mg/kg (Rat)	790 μL/kg (Rabbit)	1.38 mg/L (Rat) 4 h

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Germ Cell Mutagenicity No information available.

Carcinogenicity This product contains one or more substances which are classified by IARC as

carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly

carcinogenic to humans (Group 2B).

Chemical Name	ACGIH	IARC	NTP	OSHA
ETHYL ALCOHOL	A3	Group 1	Known	X
64-17-5				

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity Specific target organ systemic toxicity (single exposure) Specific target organ systemic toxicity (repeated exposure)

Target Organ Effects

No information available. No information available.

No information available.

cicity (repeated exposure)

Chronic toxicity

May cause adverse liver effects. Contains a known or suspected reproductive toxin. Blood, Central nervous system, Eyes, Kidney, Liver, Reproductive system, Respiratory

system, Skin, Teeth.

No information available.

Aspiration hazard No information :

·

_

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

. mg/kg mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life

10% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	log Pow
GLYCERINE	-1.76
56-81-5	
ETHYL ALCOHOL	-0.32
64-17-5	
ETHYL ACETATE	0.6
141-78-6	
ACETIC ACID	-0.31
64-19-7	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods It must undergo special treatment, e.g. at suitable disposal site, to comply with local

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number D001 U112

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status	
ETHYL ALCOHOL	Toxic Ignitable	
64-17-5		
ETHYL ACETATE	Toxic Ignitable	
141-78-6		
ACETIC ACID	Toxic Corrosive Ignitable	
64-19-7	·	

14. TRANSPORT INFORMATION

DOT/ADR

UN/ID No 1993

Proper shipping name FLAMMABLE LIQUID, N.O.S. (ETHYL ALCOHOL, ETHYL ACETATE)

_

Hazard class3Packing GroupIIERG Code128

ICAO/IATA

UN/ID No 1993

Proper shipping name FLAMMABLE LIQUID, N.O.S. (ETHYL ALCOHOL, ETHYL ACETATE)

Hazard class 3
Packing Group

IMDG / IMO

UN/ID No 1993

Proper shipping name FLAMMABLE LIQUID, N.O.S. (ETHYL ALCOHOL, ETHYL ACETATE)

Hazard class 3
Packing Group ||

15. REGULATORY INFORMATION

International Inventories

TSCA DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS AICS -

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard no Chronic Health Hazard no Fire Hazard Yes Sudden Release of Pressure Hazard no Reactive Hazard no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous
	Quantities			Substances

ACETIC ACID 5000 lb X 64-19-7

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
ETHYL ACETATE 141-78-6	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
ACETIC ACID 64-19-7	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
ETHYL ALCOHOL - 64-17-5	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
GLYCERINE	X	X	X
56-81-5			
ETHYL ALCOHOL	X	X	X
64-17-5			
ETHYL ACETATE	X	X	X
141-78-6			
ETHYL BUTYRATE	X	X	X
105-54-4			
ISOAMYL ALCOHOL	X	X	X
123-51-3			

U.S. EPA Label information

16. OTHER INFORMATION

NFPA Health Hazard 2 Flammability 4 Instability 0 Physical and chemical hazards *

HMIS Health Hazard 2 Flammability 4 Physical Hazard 0 Personal protection B

Revision Date 10-Sep-2019

Revision Note No information available

Revision# 6.01

WARNING/DISCLAIMER:

The ingredients/flavors provided by Trilogy have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, electronic cigarettes or other similar devices (collectively "E-Cigarettes"). In supplying ingredients/flavors, Trilogy instructs, and by receiving such ingredients/flavors recipient confirms, that the ingredients/flavors will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

._____

materials or in any process, unless specified in the text.

end