APEX FLAVORS, INC.

SAFETY DATA SHEET.



This safety data sheet complies with the requirements of: OSHA CFR Title 29 CFR 1910.1200

Version 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Code(s) 1040, 1040TTB, 1040BEV

Product name CHERRY BERRY MEDLEY TYPE, NATURAL FLAVOR BLEND

UN/ID No 1197

Recommended use of the chemical and restrictions on use
Recommended Use
Uses advised against
No information available

Manufacturer Apex Flavors, Inc.

1371 Brass Mill Rd Suite A Belcamp, MD 21017 410-565-6600

Emergency telephone

Chemtrec: 1-800-424-9300 for US/ Outside US Chemtel 813-248-0585.

2. HAZARDS IDENTIFICATION

Classification

Carcinogenicity	Category 1A
Flammable liquids	Category 3

GHS Label elements, including precautionary statements

Emergency Overview

Danger

Hazard Statements

May cause cancer

Flammable liquid and vapor





Appearance liquid Physical state liquid Aroma No information available

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

In case of fire: Use CO2, dry chemical, or foam for extinction

Revision Date 29-Nov-2021

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other information

- Harmful to aquatic life with long lasting effects
- · Harmful to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
ETHYL ALCOHOL	64-17-5	5-10%	*
GLYCERINE	56-81-5	5-10%	*
BENZALDEHYDE	100-52-7	<1	*
BENZYL ALCOHOL	100-51-6	<1	*

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice Immediate medical attention is required. Show this material safety data sheet to the doctor

in attendance.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

symptoms persist, call a physician.

Skin contact Wash off immediately with plenty of water. Wash off immediately with soap and plenty of

water.

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Drink plenty of water. Immediate medical attention is not required.

Rinse mouth.

Self-protection of the first aider Remove all sources of ignition.

Most important symptoms/effects, acute and delayed

Main Symptoms Hives.

Indication of immediate medical attention and special treatment needed, if necessary

Note to physicians May cause sensitization in susceptible persons.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Decomposition by contact with water may generate vapors which can be ignited by heat or open flame.

Revision Date 29-Nov-2021

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes. May cause sensitization in susceptible persons.

Explosion data

Sensitivity to Mechanical Impact none.
Sensitivity to Static Discharge Yes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate

ventilation. Use personal protective equipment.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do

not flush into surface water or sanitary sewer system. Beware of vapors accumulating to

form explosive concentrations. Vapors can accumulate in low areas.

Methods and materials for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers. Dam up. Soak up with inert absorbent

material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Soak up with inert

absorbent material.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of

ignition. Take precautionary measures against static discharges. Use only in an area containing flame proof equipment. To avoid ignition of vapors by static electricity discharge,

all metal parts of the equipment must be grounded.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep

containers tightly closed in a cool, well-ventilated place.

Incompatible products None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure GuidelinesThis product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ETHYL ALCOHOL	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900	IDLH: 3300 ppm
64-17-5		mg/m³	TWA: 1000 ppm TWA: 1900
		(vacated) TWA: 1000 ppm	mg/m³
		(vacated) TWA: 1900 mg/m ³	_
GLYCERINE	-	TWA: 15 mg/m ³ mist, total	

56-81-5	1	particulate TWA: 5 mg/m³ mist,	
20-01-2		respirable fraction	
		(vacated) TWA: 10 mg/m³ mist,	
		total particulate (vacated) TWA: 5	
		mg/m³ mist, respirable fraction	
ACETIC ACID	STEL: 15 ppm	TWA: 10 ppm TWA: 25 mg/m ³	IDLH: 50 ppm
64-19-7	TWA: 10 ppm	(vacated) TWA: 10 ppm (vacated)	TWA: 10 ppm TWA: 25 mg/m ³
		TWA: 25 mg/m ³	STEL: 15 ppm STEL: 37 mg/m ³
ETHYL ACETATE	TWA: 400 ppm	TWA: 400 ppm TWA: 1400	IDLH: 2000 ppm
141-78-6		mg/m³	TWA: 400 ppm TWA: 1400
		(vacated) TWA: 400 ppm	mg/m³
		(vacated) TWA: 1400 mg/m ³	Ğ
ISOAMYL ACETATE	STEL: 100 ppm	TWA: 100 ppm	IDLH: 1000 ppm
123-92-2	TWA: 50 ppm	TWA: 525 mg/m ³	TWA: 100 ppm
		(vacated) TWA: 100 ppm	TWA: 525 mg/m ³
		(vacated) TWA: 525 mg/m ³	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
FURFURAL	TWA: 2 ppm	TWA: 5 ppm	IDLH: 100 ppm
98-01-1	S*	TWA: 3 ppm TWA: 20 mg/m ³	тын тоо ррш
90-01-1	3	(vacated) TWA: 2 ppm	
		(vacated) TWA: 8 mg/m ³	
		(vacated) S*	
		S*	
DIMETHYL SULFIDE	TWA: 10 ppm	-	
75-18-3			
ACETALDEHYDE	Ceiling: 25 ppm	TWA: 200 ppm TWA: 360 mg/m ³	IDLH: 2000 ppm
75-07-0		(vacated) TWA: 100 ppm	
		(vacated) TWA: 180 mg/m ³	
		(vacated) STEL: 150 ppm	
		(vacated) STEL: 270 mg/m ³	
ISOBUTYL ACETATE	TWA: 150 ppm	TWA: 150 ppm	IDLH: 1300 ppm
110-19-0		TWA: 700 mg/m ³	TWA: 150 ppm
		(vacated) TWA: 150 ppm	TWA: 700 mg/m ³
		(vacated) TWA: 700 mg/m ³	S .
ISOAMYL ALCOHOL	STEL: 125 ppm	TWA: 100 ppm TWA: 360 mg/m ³	IDLH: 500 ppm
123-51-3	TWA: 100 ppm	(vacated) TWA: 100 ppm	TWA: 100 ppm TWA: 360 mg/m ³
.25 5 . 5		(vacated) TWA: 360 mg/m ³	STEL: 125 ppm STEL: 450
		(vacated) STEL: 125 ppm	mg/m ³
		(vacated) STEL: 450 mg/m ³	ing/iii
Trade Secret	TWA: 10 ppm	(vadated) et EE: 400 mg/m	
Trade Secret	I WA. 10 ppill	_	
Trade Secret	TWA: 10 ppm	_	
Trade decret	I WA. 10 ppill		
PINENES	TWA: 20 ppm	_	
80-56-8	Ι ΨΑ. 20 ρριτί	1	
CITRAL	TMA. F nom inholoble fraction		
	TWA: 5 ppm_inhalable fraction	<u>-</u>	
5392-40-5	and vapor		
DENZONIEDI E	S*	T14/4 5 . / 2 021	IDILL OF 1 2 CM
BENZONITRILE	-	TWA: 5 mg/m³ CN	IDLH: 25 mg/m ³ CN
100-47-0		(vacated) TWA: 5 mg/m ³	
		S*	
MICCH IDI H. Immediately Dengaray	. 1 16 11 101		

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Exposure controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tightly fitting safety goggles.

Skin and body protection Chemical resistant apron.

Revision Date 29-Nov-2021

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection must be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

No information available

No information available

No information available

No information available

provided in accordance with current local regulations.

When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area **General Hygiene Considerations**

and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state liquid **Appearance** liquid

No information available **Aroma** Color No information available

Property Values Method

No information available pН

FCC Method Melting/freezing point Boiling point/boiling range FCC Method

Flash Point 35 °C / 95 °F Closed cup **Evaporation rate** No information available No information available No information available

Flammability (solid, gas) No information available Flammability Limits in Air

Upper flammability limit No information available lower flammability limit No information available

Vapor pressure mm Hg 20°C

No information available Vapor density No information available

Specific Gravity @ 25C 0.9939 - 1.1339 FCC Method 0.9969 - 1.1369 1.3957 - 1.4157 Specific Gravity @ 20C FCC Method FCC Method

Refractive Index @ 20C Practically insoluble Water solubility

Partition coefficient: n-octanol/water

No information available **Autoignition temperature**

No information available **Decomposition temperature** Viscosity, kinematic No information available No information available

No information available Viscosity, dynamic **Explosive properties** No information available **Oxidizing Properties** No information available

Other information

Solubility in other solvents

No information available Softening point **Molecular Weight** No information available **VOC Content(%)** No information available **Density VALUE** No information available **Bulk Density VALUE** No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Revision Date 29-Nov-2021

None under normal processing.

Conditions to Avoid

Extremes of temperature and direct sunlight.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known information

Inhalation There is no data available for this product.

Eve contact There is no data available for this product.

There is no data available for this product. Skin contact

Ingestion There is no data available for this product.

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
PROPYLENE GLYCOL	20000 mg/kg (Rat)	20800 mg/kg (Rabbit)	-
57-55-6			
ETHYL ALCOHOL	7060 mg/kg (Rat)	-	124.7 mg/L (Rat) 4 h
64-17-5			
GLYCERINE	-	10 g/kg (Rabbit)	570 mg/m³ (Rat)1 h
56-81-5			

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available. **Germ Cell Mutagenicity** No information available.

Carcinogenicity This product contains one or more substances which are classified by IARC as

carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly

carcinogenic to humans (Group 2B).

	04.00900	10 mamana (0.0ap ==).		
Chemical Name	ACGIH	IARC	NTP	OSHA
ETHYL ALCOHOL	A3	Group 1	Known	X
64-17-5				

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity Specific target organ systemic toxicity (single exposure) Specific target organ systemic toxicity (repeated exposure)

No information available. No information available.

No information available.

Chronic toxicity Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated

Revision Date 29-Nov-2021

exposure. May cause adverse liver effects. Contains a known or suspected reproductive

toxin.

Target Organ Effects Blood, Central nervous system, Eyes, Liver, Reproductive system, Respiratory system,

Skin, Kidney.

Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

. mg/kg mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects

30.59897% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
64-17-5	
GLYCERINE	-1.76
56-81-5	
BENZALDEHYDE	1.48
100-52-7	
BENZYL ALCOHOL	1.1
100-51-6	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods Dispose of in accordance with local regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number D001 U001 U004 U112 U125

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
ETHYL ALCOHOL 64-17-5	Toxic Ignitable

14. TRANSPORT INFORMATION

DOT/ADR UN/ID No

1197

Revision Date 29-Nov-2021

Proper shipping name EXTRACTS, FLAVOURING, LIQUID

Hazard class 3
Packing Group III
ERG Code 127

ICAO/IATA

UN/ID No 1197

Proper shipping name EXTRACTS, FLAVOURING, LIQUID

Hazard class 3
Packing Group III
ERG Code 127

IMDG / IMO

UN/ID No 1197

Proper shipping name EXTRACTS, FLAVOURING, LIQUID

Hazard class 3
Packing Group III

15. REGULATORY INFORMATION

International Inventories

TSCA DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS AICS -

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard no
Fire Hazard Yes
Sudden Release of Pressure Hazard no
Reactive Hazard no

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Revision Date 29-Nov-2021

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
ETHYL ALCOHOL - 64-17-5	Carcinogen
ACETALDEHYDE - 75-07-0	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
PROPYLENE GLYCOL	X		X
57-55-6			
ETHYL ALCOHOL	X	X	X
64-17-5			
GLYCERINE	X	X	X
56-81-5			
ETHYL BUTYRATE	X	X	X
105-54-4			
P-CYMENE		X	X
99-87-6			
BENZONITRILE	X	X	X
100-47-0			

U.S. EPA Label information

16. OTHER INFORMATION

29-Nov-2021

NFPA Health Hazard 2 Flammability 3 Instability 0 Physical and chemical hazards *

HMIS Health Hazard 2 Flammability 3 Physical Hazard 0 Personal protection B

Revision Note No information available

Revision# 1

WARNING/DISCLAIMER:

Revision Date

Our ingredients have not been tested, nor have they been determined safe, for inhalation or use in any electronic smoking devices, electronic nicotine delivery systems, electronic cigarettes, or other similar devices (collectively "E-Cigarettes") or in any E-Liquids used with E-Cigarettes. By receiving Apex Flavors, Inc ingredients, the recipient confirms that they will not use these ingredients in connection with the manufacture and distribution of E-Cigarettes, E-Liquids or any component thereof. WE DISCLAIM, TO THE FULLEST EXTENT PERMITTED BY LAW, ALL WARRANTIES, EXPRESS OR IMPLIED, and disclaim all liability in connection with the use of our ingredients in connection with E-Cigarettes and E-Liquids. All such risks are assumed by you and the user.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision Date 29-Nov-2021

end