



Version 1

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Number	001, 001BEV				
Manufacturer	Apex Flavors, Inc. 1361 Brass Mill Rd. Suite E Belcamp, MD 21017 (410) 565-6600				
Product name Pure substance/mixture	PURE VANILLA EXTRACT, NATURAL				
1.2. Relevant identified uses of the s	substance or mixture and uses advised against				
Recommended Use	No information available				
1.3. Details of the supplier of the saf	ety data sheet				
For further information, please contact					
E-mail Address	cpisano@apexflavors.com				
1.4. Emergency telephone number					
Emergency telephone	Chemtrec: 1-800-424-9300 for US/ Outside US Chemtel 813-248-0585.				
	2. HAZARDS IDENTIFICATION				

2.1. Classification of the substance or mixture

Serious eye damage/eye irritation	Category 2A	
Acute aquatic toxicity	Not classified for acute	
Flammable liquids	Category 3	

Classification according to EU Directives 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16

2.2. Label elements



Signal Word Warning

Hazard Statements

H319 - Causes serious eye irritation H411 - Toxic to aquatic life with long lasting effects

H226 - Flammable liquid and vapor

Precautionary Statements

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

2.3. Other information

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	EC-No	CAS-No	Alternate CAS #	Weight %	Classificatio n according to Directive 67/548/EEC or 1999/45/EC	• accontrolation	REACH Registration Number
ETHYL ALCOHOL	Present	64-17-5		30-50%	F; R11	Eye Irrit. 1 (H319) (EFFA) Flam. Liq. 2 (H225) (EFFA) Flam. Liq. 2 (H225)	No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

4.1. Description of first aid measures

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Clean mouth with water and drink afterwards plenty of water.
Move to fresh air.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Extinguishing media which shall not be used for safety reasons

No information available

5.2. Special hazards arising from the substance or mixture

Special Hazard None

5.3. Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

See Section 12 for additional Ecological Information

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Ensure adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

Exposure scenario	N/A
-------------------	-----

Other Guidelines N/A

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

001, 001BEV PURE VANILLA EXTRACT 2-FOLD, NATURAL SC20

Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical Name	European Union	The United Kingdom	France	Spain	Germany
ETHYL ALCOHOL 64-17-5		STEL: 3000 ppm STEL: 5760 mg/m ³ TWA: 1000 ppm TWA: 1920 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³ STEL: 5000 ppm STEL: 9500 mg/m ³	STEL: 1000 ppm STEL: 1910 mg/m ³	TWA: 500 ppm TWA: 960 mg/m ³ Ceiling / Peak: 1000 ppm Ceiling / Peak: 1920 mg/m ³ Skin

Chemical Name	Italy	Portugal	The Netherlands	Finland	Denmark
ETHYL ALCOHOL		TWA: 1000 ppm	Skin	TWA: 1000 ppm	TWA: 1000 ppm
64-17-5			STEL: 1900 mg/m ³	TWA: 1900 mg/m ³	TWA: 1900 mg/m ³
			TWA: 260 mg/m ³	STEL: 1300 ppm	-
				STEL: 2500 mg/m ³	

Chemical Name	Austria	Sweden - Occupational Exposure Limits - TLVs (LLVs)	Switzerland	Poland	Norway
ETHYL ALCOHOL 64-17-5	STEL 2000 ppm STEL 3800 mg/m ³ TWA: 1000 ppm TWA: 1900 mg/m ³	500 ppm NGV 1000 mg/m³ NGV	STEL: 1000 ppm STEL: 1920 mg/m ³ TWA: 500 ppm TWA: 960 mg/m ³	TWA: 1900 mg/m³	TWA: 500 ppm TWA: 950 mg/m ³ STEL: 625 ppm STEL: 1187.5 mg/m ³

Component	Ireland
ETHYL ALCOHOL	STEL: 1000 ppm
64-17-5 (30-50%)	

Derived No Effect Level (DNEL)	No information available
Predicted No Effect Concentration (PNEC)	No information available
8.2. Exposure controls	
Engineering Controls	Ensure adequate ventilation, especially in confined areas
Personal protective equipment Eye Protection Hand Protection Skin and body protection Respiratory protection	Tightly fitting safety goggles Protective gloves Long sleeved clothing When workers are facing concentrations above the exposure limit they must use appropriate certified respirators
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.
Environmental Exposure Controls	No information available

clear to slightly turbid

brown

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Odor	liquid characteristic of vanilla rummy sweet		
<u>Property</u> pH	Values		
Melting/freezing poin Boiling point/boiling Flash Point			
Evaporation rate Flammability (solid, g			
Flammability Limits i Upper flammability lower flammability	limit limit		
Vapor pressure mm H Vapor density Relative density	Чg 20°С		
Specific Gravity @ 25 Specific Gravity @ 20			
Refractive Index Water solubility Partition coefficient:	1.3565 - 1.3635		
Autoignition tempera Decomposition temp Viscosity, dynamic	ture		
Explosive properties Oxidizing Properties	No information available No information available		
9.2. Other information	<u>n</u>		

Method No information available No information available FCC Method Closed cup FCC Method No information available No information available

Appearance

Color

No information available No information available No information available FCC Method FCC Method FCC Method No information available No information available No information available No information available No information available

VOC Content(%) Molecular Weight 38.5255012512207 No information available

10. STABILITY AND REACTIVITY

10.1. Reactivity

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Heat, flames and sparks

10.5. Incompatible materials

No materials to be especially mentioned

10.6. Hazardous decomposition products

None under normal use conditions

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effectsAcute toxicityInhalationThere is no data available for this productEye contactThere is no data available for this productSkin contactThere is no data available for this productIngestionThere is no data available for this productAcute toxicity61.4745% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document (Rev. 1, 2005):

Mist

66,194.42 mg/l

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
ETHYL ALCOHOL			124.7 mg/L (Rat)4 h
Skin corrosion/irritation Eye damage/irritation Sensitization Germ Cell Mutagenicity Carcinogenicity	No information available No information available No information available No information available No information available		
Specific target organ systemic toxicity (single exposure)	No information available		
Specific target organ systemic toxicity (repeated exposure)	No information available		
Target Organ Effects	Blood Central nervous sys	tem Eyes Liver Reproductive sys	stem Respiratory system Skin
Aspiration hazard	No information available		

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
ETHYL ALCOHOL		,	9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static

12.2. Persistence and degradability

No information available

12.3. Bioaccumulative potential

No information available

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
12.4. Mobility in soil	

No information available

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused products	Dispose of in accordance with local regulations
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal

14. TRANSPORT INFORMATION

DOT

IMDG / IMO	
Proper shipping name	EXTRACTS, FLAVOURING, LIQUID
Hazard class	3
UN/ID No	1197
Packing Group	III
ICAO/IATA UN/ID No Proper shipping name Hazard class Packing Group ERG Code	1197 EXTRACTS, FLAVOURING, LIQUID 3 III 127

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

WGK Classification

Chemical Name	Germany - Water Classification (VwVwS) - Annex 2 - Water	
	Hazard Classes	
ETHYL ALCOHOL	Hazard Class 1	
64-17-5		

International Inventories

All of the components in the product are on the following Inventory lists: United States of America (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (ECL), China (IECSC), Japan (ENCS), Philippines (PICCS).

TSCA	Complies
EINECS/ELINCS	Complies
DSL/NDSL	Complies
PICCS	Complies
ENCS	Complies
IECSC	Complies
AICS	Complies
KECL	Complies

Legend

TSČA - United States Toxic Substances Control Act Section 8(b) Inventory EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List PICCS - Philippines Inventory of Chemicals and Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances AICS - Australian Inventory of Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical safety assessment

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H319 - Causes serious eye irritation H225 - Highly flammable liquid and vapor

Revision Date	29-Oct-2015
Revision Note	Not applicable.
Revision#	1

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

WARNING/DISCLAIMER:

Our ingredients have not been tested, nor have they been determined safe, for inhalation or use in any electronic smoking devices, electronic nicotine delivery systems, electronic cigarettes, or other similar devices (collectively "E-Cigarettes") or in any E-Liquids used with E-Cigarettes. By receiving Apex Flavors, Inc ingredients, the recipient confirms that they will not use these ingredients in connection with the manufacture and distribution of E-Cigarettes, E-Liquids or any component thereof. WE DISCLAIM, TO THE FULLEST EXTENT PERMITTED BY LAW, ALL WARRANTIES, EXPRESS OR IMPLIED, and disclaim all liability in connection with the use of our ingredients in connection with E-Cigarettes and E-Liquids. All such risks are assumed by you and the user.

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.