

# SAFETY DATA SHEET.

Category 4

This safety data sheet complies with the requirements of: OSHA CFR Title 29 CFR 1910.1200

Version 1

# **1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

Product identifier Product Code(s) Product name

1119EXPT BANANA TYPE, NATURAL FLAVOR BLEND (FP > 200 F)

EC-No	
CAS-No	
FEMA Numbers	

Recommended use of the chemical and restrictions on useRecommended UseNo information available.Uses advised againstNo information availableManufacturerApex Flavors, Inc<br/>1371 Brass Mill Rd Suite A

NA NA NA

Belcamp, MD 21017 410-565-6600

**Emergency telephone** 

Chemtrec: 1-800-424-9300 for US/ Outside US Chemtel 813-248-0585.

2. HAZARDS IDENTIFICATION

# **Classification**

Flammable liquids

# GHS Label elements, including precautionary statements

Emergency Overview		
Warning		
Hazard Statements		
Combustible liquid		
Appearance clear	Physical state liquid	Aroma Characteristic of banana
••		

In case of fire: Use CO2, dry chemical, or foam for extinction

## Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

#### Other information

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
PROPYLENE GLYCOL	57-55-6	50-90%	*
Isoamyl acetate	123-92-2	1-5%	*

# **4. FIRST AID MEASURES** First aid measures for different exposure routes Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper evelids. Consult a physician. Skin contact Wash skin with soap and water. Move to fresh air. Inhalation Ingestion Clean mouth with water and drink afterwards plenty of water. Most important symptoms/effects, acute and delayed Main Symptoms Hives. Indication of immediate medical attention and special treatment needed, if necessary Note to physicians Treat symptomatically. 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

Decomposition by contact with water may generate vapors which can be ignited by heat or open flame.

## Specific hazards arising from the chemical

No information available.

## Explosion data

Sensitivity to Mechanical Impact none. Sensitivity to Static Discharge Yes.

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions** 

Ensure adequate ventilation.

Environmental precautions

Environmental precautions

Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in

low areas.

# Methods and materials for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
-------------------------	---

Methods for cleaning up Pick up and transfer to properly labeled containers.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible products None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Control parameters

## Exposure Guidelines

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isoamyl acetate	STEL: 100 ppm	TWA: 100 ppm TWA: 525 mg/m <sup>3</sup>	IDLH: 1000 ppm
123-92-2	TWA: 50 ppm	(vacated) TWA: 100 ppm	TWA: 100 ppm TWA: 525 mg/m <sup>3</sup>
		(vacated) TWA: 525 mg/m <sup>3</sup>	
Ethylacetate	TWA: 400 ppm	TWA: 400 ppm TWA: 1400	IDLH: 2000 ppm
141-78-6		mg/m <sup>3</sup>	TWA: 400 ppm TWA: 1400
		(vacated) TWA: 400 ppm	mg/m <sup>3</sup>
		(vacated) TWA: 1400 mg/m <sup>3</sup>	
ISOBUTYL ACETATE	TWA: 150 ppm	TWA: 150 ppm	IDLH: 1300 ppm
110-19-0		TWA: 700 mg/m <sup>3</sup>	TWA: 150 ppm
		(vacated) TWA: 150 ppm	TWA: 700 mg/m <sup>3</sup>
		(vacated) TWA: 700 mg/m <sup>3</sup>	
ISOAMYL ALCOHOL	STEL: 125 ppm	TWA: 100 ppm TWA: 360 mg/m <sup>3</sup>	IDLH: 500 ppm
123-51-3	TWA: 100 ppm	(vacated) TWA: 100 ppm	TWA: 100 ppm TWA: 360 mg/m <sup>3</sup>
		(vacated) TWA: 360 mg/m <sup>3</sup>	STEL: 125 ppm STEL: 450
		(vacated) STEL: 125 ppm	mg/m <sup>3</sup>
		(vacated) STEL: 450 mg/m <sup>3</sup>	

NIOSH IDLH: Immediately Dangerous to Life or Health

**Other Exposure Guidelines** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Exposure controls

#### Engineering Controls Showers Eyewash stations Ventilation systems.

## Individual protection measures, such as personal protective equipment

Eye/face protection	If splashes are likely to occur, wear:.
Skin and body protection	Chemical resistant apron.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection must be worn. Positive-pressure supplied air respirators may be

required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

#### **General Hygiene Considerations**

Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Physical and chemical properties

Physical state	liquid
Appearance	clear
Aroma	Characteristic of banana
Color	colorless

**Property** pН Melting/freezing point **Boiling point/boiling range** Flash Point **Evaporation rate** Flammability (solid, gas) Flammability Limits in Air Upper flammability limit lower flammability limit Vapor pressure mm Hg 20°C Vapor density Specific Gravity @ 25C Specific Gravity @ 20C **Refractive Index @ 20C** Water solubility Solubility in other solvents Partition coefficient: n-octanol/water Autoignition temperature **Decomposition temperature** Viscosity, kinematic Viscosity, dynamic **Explosive properties Oxidizing Properties** Other information

Softening point Molecular Weight VOC Content(%) Density VALUE **Bulk Density VALUE** 

# Values

93 °C / 200 °F No information available No information available

No information available No information available

1.0387 - 1.0447 1.0417 - 1.0477 1.4262 - 1.4322 Practically insoluble

No information available No information available No information available

No information available No information available

No information available No information available No information available No information available No information available

#### Method

No information available FCC Method FCC Method Closed cup No information available No information available No information available

No information available No information available FCC Method FCC Method FCC Method

No information available No information available No information available No information available No information available

# **10. STABILITY AND REACTIVITY**

# Reactivity

No data available

## Chemical stability

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### **Conditions to Avoid**

Extremes of temperature and direct sunlight.

## **Incompatible Materials**

None known based on information supplied.

### Hazardous Decomposition Products

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Product Information	Product does not present a	an acute toxicity hazard based on	known information
Inhalation	There is no data available	for this product.	
Eye contact	There is no data available	for this product.	
Skin contact	There is no data available	for this product.	
Ingestion	There is no data available	for this product.	
Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
PROPYLENE GLYCOL	20000 mg/kg (Rat)	20800 mg/kg (Rabbit)	-

	Utal LD50	Dermai LD50	LC30 Initialation
PROPYLENE GLYCOL	20000 mg/kg (Rat)	20800 mg/kg (Rabbit)	-
57-55-6			
Isoamyl acetate	16600 mg/kg (Rat)	5 g/kg (Rabbit)	-
123-92-2			

## Information on toxicological effects

### Symptoms

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ Cell Mutagenicity Carcinogenicity	No information available. No information available. This product contains one or more substances which are classified by IARC as carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B).
Reproductive toxicity	No information available.
Specific target organ systemic toxicity (single exposure)	No information available.
Specific target organ systemic toxicity (repeated exposure)	No information available.
Target Organ Effects Aspiration hazard	Central nervous system, Eyes, Respiratory system, Skin. No information available.

# Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document . mg/kg

# **12. ECOLOGICAL INFORMATION**

## Ecotoxicity

20.1058% of the mixture consists of components(s) of unknown hazards to the aquatic environment

### Persistence and degradability

No information available.

# **Bioaccumulation**

No information available.

# Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS		
Waste treatment		
Waste Disposal Methods	It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations.	
Contaminated packaging	Do not reuse container.	
US EPA Waste Number	U112	

This product contains one or more substances that are listed with the State of California as a hazardous waste.

# **14. TRANSPORT INFORMATION**

DOT/ADR

Not regulated

ICAO/IATA	Not regulated
IMDG / IMO	Not regulated

# **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## U.S. Federal Regulations

# SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

no
no
Yes
no
no

## **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Isoamyl acetate 123-92-2				Х

# <u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Isoamyl acetate	5000 lb		RQ 5000 lb final RQ RQ 2270 kg
123-92-2			final RQ

# U.S. State Regulations

## California Proposition 65

This product is not, to the best of our knowledge, subject to the labeling requirements under California Proposition 65

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
PROPYLENE GLYCOL 57-55-6	Х		Х
Isoamyl acetate 123-92-2	Х	X	Х
Ethylacetate 141-78-6	Х	X	X
ISOBUTYL ACETATE 110-19-0	Х	X	Х
ETHYL BUTYRATE 105-54-4	Х	X	Х

## U.S. EPA Label information

16. OTHER INFORMATION				
<u>NFPA</u>	Health Hazard 2	Flammability 2	Instability 0	Physical and chemical hazards *
<u>HMIS</u>	Health Hazard 2	Flammability 2	Physical Hazard 0	Personal protection B

Revision Date Revision Note 04-May-2022 No information available

1

**Revision#** 

#### WARNING/DISCLAIMER:

Our ingredients have not been tested, nor have they been determined safe, for inhalation or use in any electronic smoking devices, electronic nicotine delivery systems, electronic cigarettes, or other similar devices (collectively "E-Cigarettes") or in any E-Liquids used with E-Cigarettes. By receiving Apex Flavors, Inc ingredients, the recipient confirms that they will not use these ingredients in connection with the manufacture and distribution of E-Cigarettes, E-Liquids or any component thereof. WE DISCLAIM, TO THE FULLEST EXTENT PERMITTED BY LAW, ALL WARRANTIES, EXPRESS OR IMPLIED, and disclaim all liability in connection with the use of our ingredients in connection with E-Cigarettes and E-Liquids. All such risks are assumed by you and the user.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

end