# SAFETY DATA SHEET.



#### Version 1

# **1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

# 1.1. Product identifier

Number	067			
Manufacturer	Apex Flavors, Inc. 1371 Brass Mill Rd. Suite A Belcamp, MD 21017 (410) 565-6600			
Product name Pure substance/mixture	PURE MANDARIN ORANGE EXTRACT WONF Mixture			
1.2. Relevant identified uses of the substance or mixture and uses advised against				
Recommended Use	No information available			
1.3. Details of the supplier of the safety data sheet				
For further information, please contac	xt:			
E-mail Address	cpisano@apexflavors.com			
1.4. Emergency telephone number	_			
Emergency telephone	Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US			
	2. HAZARDS IDENTIFICATION			


## 2.1. Classification of the substance or mixture

Skin corrosion/irritation	Category 3
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 2
Flammable liquids	Category 2

Classification according to EU Directives 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16

## 2.2. Label elements



Signal Word Warning

#### **Hazard Statements**

- H316 Causes mild skin irritation
- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- H411 Toxic to aquatic life with long lasting effects

## **Precautionary Statements**

P280 - Wear eye protection/ face protection

- P321 Specific treatment (see .? on this label)
- P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

## 2.3. Other information

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Chemical Name	EC-No	CAS-No	Alternate CAS #	Weight %	Classificatio n according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
ETHYL ALCOHOL	Present	64-17-5		50-90%	F; R11	Eye Irrit. 1 (H319) (EFFA) Flam. Liq. 2 (H225) (EFFA) Flam. Liq. 2 (H225)	No data available
LIMONENE	227-813-5	5989-27-5		5-10%	R10, XI; R38, XI; R43, N; R50/53;	Aquatic Acute 1 (H400) Skin Sens. 1 (H317) Skin Irrit. 2 (H316) Asp. Tox. 1 (H304) Aquatic Chronic 1 (H410) Flam. Liq. 3 (H226)	No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

# 4. FIRST AID MEASURES

#### 4.1. Description of first aid measures

Eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

## 067 PURE MANDARIN ORANGE EXTRACT WONF

Skin contactWash off immediately with soap and plenty of water while removing all contaminated<br/>clothes and shoes.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Inhalation Move to fresh air.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

#### Note to physicians Treat symptomatically

# 5. FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Extinguishing media which shall not be used for safety reasons No information available

5.2. Special hazards arising from the substance or mixture

Special Hazard None

5.3. Advice for firefighters

#### Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear

# 6. ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

See Section 12 for additional Ecological Information

#### 6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so.

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)

# 7. HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Ensure adequate ventilation.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

#### 7.3 Specific end use(s)

## 067 PURE MANDARIN ORANGE EXTRACT WONF

N/A

N/A

Exposure scenario

Other Guidelines

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical Name	European Union	The United Kingdom	France	Spain	Germany
ETHYL ALCOHOL 64-17-5		STEL: 3000 ppm STEL: 5760 mg/m <sup>3</sup> TWA: 1000 ppm TWA: 1920 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> STEL: 5000 ppm STEL: 9500 mg/m <sup>3</sup>	STEL: 1000 ppm STEL: 1910 mg/m <sup>3</sup>	TWA: 500 ppm TWA: 960 mg/m <sup>3</sup> Ceiling / Peak: 1000 ppm Ceiling / Peak: 1920 mg/m <sup>3</sup> Skin
LIMONENE 5989-27-5					MAK: 20 ppm MAK: 110 mg/m <sup>3</sup> Ceiling / Peak: 40 ppm Ceiling / Peak: 220 mg/m <sup>3</sup> TWA: 20 ppm TWA: 110 mg/m <sup>3</sup>

Chemical Name	Italy	Portugal	The Netherlands	Finland	Denmark
ETHYL ALCOHOL 64-17-5		TWA: 1000 ppm	Skin STEL: 1900 mg/m³ TWA: 260 mg/m³	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> STEL: 1300 ppm STEL: 2500 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1900 mg/m³
LIMONENE 5989-27-5				TWA: 25 ppm TWA: 140 mg/m <sup>3</sup> STEL: 50 ppm STEL: 280 mg/m <sup>3</sup>	

Chemical Name	Austria	Sweden - Occupational Exposure Limits - TLVs (LLVs)	Switzerland	Poland	Norway
ETHYL ALCOHOL 64-17-5	STEL 2000 ppm STEL 3800 mg/m <sup>3</sup> TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>	500 ppm NGV 1000 mg/m <sup>3</sup> NGV	STEL: 1000 ppm STEL: 1920 mg/m <sup>3</sup> TWA: 500 ppm TWA: 960 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup>	TWA: 500 ppm TWA: 950 mg/m <sup>3</sup> STEL: 625 ppm STEL: 1187.5 mg/m <sup>3</sup>
LIMONENE 5989-27-5			STEL: 40 ppm STEL: 220 mg/m <sup>3</sup> MAK: 20 ppm MAK: 110 mg/m <sup>3</sup>		TWA: 25 ppm TWA: 140 mg/m <sup>3</sup> STEL: 37.5 ppm STEL: 175 mg/m <sup>3</sup>

Component	Ireland
ETHYL ALCOHOL	STEL: 1000 ppm
64-17-5 ( 50-90% )	

Derived No Effect Level (DNEL)

No information available

Predicted No Effect Concentration No information available (PNEC)

8.2. Exposure controls

Engineering Controls	Ensure adequate ventilation, especially in confined areas
Personal protective equipment Eye Protection Hand Protection Skin and body protection Respiratory protection	Tightly fitting safety goggles Protective gloves Long sleeved clothing When workers are facing concentrations above the exposure limit they must use appropriate certified respirators
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.
Environmental Exposure Controls	No information available

# 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Odor	liquid mandarin-orar	nge	Appearance Color	clear light yellow
Property pH Melting/freezing poin Boiling point/boiling Flash Point Evaporation rate Flammability (solid, Flammability Limits Upper flammability lower flammability	range gas) in Air y limit	<u>Values</u> 22 °C / 71 °F	Method No information available No information available FCC Method Closed cup FCC Method No information available No information available	
Vapor pressure mm Vapor density Relative density Specific Gravity @ 2 Specific Gravity @ 2 Refractive Index Water solubility Partition coefficient: Autoignition temper Decomposition temp Viscosity, dynamic	Hg 20°C 5C 0C n-octanol/wate ature	0.800 - 0.820 0.803 - 0.823 1.3635 - 1.3835 er	No information available No information available No information available FCC Method FCC Method No information available No information available No information available No information available No information available	
Explosive properties Oxidizing Properties		No information available No information available		
9.2. Other information	on			
VOC Content(%) Molecular Weight		96.4127004444599 No information available		

**10. STABILITY AND REACTIVITY** 

# 10.1. Reactivity

#### 10.2. Chemical stability

Stable under normal conditions

## 10.3. Possibility of hazardous reactions

#### 10.4. Conditions to avoid

Heat, flames and sparks

#### 10.5. Incompatible materials

No materials to be especially mentioned

#### 10.6. Hazardous decomposition products

None under normal use conditions

# **11. TOXICOLOGICAL INFORMATION**

#### 11.1. Information on toxicological effects

Acute toxicity

Inhalation	There is no data available for this product
Eye contact	There is no data available for this product
Skin contact	There is no data available for this product
Ingestion	There is no data available for this product
Acute toxicity	0.621095% of the mixture consists of ingredient(s) of unknown toxicity
The following values are calculated based on chapter 3.1 of the GHS document (Rev. 1, 2005):	
Oral	47.352.00 ma/ka

Oral	47,352.00 mg/kg
Dermal	23,976.00 mg/kg
Mist	74,467.12 mg/l

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation		
ETHYL ALCOHOL			124.7 mg/L (Rat)4 h		
LIMONENE	4400 mg/kg (Rat)	2000 mg/kg (Rabbit)			
kin corrosion/irritation ye damage/irritation ensitization erm Cell Mutagenicity arcinogenicity	No information available No information available No information available No information available No information available				
pecific target organ systemic oxicity (single exposure)	No information available				
pecific target organ systemic oxicity (repeated exposure)	No information available				
arget Organ Effects	Blood Central nervous syst	em Eyes Liver Reproductive sys	stem Respiratory system Skin		
spiration hazard	No information available	No information available			

# **12. ECOLOGICAL INFORMATION**

## 12.1. Toxicity

#### **Ecotoxicity effects**

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
ETHYL ALCOHOL			9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static
LIMONENE		0.619-0.796: 96 h Pimephales promelas mg/L LC50 flow-through 35: 96 h Oncorhynchus mykiss mg/L LC50	

## 12.2. Persistence and degradability

No information available

#### 12.3. Bioaccumulative potential

No information available

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32

12.4. Mobility in soil

No information available

#### 12.5. Results of PBT and vPvB assessment

#### 12.6. Other adverse effects

# **13. DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Waste from residues / unused products	Dispose of in accordance with local regulations
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal

# **14. TRANSPORT INFORMATION**

#### DOT

IMDG / IMO	EXTRACTS, FLAVOURING, LIQUID
Proper shipping name	3
Hazard class	1197
UN/ID No	II
Packing Group	This product contains a chemical which is listed as a marine pollutant according to
Marine pollutant	IMDG/IMO
ICAO/IATA UN/ID No Proper shipping name	1197 EXTRACTS, FLAVOURING, LIQUID

Hazard class	3
Packing Group	II
ERG Code	127
Marine Pollutant	Р

# **15. REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### WGK Classification

Chemical Name	Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes
ETHYL ALCOHOL 64-17-5	Hazard Class 1

#### International Inventories

All of the components in the product are on the following Inventory lists: United States of America (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), China (IECSC), Philippines (PICCS).

TSCA	Complies
EINECS/ELINCS	Complies
DSL/NDSL	Complies
PICCS	Complies
ENCS	-
IECSC	Complies
AICS	Complies
KECL	-

#### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List PICCS - Philippines Inventory of Chemicals and Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances AICS - Australian Inventory of Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

#### 15.2. Chemical safety assessment

## **16. OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H400 - Very toxic to aquatic life H317 - May cause an allergic skin reaction H316 - Causes mild skin irritation H304 - May be fatal if swallowed and enters airways H410 - Very toxic to aquatic life with long lasting effects H226 - Flammable liquid and vapor H319 - Causes serious eye irritation H225 - Highly flammable liquid and vapor

Revision Date	12-Aug-2015
Revision Note	Not applicable.
Revision#	1

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

## WARNING/DISCLAIMER:

Apex Flavors, Inc.'s products are sold exclusively for use in food and drink for human consumption. These products have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, and electronic cigarettes or similar devices (collectively "E-Cigarettes"). In supplying this product(s), Apex Flavors, Inc. instructs, and purchasing recipient confirms, that this product(s) will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof. Recipients of our products that use them outside of their intended use of food or drink do so at their own risk and without warranty, either expressed or implied, from Apex Flavors, Inc. or its suppliers. The user assumes all liability for loss, injury, damage, or expense resulting from such uses.

#### Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.