APEX FLAVORS, INC.

SAFETY DATA SHEET.

Version 1

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Number 059

Manufacturer
Apex Flavors, Inc.
1371 Brass Mill Rd.
Suite A
Belcamp, MD 21017
(410) 565-6600

Product name AMARETTO TYPE, NATURAL FLAVOR BLEND
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use No information available

1.3. Details of the supplier of the safety data sheet

For further information, please contact:

E-mail Address cpisano@apexflavors.com

1.4. Emergency telephone number

Emergency telephone Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Acute oral toxicity	Category 5
Acute dermal toxicity	Category 5
Serious eye damage/eye irritation	Category 2A
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 3
Flammable liquids	Category 3

Classification according to EU Directives 67/548/EEC or 1999/45/EC
For the full text of the R-phrases mentioned in this Section, see Section 16

2.2. Label elements

Signal Word
Warning

Hazard Statements
H303 - May be harmful if swallowed
H313 - May be harmful in contact with skin
H319 - Causes serious eye irritation
H401 - Toxic to aquatic life
H412 - Harmful to aquatic life with long lasting effects

H226 - Flammable liquid and vapor

Precautionary Statements
P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction
P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

2.3. Other information

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	EC-No	CAS-No	Alternate CAS #	Weight %	Classification according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
PROPYLENE GLYCOL	200-338-0	57-55-6		30-50%	-	No data available	No data available
ETHYL ALCOHOL	Present	64-17-5		10-15%	F; R11	Eye Irrit. 1 (H319) (EFFA) Flam. Liq. 2 (H225) (EFFA) Flam. Liq. 2 (H225)	No data available
BENZALDEHYDE	202-860-4	100-52-7		1-5%	XN; R22;	Aquatic Acute 2 (H401) Skin Irrit. 3 (H316) Acute Tox. 4 (H302) Acute Tox. 5 (H313) Flam. Liq. 4 (H227)	No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

4.1. Description of first aid measures

General advice If symptoms persist, call a physician

Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes Keep eye wide open while rinsing If symptoms persist, call a physician
Skin contact	Immediate medical attention is not required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician. Do NOT induce vomiting.
Inhalation	Immediate medical attention is not required. If symptoms persist, call a physician. Move to fresh air in case of accidental inhalation of vapors or decomposition products.
Self-protection of the first aider	Use personal protective equipment

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media
Use Dry chemical Carbon dioxide CO_2 Water spray Alcohol-resistant foam

Extinguishing media which shall not be used for safety reasons
No information available

5.2. Special hazards arising from the substance or mixture

Special Hazard
None

5.3. Advice for firefighters

Special protective equipment for fire-fighters
As in any fire, wear self-contained breathing apparatus and full protective gear

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Pay attention to flashback. Take precautionary measures against static discharges. Use personal protective equipment.

See Section 12 for additional Ecological Information

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Use only in area provided with appropriate exhaust ventilation. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from heat, sparks and open flame. No smoking. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Keep in properly labeled containers.

7.3 Specific end use(s)

Exposure scenario N/A

Other Guidelines N/A

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical Name	European Union	The United Kingdom	France	Spain	Germany
PROPYLENE GLYCOL 57-55-6		STEL: 450 ppm STEL: 1422 mg/m³ STEL: 30 mg/m³ TWA: 150 ppm TWA: 474 mg/m³ TWA: 10 mg/m³			
ETHYL ALCOHOL 64-17-5		STEL: 3000 ppm STEL: 5760 mg/m³ TWA: 1000 ppm TWA: 1920 mg/m³	TWA: 1000 ppm TWA: 1900 mg/m³ STEL: 5000 ppm STEL: 9500 mg/m³	STEL: 1000 ppm STEL: 1910 mg/m³	TWA: 500 ppm TWA: 960 mg/m³ Ceiling / Peak: 1000 ppm Ceiling / Peak: 1920 mg/m³ Skin

Chemical Name	Italy	Portugal	The Netherlands	Finland	Denmark
ETHYL ALCOHOL 64-17-5		TWA: 1000 ppm	Skin STEL: 1900 mg/m³ TWA: 260 mg/m³	TWA: 1000 ppm TWA: 1900 mg/m³ STEL: 1300 ppm STEL: 2500 mg/m³	TWA: 1000 ppm TWA: 1900 mg/m³
BENZALDEHYDE 100-52-7				TWA: 1 ppm TWA: 4.4 mg/m³ STEL: 4 ppm STEL: 17.4 mg/m³ Ceiling: 4 ppm Ceiling: 17.4 mg/m³	

Chemical Name	Austria	Sweden - Occupational Exposure Limits - TLVs (LLVs)	Switzerland	Poland	Norway
PROPYLENE GLYCOL 57-55-6					TWA: 25 ppm TWA: 79 mg/m³ STEL: 37.5 ppm STEL: 118.5 mg/m³
ETHYL ALCOHOL 64-17-5	STEL 2000 ppm STEL 3800 mg/m³ TWA: 1000 ppm TWA: 1900 mg/m³	500 ppm NGV 1000 mg/m³ NGV	STEL: 1000 ppm STEL: 1920 mg/m³ TWA: 500 ppm TWA: 960 mg/m³	TWA: 1900 mg/m³	TWA: 500 ppm TWA: 950 mg/m³ STEL: 625 ppm STEL: 1187.5 mg/m³

BENZALDEHYDE 100-52-7				NDSCh: 40 mg/m³ NDS: 10 mg/m³	

Component	Ireland
PROPYLENE GLYCOL 57-55-6 (30-50%)	TWA: 150 ppm TWA: 470 mg/m³ TWA: 10 mg/m³
ETHYL ALCOHOL 64-17-5 (10-15%)	STEL: 1000 ppm

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration (PNEC) No information available

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas

Personal protective equipment

Eye Protection Tightly fitting safety goggles

Hand Protection Protective gloves

Skin and body protection Long sleeved clothing Chemical resistant apron Antistatic boots Impervious gloves

Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

General Hygiene Considerations When using, do not eat, drink or smoke Provide regular cleaning of equipment, work area and clothing

Environmental Exposure Controls No information available

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	liquid	**Appearance**	clear
Odor	typical of amaretto	**Color**	yellow to amber

Property	Values	Method
pH		No information available
Melting/freezing point		No information available
Boiling point/boiling range		FCC Method
Flash Point	39 °C / 103 °F	Closed cup
Evaporation rate		FCC Method
Flammability (solid, gas)		No information available
Flammability Limits in Air		No information available
Upper flammability limit		
lower flammability limit		
Vapor pressure mm Hg 20°C		No information available
Vapor density		No information available
Relative density		No information available
Specific Gravity @ 25C	1.0187 - 1.0520	FCC Method
Specific Gravity @ 20C	1.0217 - 1.055	FCC Method
Refractive Index	1.3967 - 1.4267	FCC Method
Water solubility		No information available
Partition coefficient: n-octanol/water		No information available
Autoignition temperature		No information available
Decomposition temperature		No information available
Viscosity, dynamic		No information available

Explosive properties	No information available
Oxidizing Properties	No information available

9.2. Other information

VOC Content(%)	52.3541993243416
Molecular Weight	No information available

10. STABILITY AND REACTIVITY

10.1. Reactivity

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Heat, flames and sparks

10.5. Incompatible materials

No materials to be especially mentioned

10.6. Hazardous decomposition products

None under normal use conditions

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Inhalation There is no data available for this product

Eye contact There is no data available for this product

Skin contact There is no data available for this product

Ingestion There is no data available for this product

Acute toxicity 20.46705% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document (Rev. 1, 2005):

Oral 4,748.00 mg/kg
Dermal 4,650.00 mg/kg

Vapor 182.00 mg/l

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
PROPYLENE GLYCOL	20000 mg/kg (Rat)	20800 mg/kg (Rabbit)	
ETHYL ALCOHOL			124.7 mg/L (Rat) 4 h
BENZALDEHYDE	800 mg/kg (Rat)	1250 mg/kg (Rabbit)	

Skin corrosion/irritation No information available
Eye damage/irritation No information available
Sensitization No information available
Germ Cell Mutagenicity No information available
Carcinogenicity No information available

Specific target organ systemic toxicity (single exposure) No information available

Specific target organ systemic toxicity (repeated exposure) No information available

Target Organ Effects Blood Central nervous system Eyes Liver Reproductive system Respiratory system Skin

Aspiration hazard No information available

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
PROPYLENE GLYCOL	19000: 96 h Pseudokirchneriella subcapitata mg/L EC50	51600: 96 h Oncorhynchus mykiss mg/L LC50 static 41 - 47: 96 h Oncorhynchus mykiss mL/L LC50 static 51400: 96 h Pimephales promelas mg/L LC50 static 710: 96 h Pimephales promelas mg/L LC50	10000: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50 Static

ETHYL ALCOHOL		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static
BENZALDEHYDE		0.8-1.44: 96 h Lepomis macrochirus mg/L LC50 flow-through 10.6-11.8: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 12.69: 96 h Oncorhynchus mykiss mg/L LC50 static 6.8-8.53: 96 h Pimephales promelas mg/L LC50 flow-through 7.5: 96 h Lepomis macrochirus mg/L LC50 static	50: 24 h Daphnia magna mg/L EC50

12.2. Persistence and degradability

No information available

12.3. Bioaccumulative potential

No information available

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
BENZALDEHYDE	1.48

12.4. Mobility in soil

No information available

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused products Dispose of in accordance with local regulations

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal

14. TRANSPORT INFORMATION

DOT

IMDG / IMO

Proper shipping name EXTRACTS, FLAVOURING, LIQUID
Hazard class 3
UN/ID No 1197
Packing Group III

ICAO/IATA

UN/ID No 1197
Proper shipping name EXTRACTS, FLAVOURING, LIQUID
Hazard class 3
Packing Group III

ERG Code 127

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

WGK Classification

Chemical Name	Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes
PROPYLENE GLYCOL 57-55-6	Hazard Class 1
ETHYL ALCOHOL 64-17-5	Hazard Class 1
BENZALDEHYDE 100-52-7	Hazard Class 2

International Inventories
All of the components in the product are on the following Inventory lists: No information available.

TSCA	-
EINECS/ELINCS	-
DSL/NDSL	-
PICCS	-
ENCS	-
IECSC	-
AICS	-
KECL	-

Legend
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
PICCS - Philippines Inventory of Chemicals and Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
AICS - Australian Inventory of Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical safety assessment

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3
H401 - Toxic to aquatic life H316 - Causes mild skin irritation H302 - Harmful if swallowed H313 - May be harmful in contact with skin H227 - Combustible liquid H319 - Causes serious eye irritation H225 - Highly flammable liquid and vapor

Revision Date 22-Oct-2015

Revision Note Not applicable.

Revision# 1

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

WARNING/DISCLAIMER:

Apex Flavors, Inc.'s products are sold exclusively for use in food and drink for human consumption. These products have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, and electronic cigarettes or similar devices (collectively "E-Cigarettes"). In supplying this product(s), Apex Flavors, Inc. instructs, and purchasing recipient confirms, that this product(s) will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof. Recipients of our products that use them outside of their intended use of food or drink do so at their own risk and without warranty, either expressed or implied, from Apex Flavors, Inc. or its suppliers. The user assumes all liability for loss, injury, damage, or expense resulting from such uses.

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.