# SAFETY DATA SHEET.



#### Version 1

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Number	096				
Manufacturer	Apex Flavors, Inc. 1371 Brass Mill Rd. Suite A Belcamp, MD 21017 (410) 565-6600				
Product name Pure substance/mixture	PURE OSMANTHUS EXTRACT, NATURAL Mixture				
1.2. Relevant identified uses of the	substance or mixture and uses advised against				
Recommended Use	Not for direct consumption				
1.3. Details of the supplier of the sa	1.3. Details of the supplier of the safety data sheet				
For further information, please contac	ot:				
E-mail Address	cpisano@apexflavors.com				
1.4. Emergency telephone number	_				
Emergency telephone	Chemtrec: 1-800-424-9300 for US/ 703-527-3887 outside US				

### 2. HAZARDS IDENTIFICATION


#### 2.1. Classification of the substance or mixture

Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 1A
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 3
Flammable liquids	Category 2

**Classification according to EU Directives 67/548/EEC or 1999/45/EC** For the full text of the *R*-phrases mentioned in this Section, see Section 16

Symbol(s) Not dangerous

2.2. Label elements



Signal Word Danger

#### **Hazard Statements**

H319 - Causes serious eye irritation H350 - May cause cancer H401 - Toxic to aquatic life H412 - Harmful to aquatic life with long lasting effects

#### **Precautionary Statements**

P201 - Obtain special instructions before use
P281 - Use personal protective equipment as required
P308 + P313 - IF exposed or concerned: Get medical advice/ attention
P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction
P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

#### 2.3. Other information

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

### 3.1 Substances

Chemical Name	EC-No	CAS-No	Alternate CAS #	Weight %	Classificatio n according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
ETHYL ALCOHOL	200-578-6	64-17-5		90-100%	F; R11	Flam. Liq. 2 (H225) Eye Irrit. 1 (H319)	No data available
B-IONONE	201-224-3	79-77-6		1-5%	N; R51/53;	Aquatic Acute 2 (H401) Skin Irrit. 3 (H316) Aquatic Chronic 2 (H411)	No data available

For the full text of the R-phrases mentioned in this Section, see Section 16

### 4. FIRST AID MEASURES

#### 4.1. Description of first aid measures

Eye contactRinse thoroughly with plenty of water for at least 15 minutes and consult a physician.Skin contactWash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

#### 096 PURE OSMANTHUS EXTRACT, NATURAL

Ingestion

Clean mouth with water and drink afterwards plenty of water.

Inhalation Move to fresh air.

#### 4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically

### 5. FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

#### Extinguishing media which shall not be used for safety reasons No information available

#### 5.2. Special hazards arising from the substance or mixture

Special Hazard None

#### 5.3. Advice for firefighters

#### Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear

### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

See Section 12 for additional Ecological Information

#### 6.2. Environmental precautions

Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)

### 7. HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Ensure adequate ventilation.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

Exposure scenario N/A

**Other Guidelines** 

N/A

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

#### **Exposure limits**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical Name	European Union	The United Kingdom	France	Spain	Germany
ETHYL ALCOHOL		STEL: 3000 ppm	VME: 1000 ppm VME:	VLA-ED: 1000 ppm	MAK: 500 ppm MAK:
64-17-5		STEL: 5760 mg/m <sup>3</sup>	1900 mg/m <sup>3</sup>	VLA-ED: 1910 mg/m <sup>3</sup>	960 mg/m <sup>3</sup>
		TWA: 1000 ppm TWA:	VLCT: 5000 ppm	-	Ceiling / Peak: 1000
		1920 mg/m <sup>3</sup>	VLCT: 9500 mg/m <sup>3</sup>		ppm Ceiling / Peak:
		_	-		1920 mg/m <sup>3</sup>
					Skin
					TWA: 500 ppm TWA:
					960 mg/m <sup>3</sup>

Chemical Name	Italy	Portugal	The Netherlands	Finland	Denmark
ETHYL ALCOHOL		TWA: 1000 ppm	Skin	TWA: 1000 ppm TWA:	TWA: 1000 ppm TWA:
64-17-5			STEL: 1900 mg/m <sup>3</sup>	1900 mg/m <sup>3</sup>	1900 mg/m <sup>3</sup>
			TWA: 260 mg/m <sup>3</sup>	STEL: 1300 ppm	-
				STEL: 2500 mg/m <sup>3</sup>	

Chemical Name	Austria	Sweden - Occupational Exposure Limits - TLVs (LLVs)	Switzerland	Poland	Norway
ETHYL ALCOHOL 64-17-5	STEL 2000 ppm STEL 3800 mg/m <sup>3</sup> MAK: 1000 ppm MAK: 1900 mg/m <sup>3</sup>	mg/m <sup>3</sup> NGV	STEL: 1000 ppm STEL: 1920 mg/m <sup>3</sup> MAK: 500 ppm MAK: 960 mg/m <sup>3</sup>	NDS: 1900 mg/m <sup>3</sup>	TWA: 500 ppm TWA: 950 mg/m <sup>3</sup> STEL: 625 ppm STEL: 1187.5 mg/m <sup>3</sup>

Component	Ireland
ETHYL ALCOHOL	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>
64-17-5 ( 90-100% )	

Predicted No Effect Concentration No information available (PNEC)

8.2. Exposure controls

Engineering Controls	Ensure adequate ventilation, especially in confined areas
Personal protective equipment Eye Protection Hand Protection Skin and body protection Respiratory protection	Tightly fitting safety goggles Protective gloves Long sleeved clothing When workers are facing concentrations above the exposure limit they must use appropriate certified respirators
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.
Environmental Exposure Controls	No information available

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Physical state Odor	liquid characteristic of osmanthus; floral and fruity	Appearance Color	clear greenish-yellow
Property pH Melting/freezing poin Boiling point/boiling Flash Point Evaporation rate Flammability (solid, Flammability Limits Upper flammability	range 17 °C / 63 °F gas) in Air y limit	Method No information available No information available FCC Method Closed cup FCC Method No information available No information available	
lower flammability Vapor pressure mm Vapor density Relative density Specific Gravity @ 2 Specific Gravity @ 2 Refractive Index Water solubility Partition coefficient: Autoignition tempera Decomposition tempera Viscosity, dynamic	Hg 20°C 5C 0.799 - 0.829 0C 0.802 - 0.832 1.3538 - 1.3838 n-octanol/water ature	No information available No information available No information available FCC Method FCC Method No information available No information available No information available No information available	
Explosive properties Oxidizing Properties			
9.2. Other information	<u>n</u>		

VOC Content(%) Molecular Weight 97 No information available

### **10. STABILITY AND REACTIVITY**

#### 10.1. Reactivity

#### 10.2. Chemical stability

Stable under normal conditions

#### 10.3. Possibility of hazardous reactions

#### 10.4. Conditions to avoid

Heat, flames and sparks

#### 10.5. Incompatible materials

No materials to be especially mentioned

#### 10.6. Hazardous decomposition products

None under normal use conditions

### **11. TOXICOLOGICAL INFORMATION**

#### 11.1. Information on toxicological effects

Acute toxicity	
Inhalation	There is no data available for this product
Eye contact	There is no data available for this product
Skin contact	There is no data available for this product
Ingestion	There is no data available for this product
Acute toxicity	1.32% of the mixture consists of ingredient(s) of unknown toxicity
The following values are calculated	based on chapter 3.1 of the GHS document (Rev. 1, 2005):
Oral	7,159.00 mg/kg
Inhalation Mist	68,241.67 mg/l
Skin corrosion/irritation Eye damage/irritation Sensitization Germ Cell Mutagenicity Carcinogenicity	No information available No information available No information available No information available No information available
Specific target organ systemic toxicity (single exposure)	No information available
Specific target organ systemic toxicity (repeated exposure)	No information available
Target Organ Effects	Blood Central nervous system Eyes Liver Reproductive system Respiratory system Skin
Aspiration hazard	No information available

### **12. ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

#### Ecotoxicity effects

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
ETHYL ALCOHOL		mykiss mL/L LC50 static 100: 96 h	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static
B-IONONE	12.2: 96 h Desmodesmus subspicatus mg/L EC50 20.9: 72 h Desmodesmus subspicatus mg/L EC50	4.6: 96 h Leuciscus idus mg/L LC50 4.75-5.44: 96 h Pimephales promelas mg/L LC50 flow-through	1: 48 h Daphnia magna mg/L EC50

#### 12.2. Persistence and degradability

No information available

#### 12.3. Bioaccumulative potential

No information available

Chemical Name	log Pow
ETHYL ALCOHOL	-0.32
B-IONONE	4

#### 12.4. Mobility in soil

No information available

#### 12.5. Results of PBT and vPvB assessment

#### 12.6. Other adverse effects

Endocrine Disruptor Information

.? is a suspected endocrine disruptor

### **13. DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Waste from residues / unused products	Dispose of in accordance with local regulations
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal

#### **14. TRANSPORT INFORMATION**

DOT/ADR UN/ID No Proper shipping name Hazard class Packing Group ERG Code	1197 EXTRACTS, FLAVOURING, LIQUID 3 II 127
IMDG / IMO Proper shipping name Hazard class UN/ID No Packing Group	EXTRACTS, FLAVOURING, LIQUID 3 1197 II
<u>ICAO/IATA</u> UN/ID No Proper shipping name Hazard class Packing Group	1197 EXTRACTS, FLAVOURING, LIQUID 3 II

#### **15. REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

WGK Classification

Chemical Name	Germany - Water Classification (VwVwS) - Annex 2 - Water
	Hazard Classes
ETHYL ALCOHOL	Hazard Class 1
64-17-5	

#### International Inventories

All of the components in the product are on the following Inventory lists: United States of America (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), China (IECSC), Philippines (PICCS).

TSCA EINECS/ELINCS DSL/NDSL PICCS	Complies Complies Complies Complies
ENCS	- '
AICS	Complies Complies
KECL	-

#### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
 PICCS - Philippines Inventory of Chemicals and Chemical Substances
 ENCS - Japan Existing and New Chemical Substances
 IECSC - China Inventory of Existing Chemical Substances
 AICS - Australian Inventory of Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances

### 15.2. Chemical safety assessment

#### **16. OTHER INFORMATION**

#### **Risk Combination Phrases**

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

#### Full text of H-Statements referred to under sections 2 and 3

H225 - Highly flammable liquid and vapor H319 - Causes serious eye irritation H401 - Toxic to aquatic life H316 - Causes mild skin irritation H411 - Toxic to aquatic life with long lasting effects

Revision Date	07-Nov-2017
Revision Note	Not applicable.
Revision#	1

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### WARNING/DISCLAIMER:

Apex Flavors, Inc.'s products are sold exclusively for use in food and drink for human consumption. These products have not been tested, nor have they been deemed safe, for inhalation or use in electronic smoking devices, electronic nicotine delivery systems, and electronic cigarettes or similar devices (collectively "E-Cigarettes"). In supplying this product(s), Apex Flavors, Inc. instructs, and purchasing recipient confirms, that this product(s) will not be used in connection with the manufacture and distribution of E-Cigarettes or any component thereof. Recipients of our products that use them outside of their intended use of food or drink do so at their own risk and without warranty, either expressed or implied, from Apex Flavors, Inc. or its suppliers. The user assumes all liability for loss, injury, damage, or expense resulting from such uses.

#### Disclaimer

Food ingredients that are safe to be consumed in food products may pose hazards if not handled properly. This product is intended to be used in food products and, not intended to be consumed in its present form. The information provided

on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.