

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Revision date	15-Aug-2024	Revision Number 1
1. Identificatio	n	
Product identifier		
Product Name		Banana Nut Bread Type, Natural & Artificial (Contains <0.10% Artificial Top Note)
Other means of ide	ntification	
Product Code(s)		SC-ITEM 1657TTB
UN number or ID n	umber	UN1197
Synonyms		None
Recommended use	of the chemical	and restrictions on use
Recommended use	•	Food and Beverage Flavoring
Restrictions on use)	No information available
Details of the supp	lier of the safety	data sheet
Manufacturer Addr Apex Flavors, Inc. 1361 Brass Mill Rd S Belcamp, MD 21017 United States (410) 565-6600	Suite E	
E-mail address		sds@apexflavors.com
Emergency telepho	one number	
Company Phone N	umber	410-565-6600
Emergency Teleph	one	Chemtrec 1-800-424-9300

2. Hazard(s) identification

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1A
Reproductive toxicity	Category 1A
Specific target organ toxicity (single exposure)	Category 1 Category 3
Specific target organ toxicity (repeated exposure)	Category 1

Label elements



Danger

Hazard statements

Causes skin irritation. Causes serious eye irritation. May cause genetic defects. May cause cancer. May damage fertility or the unborn child. Causes damage to organs. May cause respiratory irritation. May cause drowsiness or dizziness. Causes damage to organs through prolonged or repeated exposure.

Precautionary Statements - Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing, eye protection and face protection. Wash face, hands and any exposed skin thoroughly after handling. Do not breathe dust, fume, gas, mist, vapors and spray. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. **Precautionary Statements - Response** Specific treatment (see .? on this label). IF exposed: Call a POISON CENTER or doctor. **Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.

Skin

IF ON SKIN: Wash with plenty of water and soap.

If skin irritation occurs: Get medical advice and attention.

Take off contaminated clothing and wash it before reuse.

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.

Precautionary Statements - Storage

Store locked up.

Store in a well-ventilated place. Keep container tightly closed. **Precautionary Statements - Disposal** Dispose of contents and container to an approved waste disposal plant.

Other information

Harmful to aquatic life with long lasting effects.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
PROPYLENE GLYCOL USP	57-55-6	70.00 - 90.00	-	-
ETHYL ALCOHOL 190 PROOF FOOD GRADE/KOSHER	64-17-5	15.00 - 30.00	-	-
ISO AMYL ACETATE (NATURAL)	123-92-2	1.00 - 5.00	-	-
ISO AMYL BUTYRATE (NATURAL)	106-27-4	<1.00	-	-

4. First-aid measures

General advice	Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.	
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Get medical attention immediately if symptoms occur.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.	
Skin contact	If symptoms persist, call a physician. Wash off immediately with soap and plenty of water for at least 15 minutes.	
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician.	
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).	
Most important symptoms and effe	cts, both acute and delayed	
Symptoms	May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.	
Effects of Exposure	May cause cancer. May cause adverse reproductive effects - such as birth defect, miscarriages, or infertility. Mutagenic effects. Causes damage to organs. Causes damage to organs through prolonged or repeated exposure.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	
5. Fire-fighting measures		

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

	-
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	No information available.
Explosion data Sensitivity to mechanical impact Sensitivity to static discharge	t None. None.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

surrounding environment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing.
Other information	Refer to protective measures listed in Sections 7 and 8.
Methods and material for contain	ment and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.

Methods for cleaning up	Pick up and transfer to properly labeled containers.
methods for cleaning up	

7. Handling and storage

Precautions for safe handling

Advice on safe handlingHandle in accordance with good industrial hygiene and safety practice. Avoid contact with
skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove
contaminated clothing and shoes. Take off contaminated clothing and wash before reuse.
Ensure adequate ventilation. Avoid breathing vapors or mists. In case of insufficient
ventilation, wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up. Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls/personal protection

Control parameters Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
ETHYL ALCOHOL 190 PROOF FOOD	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900	IDLH: 3300 ppm
GRADE/KOSHER		mg/m ³	TWA: 1000 ppm TWA: 1900
64-17-5		(vacated) TWA: 1000 ppm	mg/m ³
		(vacated) TWA: 1900 mg/m ³	
ISO AMYL ACETATE (NATURAL)	STEL: 100 ppm	TWA: 100 ppm TWA: 525	IDLH: 1000 ppm
123-92-2	TWA: 50 ppm	mg/m ³	TWA: 100 ppm TWA: 525
		(vacated) TWA: 100 ppm	mg/m ³
		(vacated) TWA: 525 mg/m ³	-

Chemical name	Alberta	British Columbia	Ontario	Quebec
PROPYLENE GLYCOL USP	-	-	TWA: 10 mg/m ³ TWA:	-
57-55-6			50 ppm TWA: 155	
			mg/m³	
ETHYL ALCOHOL 190 PROOF		STEL: 1000 ppm	STEL: 1000 ppm	TWA: 1000 ppm TWA:
FOOD GRADE/KOSHER	1880 mg/m ³			1880 mg/m ³
64-17-5				
ISO AMYL ACETATE	TWA: 50 ppm TWA:	TWA: 50 ppm	TWA: 50 ppm	TWA: 50 ppm TWA:
(NATURAL)	266 mg/m ³	STEL: 100 ppm	STEL: 100 ppm	266 mg/m ³
123-92-2	STEL: 100 ppm STEL:			STEL: 100 ppm STEL:
	532 mg/m ³			532 mg/m ³

Appropriate engineering controls

Engineering controls	Showers
	Eyewash stations

Ventilation systems.

Individual protection measures, such as personal protective equipmentEye/face protectionIf splashes are likely to occur, wear safety glasses with side-shields.Hand protectionWear suitable gloves. Impervious gloves.Skin and body protectionWear suitable protective clothing. Long sleeved clothing.Respiratory protectionNo protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

```
General hygiene considerations
```

Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

9. Physical and chemical properties

Information on basic physical and chemical properties		
Physical state	Liquid	
Appearance	Liquid	
Color	Light yellow	
Odor	Banana, nut and cake notes.	
Odor threshold	No information available	

Drenerty	Values	Demonto Mathad
Property	<u>Values</u> No data available	Remarks • Method None known
pH Malting point / freezing point		
Melting point / freezing point	No data available	None known
Initial boiling point and boiling	No data available	None known
range	00 0 400 F	
Flash point	39 C. 102 F.	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	0.9838 - 1.1008	None known
Water solubility	Soluble in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
2		
Other information		
Explosive properties	No information available	
Oxidizing properties	No information available	
Softening point	No information available	
Molecular weight	No information available	
VOC content	No information available	
Liquid Density	No information available	
Bulk density	No information available	
Specific Gravity @ 25C	0.9808 - 1.1008	
Specific Gravity @ 20C	0.9838 - 1.1038	
Refractive Index @ 20C	1.4156 - 1.4356	
Ŭ		

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation

Specific test data for the substance or mixture is not available. May cause irritation of

	respiratory tract. May cause drowsiness or dizziness.	
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.	
Skin contact	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).	
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.	
Symptoms related to the physical, chemical and toxicological characteristics		
Symptoms	Redness. May cause redness and tearing of the eyes. Inhalation of high vapor	

concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

vomiting.

.

ATEmix (oral)	16,992.30	mg/kg
ATEmix (dermal)	19,757.90	mg/kg
ATEmix (inhalation-gas)	99,999.00	ppm
ATEmix (inhalation-vapor)	99,999.00	mg/l
ATEmix (inhalation-dust/mist)	69,504.10	mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
PROPYLENE GLYCOL USP	20000 mg/kg (Rat)	20800 mg/kg (Rabbit)	-
57-55-6			
ETHYL ALCOHOL 190 PROOF FOOD	7060 mg/kg (Rat)	-	124.7 mg/L (Rat)4 h
GRADE/KOSHER			
64-17-5			
ISO AMYL ACETATE (NATURAL)	16600 mg/kg (Rat)	5 g/kg (Rabbit)	-
123-92-2			
ISO AMYL BUTYRATE (NATURAL)	5 g/kg (Rat)	5 g/kg (Rabbit)	-
106-27-4			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes skin irritation.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes serious eye irritation.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	Contains a known or suspected mutagen. Classification based on data available for ingredients. May cause genetic defects.
Carcinogenicity	Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

Chemical name ÂCĞİH IARC NTP OSHA ETHYL ALCOHOL 190 PROOF A3 Group 1 Known X FOOD GRADE/KOSHER 64-17-5 Group 1 Known X Legend ACGİH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 1 Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen Occupational Safety and Health Administration of the US Department of Labor X - Present Classification based on data available for ingredients. May damage fertility or the unborn child. STOT - single exposure Based on the classification criteria of the Globally Harmonized System as adopted in the country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs. May cause respiratory irritation. May cause drowsiness or dizziness. STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure. Aspiration hazard No information available.	The table below indicates whether each agency has listed any ingredient as a carcinogen.				
FOOD GRADE/KOSHER 64-17-5 Image: Constraint of the second sec	Chemical name	ACGIH	IARC	NTP	OSHA
64-17-5 Legend ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen Occupational Safety and Health Administration of the US Department of Labor X - Present Reproductive toxicity Classification based on data available for ingredients. May damage fertility or the unborn child. STOT - single exposure Based on the classification criteria of the Globally Harmonized System as adopted in the country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs. May cause respiratory irritation. May cause drowsiness or dizziness. STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure.		A3	Group 1	Known	X
Legend ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen Occupational Safety and Health Administration of the US Department of Labor X - Present Classification based on data available for ingredients. May damage fertility or the unborn child. STOT - single exposure Based on the classification criteria of the Globally Harmonized System as adopted in the country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs. May cause respiratory irritation. May cause drowsiness or dizziness. STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure.					
A3 - Animal Carcinogen JARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen Occupational Safety and Health Administration of the US Department of Labor X - Present Classification based on data available for ingredients. May damage fertility or the unborn child. STOT - single exposure Based on the classification criteria of the Globally Harmonized System as adopted in the country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs. May cause respiratory irritation. May cause drowsiness or dizziness. STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure.	Legend				
IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen 		nce of Governmental In	dustrial Hygienists)		
Group 1 - Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen Occupational Safety and Health Administration of the US Department of Labor X - Present Reproductive toxicity Classification based on data available for ingredients. May damage fertility or the unborn child. STOT - single exposure Based on the classification criteria of the Globally Harmonized System as adopted in the country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs. May cause respiratory irritation. May cause drowsiness or dizziness. STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure.		for Research on Canc	or)		
Known - Known Carcinogen Occupational Safety and Health Administration of the US Department of Labor X - PresentReproductive toxicityClassification based on data available for ingredients. May damage fertility or the unborn child.STOT - single exposureBased on the classification criteria of the Globally Harmonized System as adopted in the country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs. May cause respiratory irritation. May cause drowsiness or dizziness.STOT - repeated exposureCauses damage to organs through prolonged or repeated exposure.					
Occupational Safety and Health Administration of the US Department of Labor X - PresentReproductive toxicityClassification based on data available for ingredients. May damage fertility or the unborn child.STOT - single exposureBased on the classification criteria of the Globally Harmonized System as adopted in the country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs. May cause respiratory irritation. May cause drowsiness or dizziness.STOT - repeated exposureCauses damage to organs through prolonged or repeated exposure.		Program)			
X - PresentReproductive toxicityClassification based on data available for ingredients. May damage fertility or the unborn child.STOT - single exposureBased on the classification criteria of the Globally Harmonized System as adopted in the country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs. May cause respiratory irritation. May cause drowsiness or dizziness.STOT - repeated exposureCauses damage to organs through prolonged or repeated exposure.		alth Administration of	the US Department of	Labor	
STOT - single exposureBased on the classification criteria of the Globally Harmonized System as adopted in the country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs. May cause respiratory irritation. May cause drowsiness or dizziness.STOT - repeated exposureCauses damage to organs through prolonged or repeated exposure.			the 05 Department of	Labor	
STOT - single exposureBased on the classification criteria of the Globally Harmonized System as adopted in the country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs. May cause respiratory irritation. May cause drowsiness or dizziness.STOT - repeated exposureCauses damage to organs through prolonged or repeated exposure.					
STOT - single exposureBased on the classification criteria of the Globally Harmonized System as adopted in the country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs. May cause respiratory irritation. May cause drowsiness or dizziness.STOT - repeated exposureCauses damage to organs through prolonged or repeated exposure.	Depreductive toxicity				
country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs. May cause respiratory irritation. May cause drowsiness or dizziness.STOT - repeated exposureCauses damage to organs through prolonged or repeated exposure.	Reproductive toxicity				
country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs. May cause respiratory irritation. May cause drowsiness or dizziness.STOT - repeated exposureCauses damage to organs through prolonged or repeated exposure.					
country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs. May cause respiratory irritation. May cause drowsiness or dizziness.STOT - repeated exposureCauses damage to organs through prolonged or repeated exposure.	STOT - single exposure	Based on the clas	sification criteria of the G	Robally Harmonized Syst	em as adopted in the
Causes damage to organs. May cause respiratory irritation. May cause drowsiness or dizziness.STOT - repeated exposureCauses damage to organs through prolonged or repeated exposure.			country or region with which this safety data sheet complies, this product has been		
dizziness. STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure.					
STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure.		0			
Aspiration hazard No information available.	SIOI - repeated exposure	STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure.			9.
Aspiration hazard No information available.					
	Aspiration hazard	No information av	ailable.		

The table below indicates whether each agency has listed any ingredient as a carcinogen

12. Ecological information

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
PROPYLENE GLYCOL USP 57-55-6	19000: 96 h Pseudokirchneriella subcapitata mg/L EC50	41 - 47: 96 h Oncorhynchus mykiss mL/L LC50 static 51400: 96 h Pimephales promelas mg/L LC50 static 51600: 96 h Oncorhynchus mykiss mg/L LC50 static 710: 96 h Pimephales promelas mg/L LC50	-	1000: 48 h Daphnia magna mg/L EC50 Static 10000: 24 h Daphnia magna mg/L EC50
ETHYL ALCOHOL 190 PROOF FOOD GRADE/KOSHER 64-17-5		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through		9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static

Persistence and degradability No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
ETHYL ALCOHOL 190 PROOF FOOD GRADE/KOSHER	-0.32
64-17-5	

Other adverse effects

No information available.

13. Disposal considerations	
Disposal methods	
Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
California waste information	This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. Transport information

DOT UN number or ID number Proper shipping name Transport hazard class(es) Packing group DOT Marine Pollutant Description Special Provisions Emergency Response Guide Number	UN1197 Extracts, flavoring, liquid 3 III NP UN1197, Extracts, flavoring, liquid, 3, III B1, IB3, T2, TP1 127
<u>TDG</u> UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Description	UN1197 Extracts, flavouring, liquid 3 III UN1197, Extracts, flavouring, liquid, 3, III
<u>MEX</u> UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Description Special Provisions	UN1197 Extracts, flavouring, liquid 3 III UN1197, Extracts, flavouring, liquid, 3, III 223

ICAO (air) UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Description Special Provisions	UN1197 Extracts, liquid 3 III UN1197, Extracts, liquid, 3, III A3
ΙΑΤΑ	
UN number or ID number	UN1197
UN proper shipping name	Extracts, liquid
Transport hazard class(es)	3
Packing group	III
ERG Code	3L
Special Provisions	A3
Description	UN1197, Extracts, liquid, 3, III
UN number or ID number UN proper shipping name Transport hazard class(es) Packing group EmS-No. Special Provisions Marine pollutant Description	UN1197 Extracts, liquid 3 III F-E, S-D 223, 955 NP UN1197, Extracts, liquid, 3, III, (0°C c.c.)

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA

Contact supplier for inventory compliance status.

Chemical name	CAS No.	Inventory Listing Status	Commercial Activity Designation
PROPYLENE GLYCOL USP	57-55-6	-	Unknown *
ETHYL ALCOHOL 190 PROOF FOOD GRADE/KOSHER	64-17-5	-	Unknown *
ISO AMYL ACETATE (NATURAL)	123-92-2	-	Unknown *
ISO AMYL BUTYRATE (NATURAL)	106-27-4	-	Unknown *

*Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

DSL/NDSL

Contact supplier for inventory compliance status.

EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status.
NZIOC	Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
ISO AMYL ACETATE (NATURAL) 123-92-2	-	-	-	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
ISO AMYL ACETATE (NATURAL) 123-92-2	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals: Ethyl alcohol is only considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage

Chemical name	California Proposition 65
ETHYL ALCOHOL 190 PROOF FOOD GRADE/KOSHER - 64-17-5	Carcinogen
	Developmental

U.S. State Right-to-Know Regulations

Chemical name New Jersey Massachusetts Pennsylvania

PROPYLENE GLYCOL USP	Х	-	Х
57-55-6			
ETHYL ALCOHOL 190 PROOF FOOD	Х	Х	Х
GRADE/KOSHER			
64-17-5			
ISO AMYL ACETATE (NATURAL)	Х	Х	Х
123-92-2			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

<u>NFPA</u>	Health hazards 3	3	Flammability	0	Instability 0		Special hazards -	
HMIS	Health hazards *	* 3	Flammability	0	Physical hazards	0	Personal protection	Х

Key or legend to abbreviations and acronyms used in the safety data sheet

LegendSection 8: Exposure controls/pTWATWA (time-weightedCeilingMaximum limit value+Sensitizers	d average)	STEL Sk*	STEL (Short Term Exposure Limit) Skin designation
Key literature references and source: Agency for Toxic Substances and Disea U.S. Environmental Protection Agency of European Food Safety Authority (EFSA EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AE U.S. Environmental Protection Agency of U.S. Environmental Protection Agency of Food Research Journal Hazardous Substance Database International Uniform Chemical Informa National Institute of Technology and Ev Australia National Industrial Chemicals NIOSH (National Institute for Occupation National Library of Medicine's ChemID National Library of Medicine's PubMed U.S. National Toxicology Program (NTF New Zealand's Chemical Classification Organization for Economic Co-operation Organization for Economic Co-operation World Health Organization	ase Registry (ATSDR) ChemView Database () () () () () () () () () () () () ()	picide, and Rodentic Chemicals nent Scheme (NICN D) re (CCID) ronment, Health, and Production Volume	AS) d Safety Publications Chemicals Program
Revision date	15-Aug-2024		
Revision Note <u>Disclaimer</u> WARNING/DISCLAIMER:	No information available.		

WARNING/DISCLAIMER:

Our ingredients have not been tested, nor have they been determined safe, for inhalation or use in any electronic smoking devices, electronic nicotine delivery systems, electronic cigarettes, or other similar devices (collectively "E-Cigarettes") or in any E-Liquids used with E-Cigarettes. By receiving Apex Flavors, Inc ingredients, the recipient confirms that they will not use these ingredients in connection with the manufacture and distribution of E-Cigarettes, E-Liquids or any component thereof. WE DISCLAIM, TO THE FULLEST EXTENT PERMITTED BY LAW, ALL WARRANTIES, EXPRESS OR IMPLIED, and disclaim all liability in connection with the use of our ingredients in connection with

E-Cigarettes and E-Liquids. All such risks are assumed by you and the user.

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet

North America

North America SDS version information - NGHS UL release:

GHS Revision 3 2023 Q3

North America

Full process, including GHS and Transportation Wizards

Specific target organ toxicity (single exposure)	Category 1, Category 3
Category 1	
Specific target organ toxicity (repeated exposure)	Category 1

Chemical name	California Hazardous Waste Status
ETHYL ALCOHOL 190 PROOF FOOD GRADE/KOSHER 64-17-5	Toxic Ignitable