APEX FLAVORS, INC.

SAFETY DATA SHEET.



Version 1.01

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Number 254TTB

Manufacturer Apex Flavors, Inc.

1361 Brass Mill Rd.

Suite E

Belcamp, MD 21017 (410) 565-6600

Product name GRAHAM CRACKER TYPE, NATURAL & ARTIFICIAL

(CONTAINS < 0.10% ARTIFICIAL TOP NOTE)

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use No information available

1.3. Details of the supplier of the safety data sheet

For further information, please contact:

E-mail Address cpisano@apexflavors.com

1.4. Emergency telephone number

Emergency telephone Chemtrec: 1-800-424-9300 for US/ Outside US Chemtel 813-248-0585

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

| 2.1. Classification of the substance of mixture | |
|---|-------------|
| Serious eye damage/eye irritation | Category 2A |
| Carcinogenicity | Category 1A |
| Acute aquatic toxicity | Category 2 |
| Flammable liquids | Category 2 |

Classification according to EU Directives 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16

2.2. Label elements



Signal Word Danger

Hazard Statements

H319 - Causes serious eye irritation

H350 - May cause cancer

H401 - Toxic to aquatic life

Precautionary Statements

P201 - Obtain special instructions before use

P281 - Use personal protective equipment as required

P308 + P313 - IF exposed or concerned: Get medical advice/ attention

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

2.3. Other information

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

| Chemical Name | EC-No | CAS-No | Alternate CAS # | Weight % | Classificatio n according to Directive 67/548/EEC or 1999/45/EC | Classification according to Regulation (EC) No. 1272/2008 [CLP] | REACH Registration Number |
|---------------|-----------|-----------|--------------------|----------|--|--|---------------------------------|
| ETHYL ALCOHOL | 200-578-6 | 64-17-5 | | 50-90% | F; R11 | Flam. Liq. 2 (H225) Flam. Liq. 2 (H225) | No data available |
| GLYCERINE | Present | 56-81-5 | | 20-30% | - | No data available | No data available |
| ETHYL MALTOL | 225-582-5 | 4940-11-8 | | 1-5% | - | Acute Tox. 4 (H302) (EFFA) | No data available |

For the full text of the R-phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

4.1. Description of first aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

Revision Date 22-Jun-2016

Ingestion Clean mouth with water and drink afterwards plenty of water.

Inhalation Move to fresh air.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Extinguishing media which shall not be used for safety reasons

No information available

5.2. Special hazards arising from the substance or mixture

Special Hazard

None

5.3. Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

See Section 12 for additional Ecological Information

6.2. Environmental precautions

Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust)

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Ensure adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

7.3 Specific end use(s)

Exposure scenario N/A

Other Guidelines N/A

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies

| Chemical Name | European Union | The United Kingdom | France | Spain | Germany |
|---------------|----------------|------------------------------|------------------------------|--------------------------------|---------------------------|
| ETHYL ALCOHOL | | STEL: 3000 ppm | VME: 1000 ppm VME: | VLA-ED: 1000 ppm | MAK: 500 ppm MAK: |
| 64-17-5 | | STEL: 5760 mg/m ³ | 1900 mg/m ³ | VLA-ED: 1910 mg/m ³ | 960 mg/m ³ |
| | | TWA: 1000 ppm TWA: | | | Ceiling / Peak: 1000 |
| | | 1920 mg/m ³ | VLCT: 9500 mg/m ³ | | ppm Ceiling / Peak: |
| | | | | | 1920 mg/m ³ |
| | | | | | Skin |
| | | | | | TWA: 500 ppm TWA: |
| | | | | | 960 mg/m ³ |
| GLYCERINE | | STEL: 30 mg/m ³ | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ | TWA: 50 mg/m ³ |
| 56-81-5 | | TWA: 10 mg/m ³ | | | Ceiling / Peak: 100 |
| | | | | | mg/m³ |

| Chemical Name | Italy | Portugal | The Netherlands | Finland | Denmark |
|--------------------------|-------|---------------------------|--|--|--|
| ETHYL ALCOHOL 64-17-5 | | TWA: 1000 ppm | Skin STEL: 1900 mg/m³ TWA: 260 mg/m³ | TWA: 1000 ppm TWA: 1900 mg/m³ STEL: 1300 ppm STEL: 2500 mg/m³ | TWA: 1000 ppm TWA: 1900 mg/m ³ |
| GLYCERINE 56-81-5 | | TWA: 10 mg/m ³ | | TWA: 20 mg/m ³ | |

| Chemical Name | Austria | Sweden - Occupational Exposure Limits - TLVs (LLVs) | Switzerland | Poland | Norway |
|--------------------------|--|--|--|-----------------------------|---|
| ETHYL ALCOHOL 64-17-5 | STEL 2000 ppm STEL 3800 mg/m ³ MAK: 1000 ppm MAK: 1900 mg/m ³ | 500 ppm NGV 1000 mg/m³ NGV | STEL: 1000 ppm STEL: 1920 mg/m³ MAK: 500 ppm MAK: 960 mg/m³ | NDS: 1900 mg/m ³ | TWA: 500 ppm TWA: 950 mg/m³ STEL: 625 ppm STEL: 1187.5 mg/m³ |
| GLYCERINE 56-81-5 | | | STEL: 100 mg/m ³ TWA: 50 mg/m ³ | TWA: 10 mg/m ³ | |

| Component | Ireland |
|--------------------|---|
| ETHYL ALCOHOL | TWA: 1000 ppm TWA: 1900 mg/m ³ |
| 64-17-5 (50-90%) | |
| GLYCERINE | TWA: 10 mg/m ³ |
| 56-81-5 (20-30%) | · · |

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration N

(PNEC)

No information available

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas

Personal protective equipment

Eye Protection Tightly fitting safety goggles

254TTB GRAHAM CRACKER TYPE, NATURAL & ARTIFICIAL (CONTAINS < 0.10% ARTIFICIAL FLAVOR)

Hand ProtectionProtective glovesSkin and body protectionLong sleeved clothing

Respiratory protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

Environmental Exposure Controls No information available

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical stateliquidAppearanceclearOdorcharacteristic of graham crackersColorlight yellow

Property
pH
No information available
No information available

Melting/freezing point

No information available

Boiling point/boiling range

FCC Method

Flash Point 19 °C / 67 °F Closed cup Evaporation rate FCC Method

Flammability (solid, gas)

Flammability Limits in Air

Upper flammability limit

No information available
No information available

lower flammability limit
Vapor pressure mm Hg 20°C

Vapor pressure mm Hg 20°CNo information availableVapor densityNo information availableRelative densityNo information available

Specific Gravity @ 25C 0.9073 - 0.9273 FCC Method Specific Gravity @ 20C 0.9103 - 0.9303 FCC Method Refractive Index 1.385 - 1.405 FCC Method

Water solubility
Partition coefficient: n-octanol/water
Autoignition temperature
No information available
No information available
No information available
No information available

Explosive properties

No information available

No information available

9.2. Other information

Viscosity, dynamic

VOC Content(%) 92.8319895511959
Molecular Weight 92.8319895511959
No information available

10. STABILITY AND REACTIVITY

No information available

10.1. Reactivity

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

254TTB GRAHAM CRACKER TYPE, NATURAL & ARTIFICIAL ARTIFICIAL (CONTAINS < 0.10% ARTIFICIAL FLAVOR)(WATER SOLUBLE) # 5712

Heat, flames and sparks

10.5. Incompatible materials

No materials to be especially mentioned

10.6. Hazardous decomposition products

None under normal use conditions

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Inhalation There is no data available for this product

Eye contact There is no data available for this product

Skin contact There is no data available for this product

Ingestion There is no data available for this product

Acute toxicity 0.25112% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document (Rev. 1, 2005):

 Oral
 8,376.00 mg/kg

 Dermal
 31,272.00 mg/kg

Inhalation

Mist 601.63 mg/l

| Chemical Name | Oral LD50 | Dermal LD50 | LC50 Inhalation |
|---------------|------------------|------------------|----------------------|
| ETHYL ALCOHOL | 7060 mg/kg (Rat) | | 124.7 mg/L (Rat) 4 h |
| GLYCERINE | | 10 g/kg (Rabbit) | 570 mg/m³(Rat)1 h |
| ETHYL MALTOL | 1150 mg/kg (Rat) | 5 g/kg (Rabbit) | |

Skin corrosion/irritationNo information availableEye damage/irritationNo information availableSensitizationNo information availableGerm Cell MutagenicityNo information availableCarcinogenicityNo information available

Specific target organ systemic toxicity (single exposure)

No information available

Specific target organ systemic toxicity (repeated exposure)

No information available

Target Organ Effects Blood Central nervous system Eyes Kidney Liver Reproductive system Respiratory system

Skin

Aspiration hazard No information available

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Contains no substances known to be hazardous to the environment or not degradable in **Ecotoxicity effects**

waste water treatment plants

| Chemical Name | Toxicity to algae | Toxicity to fish | Toxicity to daphnia and other aquatic invertebrates |
|---------------|-------------------|---|--|
| ETHYL ALCOHOL | | mykiss mL/L LC50 static 100: 96 h | 9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static |
| GLYCERINE | | 51 - 57: 96 h Oncorhynchus mykiss mL/L LC50 static | 500: 24 h Daphnia magna mg/L EC50 |

12.2. Persistence and degradability

No information available

12.3. Bioaccumulative potential

No information available

| Chemical Name | log Pow |
|---------------|---------|
| ETHYL ALCOHOL | -0.32 |
| GLYCERINE | -1.76 |

12.4. Mobility in soil

No information available

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused

products

Dispose of in accordance with local regulations

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or

disposal

14. TRANSPORT INFORMATION

DOT

IMDG / IMO

Proper shipping name EXTRACTS, FLAVOURING, LIQUID

Hazard class 1197 **UN/ID No Packing Group**

ICAO/IATA

254TTB GRAHAM CRACKER TYPE, NATURAL & ARTIFICIAL (CONTAINS < 0.10% ARTIFICIAL FLAVOR)

UN/ID No 1197

Proper shipping name EXTRACTS, FLAVOURING, LIQUID

Hazard class 3
Packing Group 1197
ERG Code II

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

WGK Classification

| Chemical Name | Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes |
|--------------------------|--|
| ETHYL ALCOHOL 64-17-5 | Hazard Class 1 |
| GLYCERINE 56-81-5 | Hazard Class 1 |

International Inventories

All of the components in the product are on the following Inventory lists: No information available.

TSCA EINECS/ELINCS DSL/NDSL PICCS ENCS IECSC AICS KECL -

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

15.2. Chemical safety assessment

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed H225 - Highly flammable liquid and vapor

Revision Date 22-Jun-2016

Revision Note Not applicable.

Revision# 1.01

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

254TTB GRAHAM CRACKER TYPE, NATURAL & ARTIFICIAL (CONTAINS < 0.10% ARTIFICIAL FLAVOR)

Revision Date 22-Jun-2016

WARNING/DISCLAIMER:

Our ingredients have not been tested, nor have they been determined safe, for inhalation or use in any electronic smoking devices, electronic nicotine delivery systems, electronic cigarettes, or other similar devices (collectively "E-Cigarettes") or in any E-Liquids used with E-Cigarettes. By receiving Apex Flavors, Inc ingredients, the recipient confirms that they will not use these ingredients in connection with the manufacture and distribution of E-Cigarettes, E-Liquids or any component thereof. WE DISCLAIM, TO THE FULLEST EXTENT PERMITTED BY LAW, ALL WARRANTIES, EXPRESS OR IMPLIED, and disclaim all liability in connection with the use of our ingredients in connection with E-Cigarettes and E-Liquids. All such risks are assumed by you and the user.

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.